EXPRESS MAIL NUMBER: EL451792137US

DATE OF DEPOSIT: November 8, 2000

I hereby certify that this paper is being deposited with the United States Postal Service "EXPRESS MAIL Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to: Box PATENT APPLICATION, Assistant Commissioner for Patents; Washington, DC 20231.

Cindy Hoang

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

11-13-00

UTILITY APPLICATION TRANSMITTAL LETTER

COMMISSIONER FOR PATENTS

Box Patent Application

Washington, D.C. 20231

Sir:

13

1.45

Transmitted herewith for filing is the patent application of:

INVENTOR(s):

Jan Wasowicz

FOR: READING AND SPELLING SKILL DIAGNOSIS AND TRAINING SYSTEM

AND METHOD

This Application Claims Priority from Provisional Patent Application Serial No. 60/164,659 Filed November 9, 1999.

Enclosed are:

- 99 | Pages of specification
- 9 | Pages of claims
- 1 | Page of abstract
- [64] Sheets of informal drawings
- x | Executed Declaration and Power of Attorney (3 pgs.)
- x] Check No. 459388 for filing fee in the amount of \$793.00
- x | Executed Verified Statement Claiming Small Entity (3 pgs.)
- x] Appendix A(12 pgs) + Appendix B(137 pages)
- x] Assignment Recordation Coversheet and Executed Assignment (3 pgs.)
- [x] Acknowledgement postcard



26379

(1) For	(2) Number filed	(3) Number extra	(4) Large Entity Rate	(5) Small Entity Rate	(6)	Calculations
Basic Filing Fee	XX	XX	\$690.00	\$345.00	\$	345.00
Total Claims	52 -20=	32	X \$ 18.00	X\$ 9.00	\$	288.00
Independent Claims	6 - 3 =	3	X \$ 80.00	X\$ 40.00	\$	120.00
Multiple Dependen	t Claim(s) (if applic	\$ 260.00	\$130.00	\$	0.00	
Assignment Recordation Fee					\$	40.00
	Total of above Calculations =					793.00

- [x] Please record the accompanying Assignment.
- [x] Check No. 45938 in the amount of \$793.00 is enclosed.
- [x] The Commissioner is hereby authorized to charge any additional fees due or credit any overpayment to Deposit Account No. <u>07-1896</u>.

All future correspondence should be addressed to:

Timothy W. Lohse GRAY CARY WARE & FREIDENRICH LLP 3340 Hillview Avenue Palo Alto, CA 94304 (650) 320-7400

Respectfully submitted,

GRAY CARY WARE & FREIDENRICH LLP

Dated:

11/8/2000

Timothy W. Lohse

Reg. No. 35,255

Attorney for Applicant

GRAY CARY WARE & FREIDENRICH LLP

3340 Hillview Avenue

Palo Alto, CA 94304

Telephone: (650) 320-7400

 NO\$-08-00 10:15 AM

P. 02

Attorney Docket No.: 2100632-991141

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Janet M. Wasowicz Applicant:

Serial No: N/A

Group Art Unit:

N/A

Piled:

1.4 1.4

j. 4 53

1,4 Ī.Ā

id

13 Herewith

Examiner:

Not yet assigned

Title: READING AND SPELLING SKILL DIAGNOSIS AND TRAINING SYSTEM AND

METHOD

In the name of:

Verified Statement Claiming Small Entity Status

Title: READING AND SPELLING SKILL DIAGNOSIS AND TRAINING SYSTEM AND **METHOD**

described in [X] the specification filed herewith [] application serial no.____ filed patent no. _, issued

Janet M. Wasowicz

Small Business Concern Statement

I hereby declare that I am

- [] the owner of the small business concern identified below:
- [X] an official of the small business concern empowered to act on behalf of the concern identified below:

Name of Concern:

Cognitive Concepts, Inc.

Address of Concern:

990 Grove Street, Suite 300

Evanston, Illinois 60201

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.3-18, and reproduced in 37 CFR 1.9(d) for purposes of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time, or

HV\7064264.1 2100632-991140 The state of the s

temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third-party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention identified above.

If the rights held by the above identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed below and no rights to the invention are held by any person, other than the inventor, who could not qualify as a small business concern under 37 CFR 1.9(d) or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e):

Organization Identification

[X]	no such person, con	cern, or organization	
[]	persons, concerns, o	r organizations listed below	
F	uli Name:		
A	ddress:		
[]]	Individual	[] Small Business Concern	[] Nonprofit Organization

Acknowledgment and Declaration

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.78(b))

HV\7064264.1 2100632-991140

2 004 P.04

13 l, ä ŀá

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Name of Person Signing Andrew Morrison

Title of Person Signing President (60

Name of Concern:

Cognitive Concepts, Inc.

Address of Concern:

990 Grove Street, Suite 300, Evanston, Illinois 60201

Date:

HV\7064264.1 2100632-991140

gray has me of the first that the second of the first that the first that the

15

5

READING AND SPELLING SKILL DIAGNOSIS AND TRAINING SYSTEM AND METHOD

Related Application

This application claims priority under 35 USC § 120 from US Provisional Patent

Application No. 60/164,659 filed on November 9, 1999, entitled "Reading And Spelling Skill

Diagnosis And Training System And Method" which is incorporated herein by reference.

Appendices

Two appendices are attached that contain 1) a description of each training module (and each game within each training module) in the training tool in accordance with the invention (Appendix A); and 2) a level listing from each game with each training module. These two appendices are attached to the application and are incorporated herein by reference.

Background of the Invention

This invention relates generally to a system and method for assessing and training a user to improve the user's reading and spelling skills and in particular to a system and method for training a user's phonological awareness and processing, auditory processing, morphological awareness, print awareness, visual orthographic memory (VOM), phonics, decoding and spelling skills in order to improve the user's reading and spelling skills.

20

5

Skilled reading involves a complex system of skills and processes and is dependent upon an amalgam of word appearances, meanings and pronunciations. The knowledge and activities required to become a skilled reader can be developed systematically and have been studied heavily by researchers. Recently, particular attention has been focused on the importance of children's ability to learn the alphabetic principle (recognizing that sounds in spoken words can be represented by a letter or letter). Leading researchers have shown that coupling phonological awareness training with letter-sound correspondence training increases children's ability to develop sophisticated decoding and spelling skills – particularly for those children who have difficulty learning developmental literacy skills.

Beginning readers need to develop a strong foundation of phonological awareness, letter knowledge and vocabulary. Word recognition and spelling are facilitated by a network of connections that link the phonological, orthographic, morphological and semantic characteristics of words (Ehri, 1992). Phonological connections are defined by children's ability to notice, think about or manipulate the sounds in language (Torgesen, 1997) and are essential to establishing complete representations of words in memory. Orthographic connections are defined by children's awareness of functional letter units symbolizing phonemes (including their shapes, names and sounds) as well as letter sequences that distinguish various word spellings from one another (Perfetti, 1992). Orthographic and phonological connections work together to benefit decoding, spelling and automatic word recognition when children first begin to read. As children progress through school and encounter longer, more complex words, they will need additional knowledge about syllable patterns and meaning-based spelling patterns (Henderson, 1991). The

HV\7063358.3

2100632-991140

5

relative lack of phonetic substance of grammatical morphemes such as "ed", "ing" "s" and "es" makes them less prominent than content words, therefore, they are acquired later and are more problematic for some children (McGregor, 1997). Here, semantic and morphological connections become more important as children's awareness of spelling patterns involves how spellings relate to meaningful units. This knowledge is essential for children to move beyond using only letter-sound correspondences to process printed language and into making meaningful connections to read and spell irregular and/or more complex words.

Beginning readers need to develop an understanding of the alphabetic principle.

Instruction that addresses the needs of beginning readers must systematically bridge spoken language with conventions of printed language. Different types of connections between letters and sounds dominate children's decoding and spelling at different points in development (Ehri, 1998; Treiman, 1992). Initially, Children also rely heavily on letter names which mark their attempts at representing pronunciations of words with printed letters that they know (Moats, 1995; Templeton & Bear, 1992). As children learn letter sounds, they begin to develop more robust knowledge of the alphabetic system and start to link the most salient letters in print to sounds in pronunciations. Because initial and final letters are the most salient to children, they are typically the first connections to be recognized and represented in spellings (Ehri, 1998). When children establish sufficient connections between letters and sounds, they begin to develop accumulations of words in memory and recognize recurring spelling patterns. Once this awareness is developed, children can discover that consolidating individual letter-sound correspondences into multi-letter chunks can facilitate automatic recognition and can be used to

HV\7063358.3

· "我们我们我们就是我们的解释。"

11.00 11.00

20

5

decode unknown words with the same spelling pattern (Gaskins, 1998). However, because spelling and decoding require explicit recall and recognition of orthographic sequences, particularly for words that have unique or irregular spelling patterns, children must further develop their knowledge of the internal characteristics of words, such as individual letter-sound correspondences, particularly for the medial vowel (Moats, 1995). Instruction that reinforces patterns as well as alphabetic connections linking all of the spellings in printed words to pronunciations in spoken words will help children develop mature representations of thousands of words in memory that can be used to automatically and accurately access words or parts of words for decoding and spelling.

Beginning readers need to develop word reading automatically. One way to read words is to decode individual letter-sound correspondences. Most readers use this skill to read words they do not know. However, attacking letter-sound correspondences, although essential for learning to read and for reading unfamiliar words, is often slow and sometimes not useful when encountering words with irregular and variable spelling-pronunciation relationships (e.g., read/read) (Ehri, 1992). Most experienced readers have learned to process chunks of letters in recurring spelling patterns to decode words. They also have stored words from previous experiences reading words that cannot be decoded by attacking letter-sound correspondences. Research shows that first-grade children need a minimum of four experiences with words to read them automatically (Reitsma, 1983); thus, learning to establish sight word reading skills takes time and repeated exposures to print. Research also shows that being able to read words quickly and accurately facilitates reading fluency and increases the probability that children are

HV\7063358.3

5

understanding what they are reading (Perfetti, 1992). Many students with reading problems have poor automatic word recognition skills that affect their ability to comprehend what they read (Stanovich, 1986). Instruction that is focused on children's ability to decode unfamiliar words and is designed to develop more advanced, automatic word recognition skills will help children establish basic skills that must be in place to develop automatic word recognition and ultimately better reading fluency. By increasing automatic word recognition, children will have more cognitive resources to use for understanding text and drawing information and inferences from what is read (Adams, 1990; Stanovich, 1986).

Beginning readers need to be taught to recognize patterns in how words are spelled and pronounced. Early phonological knowledge is often characterized by awareness of gross phonological units such as whole words or syllables. At the very earliest stages of literacy acquisition, young children demonstrate the ability to recognize and categorize words that rhyme (Goswami & Bryant, 1990), but continue to struggle with awareness of phonemes until they are taught to read or receive explicit phonemic awareness instruction. As reading and spelling skills become more refined, however, children develop a more detailed understanding of the underlying sound structure of spoken words and become aware of individual phonemes in speech as well as how they relate to printed words. Many researchers argue the rhyme awareness serves as the precursor to phoneme awareness. Rhyming skills are thought to play an important role in helping children transition to awareness of correspondences between letters and phonemes in words (Goswami, 1993; Treiman, 1993). This developmental progression suggests that when children begin to read and spell, they analyze words using larger phonological units and

HV\7063358.3

5

eventually become more aware of the constituent features in words that share rhyming spelling patterns. Rhyming words provide children with cues that help them make predictions about pronunciations of words that share common spelling patterns (Goswami, 1991). These hypotheses are based on findings that show that children can read and spell words that rhyme and share spelling patterns more easily than words that share medial vowels or final consonants (Bruck & Treiman, 1992; Goswami & Mead, 1992). Using spelling and pronunciation patterns to teach children about the relationship between print and speech establishes a bridge between gross phonological skills and more discreet awareness of connections between individual phonemes and letters that make up regular words in English.

Similarly, morphological awareness (i.e., the conscious awareness of and ability to manipulate compound words, root words and their inflected and derived forms) facilitates a child's ability to read and spell words. For words that do not have a one-to-one mapping between sound (phoneme or morpheme) and spelling, visual orthographic memory (VOM) skills are critical. VOM skills are dependent on the ability to store mental images of printed letters and sequences of letters including syllables and words in memory.

Thus, it is desirable to provide a phonological reading and spelling system and method that trains a user's phonological awareness and phonics skills and bridges the user's auditory processing, phonological awareness and morphological awareness skills to the user's print awareness, phonics, decoding and spelling skills and it is to this end that the present invention is directed.

TELEVITAT AND REPORTED PROGRESS CONTRACTOR OF THE PROGRESS OF

5

Summary of the Invention

The system and method in accordance with the invention uses the language-to-literacy model of learning to read to design educationally sound products for beginning readers of all skill levels. The skills represented in each step of the model are foundational to the next, while at the same time reciprocal and overlapping. The system in accordance with the invention, referred to as "Letter Connections" herein, is designed to help children who have established the sound foundations of auditory processing, oral language and phonological awareness that they will need to make connections between spoken and printed language. Letter Connections focuses on target skills in the next two steps in the model – phonics and decoding/spelling. Phonics instruction helps children develop the skills they need to make linkages between discrete phonemes and individual letters. Learning sound-symbol correspondences through phonics instruction will help children establish the representations of words in memory they will need to fluently and accurately spell and decode words (Uhry & Sheperd, 1997). Teachers should initiate instruction in phonological awareness before beginning instruction in sound-symbol correspondences; however, once children have established the rudimentary phonological skills that they will need to analyze spoken words, concurrent instruction in sound-symbol correspondence will accelerate the development of more advanced phonological skills (Grossen, 1997).

Letter Connections was designed to develop and systematically bridge phonological and visual orthographic memory skills with phonics, reading and spelling instruction. The program offers a variety of engaging activities that incorporate cutting-edge research methods and clinically-proven training techniques to children who are beginning to make the leap into early HV\7063358.3

5

decoding and spelling. The instructional approach used in Letter Connections emphasizes the importance of teaching word spellings, meanings and pronunciations together. This approach was designed to develop children's awareness of how printed letters represent spoken words and sounds. Skill training in sound-symbol correspondence, phonics, reading fluency, sight word recognition, morphological awareness and print awareness provide children with exposure to the knowledge and activities they will need to successfully decode words.

Letter Connections games provide extensive systematic instruction designed to help children map printed letters to sounds in spoken language and develop key skills they will need to acquire basic reading and spelling skills. The extensive decoding and spelling activities incorporate skill training in letter-sound identification, fluency and vocabulary development using an adaptive training format. Letter Connections carefully controls important learning variables such as time between stimuli presentations, response time, varying spelling pattern difficulty (e.g., CVC, CCVC, CVCC) as well as the availability of visual cues. Letter Connections also incorporates brief tutorials designed to reinforce meaning and help children learn new vocabulary. These skills are taught in tandem to help children move from understanding in spoken language to understanding how the sound structure in spoken language applies to print.

Letter Connections develops children's knowledge of sound-symbol correspondences by leading children through a series of tasks designed to develop awareness of letter-sound correspondences in different contexts such as asking students to decode, blend and identify onsets and rime units, individual letters and eventually whole words. By presenting children HV\7063358.3

5

with different linguistic units, Letter Connections helps children analyze and synthesize important components of words while building upon what they know about spoken language and what they are learning about print. The systematic progression through which children are taken when playing Letter Connections games is based upon years of developmental spelling research. Letter Connections provides practice that takes children from segmenting sentences into words to blending individual letters and sounds to make a whole word. Letter Connections gradually fades auditory support and visual cues to develop children's ability to match spoken sounds and words to printed letters, words and sentences. In addition, Letter Connections provides opportunities for children to exercise these skills by using nonwords. Nonwords challenge children's decoding and spelling skill by encouraging them to transfer what they know about familiar words to read and spell unfamiliar letter strings.

Letter Connections carefully teaches children to develop automatic letter and word recognition skills. Letter Connections systematically decreases the amount of response time available to students, gradually encouraging children to recognize and identify words more quickly and accurately. Letter Connections also fades visual cues and auditory feedback to help children develop automatic word recognition and use visual orthographic images. All games require children to apply letter-sound correspondences and pattern recognition skills in the context of words, providing multiple exposures to a variety of common spelling patterns, decodable real words and non-decodable sight words.

Letter Connections uses regular, frequently occurring English spelling patterns to teach children to recognize common rime units among words. The games do not stop at the onset-rime HV\7063358.3

5

level. They progressively present information designed to develop children's awareness of the internal characteristics of common spelling patterns, thereby bridging the gap between whole word recognition and decoding with individual letter-sound correspondences. Letter Connections incorporates sorting tasks that encourage development of children's knowledge of regularity in larger linguistic units (rimes), but gradually increase difficulty by focusing children on medial vowels or final consonants with visual cues and more complex sorting requirements This training takes children beyond the regularity of regular rime units and encourages them to examine the constituent linguistic units that differentiate one rime pattern from the next. Letter Connections reduces reaction time and gradually fades visual cues to increase word reading fluency and use of visual orthographic images.

The phonological reading and spelling system and method in accordance with the invention may train and diagnose problems with a user's auditory processing, phonological awareness and processing skills that are important to the development of reading and spelling skills of the user. In addition, the system in accordance with the invention also introduces morphological awareness and visual orthographic memory training and diagnosis. In more detail, the training provided by the system bridges a user's auditory processing skills, phonological awareness skills, morphological awareness skills and visual orthographic memory skills with print awareness and phonics, decoding and spelling instruction. Thus, as suggested by various research studies, the training provided by the system begins with phonological awareness skills and then transitions to the concurrent teaching and training of phonological awareness skills with sound-symbol correspondences (phonics). The training provided by the system in accordance with the invention also permits a user, such as a child, to apply his/her morphological HVX7063358.3

5

awareness and knowledge of phonics to decoding printed words. The training provided by the system in accordance with the invention also provides spelling instruction to the user which has a positive effect on the user's phonological awareness and decoding skills.

The training provided by the system in accordance with the invention may be from one or more different modules which train one or more particular sets of phonological awareness and processing, auditory processing, morphological awareness and visual orthographic memory (VOM) skills of the user. Each module may include one or more tasks wherein each task may train a particular skill or set of skills of the user. In a preferred embodiment, the system may include four different modules including a sentence/syllable/sound segmentation and discrimination module (called "Rock On" in the preferred embodiment), a segmentation/blending and decoding/spelling module (called "Slurp & Burp in the preferred embodiment), a sound/symbol module (called "Letter Express" in the preferred embodiment) and a sound and word recognition module (called "Juggling Letters" in the preferred embodiment). Each task within a module may be a game with an interactive graphical user interface that requires user input. Each game may also include a scoring mechanism to track the user's progress. The system may store the scores for each user so that the scores for a particular user may be analyzed later. In addition to training the user's skills, the system may be used to diagnose defects in one or more skill areas of the user, making performance comparisons within and across tasks to help determine areas of strength, weakness and variables that influence both.

Thus, in accordance with the invention, a device and method for training one or more reading and spelling skills of a user including phonological and morphological skills is provided.

HV\7063358.3 2100632-991140

5

The device has a graphical display that displays images to a user and a user input device that permits the user to interact with the computer. The device may further include a game that presents stimuli to the user so that the user can respond to the stimuli and improve the reading and spelling skills of the user wherein the game further comprises a phonological skills training portion for training the phonological skills of the user and a sound/symbol correspondence training portion for training the sound/symbol correspondence skills of the user wherein the game trains the phonological skills of the user and then transitions to training the sound/symbol correspondence skills once the phonological skills are mastered (Holy! That sentence is tinged with Faulknerism).

In accordance with another aspect of the invention, a method and computer-implemented system for training a user's spelling and reading skills is provided. The system visually presents a target word to the user for a predetermined time and then visually presents a series of words to the user after the target word is removed. The system then prompts the user to identify the word in the series of words whose letters are in reverse order to the target word.

In accordance with yet another aspect of the invention, a method and computer-implemented system for training a user's spelling and reading skills is provided. The system visually presents one or more words to the user and visually presents one or more categories into which the word is sorted by the user. The system then prompts the user to sort the one or more words into the one or more categories to improve the user's skills at recognizing patterns in words.

HV\7063358.3

20

5

Brief Description of the Drawings

Figure 1 is a block diagram illustrating a computer-based reading and spelling skills training system in accordance with the invention;

Figure 2 is a diagram illustrating a preferred embodiment of the training tool of Figure 1 in accordance with the invention including one or more modules that are used to train and assess one or more skills;

Figure 3 is a diagram illustrating more details of the training tool of Figure 2 in accordance with the invention;

Figure 4 is a diagram illustrating an example of the modules including in the training system in accordance with the invention;

Figure 5 is a diagram illustrating an example of the tasks in the sound segmentation and discrimination training module in accordance with the invention;

Figure 6 is a diagram illustrating an example of the tasks in the segmentation/blending and decoding/spelling training module in accordance with the invention;

Figure 7 is a diagram illustrating an example of the tasks in the sound/symbol training module in accordance with the invention;

Figure 8 is a diagram illustrating an example of the tasks in the sound and word recognition training module in accordance with the invention;

Figures 9A - 12 are diagrams illustrating more details of each task in the sound segmentation and discrimination training module ("Rock On") in accordance with the invention;

HV\7063358.3 2100632-991140

20

5

Figures 13 A - 23 are diagrams illustrating more details of each task in the segmentation/blending and decoding/spelling training module ("ZAP!") in accordance with the invention;

Figures 24A - 35 are diagrams illustrating more details of each task in the sound/symbol training module ("Letter Express") in accordance with the invention; and

Figures 36 - 48 are diagrams illustrating more details of each task in the sound and word recognition training module ("Circus Fun") in accordance with the invention.

Detailed Description of a Preferred Embodiment

The invention is particularly applicable to a computer-based training system for training a child's auditory processing, phonological awareness and processing, morphological awareness, visual orthographic memory (VOM), reading and spelling skills and it is in this context that the invention will be described. It will be appreciated, however, that the system and method in accordance with the invention has greater utility since 1) it may be used to test and teach a variety of other individuals, such as illiterate and cognitively-impaired people, individuals whose native language is not English who are learning to read, and adolescents and adults who read poorly and wish to improve their literary skills; and 2) the system may be implemented on other computer networks, such as the Web, the Internet, a local area network or the like.

Figure 1 is a block diagram illustrating an embodiment of a computer-based auditory processing, phonological awareness and processing, morphological awareness, VOM, reading and spelling skills training system 50 in accordance with the invention. In this embodiment, the

5

training system 50 may be executed by a computer 52. The computer 52 may be a stand-alone personal computer or a computer connected to a network or a client computer connected to a server.

In general, training in accordance with the invention may be computer-based that provides opportunities for a variety of different individuals to access and participate in the training with alternative media that can be provided in a variety of locations and environments using, for example, stand-alone computers, networked computers or client/server web-based systems. In accordance with the invention, the invention may be implemented over a computer network, including the web, the Internet, a LAN, a WAN or the like wherein the user interacts with a server computer using a browser application and may download one or more updates/changes to the games over the computer network. For purposes of illustration, an embodiment using a stand-alone computer 52 will be described.

A computer 52 may include a central processing unit (CPU) 58, a memory 60, a persistent storage device 64, such as a hard disk drive, a tape drive an optical drive or the like and a training tool 66. In a preferred embodiment, the training tool may be one or more software applications (training different auditory processing, phonological awareness and processing, morphological awareness, VOM, spelling skills or reading skills) stored in the persistent storage of the computer that may be loaded into the memory 60 (as shown in Figure 1) so that the training tool may be executed by the CPU 58. The computer 52 may be connected to a remote server or other computer network that permits the computer 52 to receive updates to the training tool over the computer network. The training tool may also be used in conjunction with the

HV\7063358.3

5

diagnostic system as described in US patent application serial number 09/350,791, filed July 9, 1999 that is owned by the same assignee as the present application and is incorporated herein by reference.

The computer 52 may further include one or more input devices 76 such as a keyboard 78, a mouse 80, a joystick, a speech recognition system 82 or the like, a display 84 such as a typical cathode ray tube, a flat panel display or the like and one or more output devices 86 such as a speaker for producing sounds or a printer for producing printed output. The input and output devices permit a user of the computer to interact with the training tool so that the user's skills at various auditory processing, phonological awareness and processing, morphological awareness, VOM and other reading and spelling skills are improved. For example, the speech recognition system permits the user to speak into the speech recognition system 82 in response to a stimulus from the training tool as described below. The computer 52 may also execute a browser software application in order to interact with the diagnostic system as described above and download one or more updates to the training tool.

As described below in more detail, the training tool may include one or more different modules that train various auditory processing, phonological awareness and processing, morphological awareness, VOM and reading and spelling skills so that a child's proficiency at these skills may be increased. The training tool 66 may keep track of a user's scores in each skill area and adaptively change the difficulty of each game in each task in the training tool based on the user's current skills. For example, the training tool may either increase or decrease the difficulty of the training. As described below, the training tool may alter one or more difficulty

HV\7063358.3

5

variables of a current training (e.g., the similarly of two different words or sounds, the position of a sound in a word, the availability of visual cues and the like) to change the difficulty of the training. Now, more details of the training tool will be described.

Figure 2 is a diagram illustrating more details of the computer 52 that may be a part of the training system of Figure 1. The computer 52 may include the CPU 58, the memory 60, the persistent storage device 64 and the training tool 66. The training tool 66 may further comprise one or more software applications including a user interface (UI) 100 and game logic 102. The user interface may generate multiple images and audible sounds that are viewed and heard and responded to by the user using the input devices in order to train the user in various auditory processing, phonological awareness and processing, morphological awareness, VOM and spelling and reading skill areas (the "skills"). The game logic 102 may store the one or more modules (each module including one or more tasks/games) that make up the training tool wherein each module may train the user in a different set of skills. As each task is being executed by the CPU 58 of the computer system, it may be loaded from the persistent storage device 64 into the memory 60 so that it may be executed by the CPU. As shown in Figure 2, the user interface 100 and the game logic 102 are shown loaded into the memory 60 since the training tool is being executed by the CPU.

The training tool in accordance with the invention may use games to train the user since the user may be a child that is more likely to be willing to learn when given a game to play. In other words, the child may be playing the game and, without realizing it, may also be training and improving a particular skill. The training tool may also obviously be implemented using

HV\7063358.3 2100632-991140

5

similar games with different user interfaces for adult users. Now, more details of the training tool in accordance with the invention will be described.

Figure 3 illustrates more details of the training tool 66 that includes the user interface 100 and the game logic 102. In more detail, the game logic 102 may include a game file database 110, a score database 112 and a game administrator and scorer module 114. The game file database may store one or more modules (and one or more games/tasks for each module) of the training tool wherein each module trains a different set of skills. Each module in the preferred embodiment will be described below with reference to Figures 4-8. As described above, the actual games contained in the training tool may be updated or changed. The score database 112 may store the scores for one or more users for the one or more games contained in the training tool. The score database 112 permits the user's progress at each skill to be monitored and analyzed. The game administrator and scorer module 114 controls which game is being played, the user interface for the particular game, the score of the particular game and the level of difficulty of each game. In this manner, the user of the training tool can track his/her score or progress but is preventing from changing parameters of the games that may be very important developmental stepping stones in literacy instruction. The system may automatically track and report the scores and progress of the each user that uses the system. The administrator also permits one or more different users to use the training tool on the same computer and keep track of each user separately. The administrator 114 may also permit the person monitoring the use of the system, such as a teacher, to control the games. For example, the teacher may control the amount of time permitted for each response or the teacher may set which games a particular user may have access to in order to prevent a child from playing the games that she/he is best at and HV\7063358.3

5

avoiding the harder games. The teacher may also alter the mode of play between the continuous playing of a predetermined number of rounds of games before a break or playing the games one at a time. The teacher may also control the availability of audio replay so that a user may be permitted to re-listen to a stimulus repeatedly (easier) or may only be permitted to listen to a stimulus once.

The administrator 114 may also include statistical software applications (not shown) that permit the administrator 114 to generate statistics about the one or more users using the training tool. In the networked embodiments not shown here, the elements shown in Figure 3 may be located on a server computer and the user may interact with the server computer using a browser application to play the games of the training tool and to receive updates/changes to the games from the server computer. Now, an example of the games included in the preferred embodiment of the training tool will be described.

Figure 4 is a diagram illustrating an example of the tasks included in a preferred embodiment of the training tool 66 in accordance with the invention. The training tool 66 may include a sound segmentation and discrimination module 120 (called "Rock On" in this example), a segmentation/blending and decoding/spelling module 122 (called "Slurp & Burp" in this example), a sound/symbol module 124 (called "Letter Express" in this example) and a sound and word recognition module 126 (called "Juggling Letters" in this example). Each of these modules may train a set of one or more of the skills described above. Each module may include one or more tasks wherein each task may be an interactive game that trains a particular set of skills of the user. Each of the tasks embodied in each module will now be described in more

HV\7063358.3

5

detail. Further details of each module and each task/game is provided in the attached Appendix which is incorporated herein by reference. Now, the tasks/games in the sound segmentation and discrimination training module 120 will be described.

Figure 5 is a diagram illustrating an example of the tasks and games in the sound segmentation and discrimination training module 120 in accordance with the invention. The sound segmentation and discrimination training module 120 may include a task 130 of identifying the number of words in a sentence, a task 132 of identifying the number of syllables in a word, a task 134 of discriminating syllable stresses in a word and a task 136 of identifying syllable stress patterns in a word. These tasks, together, train a user's skill at auditory attention. discrimination, short term memory, sequential memory, temporal ordering and temporal integration, pattern recognition, phonological sequencing, phonological segmentation and sight word recognition. For each module, the tasks may train a primary skill or a secondary skill. If the module or task manipulates learning variables to challenge and exercise a particular skill, then that skill is a primary skill being trained. If the task actively engages and requires a user a use a particular skill during the task, then the skill is a secondary skill. Thus, for this module, the primary skills being trained are segmenting sentences into words, discriminating syllable stresses, identifying syllable stresses, auditory short term memory, print awareness and auditory attention. The secondary skills being trained are left to right progression, discrimination of syllables and words, auditory pattern recognition and following oral directions.

For each task, the training method may generally include presenting a stimulus to the user, gathering a response from the user to the stimulus, analyzing the response for correctness

HV\7063358.3 2100632-991140

5

and performance, providing feedback to the user and changing the difficulty of the task (by changing one or more difficulty variables) based on the user's performance.

In more detail, in the first task 130, the user is asked to detect and identify the number of words in a sentence at different difficulty levels by varying the difficulty variables in accordance with the invention. In this task, the user may advance to a harder difficulty level or fall back to an easier difficulty level based on the user's performance during the task. In this task, the difficulty variables may include changing the number of syllables in words (a word with more syllables is harder to identify), changing the phonological similarity of the words presented to the user (e.g., rhyming vs. non-rhyming), changing the availability of auditory feedback during user response and changing the availability of a printed display of the word. In the second task 132, the user is asked to identify the number of syllables in a word and the difficulty variables may include changing the availability of auditory feedback during user response and changing the availability of a printed display of the syllables. In the third task 134, the user is presented with two words and asked to identify whether the two presented words have the same syllable stresses. The difficulty variables in this task may include changing the number of syllables in a word and changing the availability of a visual cue to facilitate performance. In the fourth task 136, the user is presented with a word and asked to identify the syllable stress pattern in the word. The difficulty variables in this task may include changing the number of syllables in a word, changing the availability of auditory feedback to the user and changing the availability of visual cues to facilitate performance of the user. Each of these tasks is described in more detail in the attached Appendix. Now, the tasks associated with the blending/segmentation and decoding/spelling training module will be described.

HV\7063358.3

5

Figure 6 is a diagram illustrating an example of the tasks and games in the blending/segmentation and decoding/spelling training module 122 in accordance with the invention. The blending/segmentation and decoding/spelling training module 122 may include a task 140 of identifying a word from blending sound units, a task 142 of identifying a nonsense word from blending sound units, a task 144 of identifying rime units of a word, a task 146 of identifying a word from blending phonemes, a task 148 of identifying a nonsense word from blending phonemes, a task 150 of identifying the number of phonemes in a word, a task 152 of spelling a word, a task 154 of identifying a word from blending phoneme units, a second task 156 of identifying a word from blending phoneme units, a task 158 of identifying the number of phonemes in a sound unit and a task 160 of spelling a word. These tasks, together, train a user's skill at blending onset-rime, recognizing word endings, segmenting phonemes, deleting phonemes, word identification, decoding and spelling. Thus, for this module, the primary skills being trained are auditory attention, discrimination, short term memory, phonological blending, phonological segmentation, phonological identification, phonological sequencing, phonological working memory, sequential verbal memory, phonetic decoding, visual orthographic memory and phonetic spelling. The secondary skills being trained are letter recognition, oral directions, left-to-right progression, sight recognition, vocabulary and keyboard entry.

For each task, the training method may generally include presenting a stimulus to the user, gathering a response from the user to the stimulus, analyzing the response for correctness and performance, providing feedback to the user and changing the difficulty of the task (by changing one or more difficulty variables) based on the user's performance.

HV\7063358.3 2100632-991140

5

In more detail, in the first task 140, the user is presented with an onset and a rime separated by a period of time and asked to detect and identify the word created by blending the onset and rime sound units together at different difficulty levels by varying one or more difficulty variables in accordance with the invention. In the tasks described herein, the user may advance to a harder difficulty level or fall back to an easier difficulty level based on the user's performance during the task. In the task 140, the difficulty variables may include changing the time between the onset and the rime, changing the perceptual similarity of the response choices and changing the presentation of the word to the user (e.g., auditory alone, auditory and visual or visual alone). In task 142, the user is presented with an onset and a rime sound unit and asked to identify a nonsense word when the onset and rime unit are blending together. The difficulty variables in this task are the same as for task 140. In the task 144, the user is presented with a word and asked to identify the rime unit in the word. The difficulty variables for this task may include changing the perceptual similarity of the response choices and changing the presentation of the word to the user (e.g., auditory alone, auditory and visual or visual alone). In task 146, the user is presented with individual phonemes separated by a predetermined time and asked to identify the word generated by blending the presented phonemes together. The difficulty variables in this task may include changing the time period between the phonemes, changing the perceptual similarity of the response choices and changing the presentation of the word to the user (e.g., auditory alone, auditory and visual or visual alone).

In task 148, the user is presented with individual phonemes separated by a predetermined time and asked to identify the nonsense word generated by blending the presented phonemes together. The difficulty variables for this task may include changing the time period between the HV\7063358.3

5

phonemes, changing the perceptual similarity of the response choices and changing the presentation of the word to the user (e.g., auditory alone, auditory and visual or visual alone). In task 150, the user is presented with a word and asked to identify the number of phonemes in the word. The difficulty variables for this task may include changing the type of the word (e.g., from a real word or a nonsense word), changing the availability of auditory feedback and changing the visual display of the graphemes. In task 152, the user is presented with a word and asked to spell the word. The difficulty variables for this task may include changing the availability of auditory feedback and changing the availability of auditory cues. In task 154, the user is presented with a series of phonemes, such as CVCC (consonant, vowel, consonant and consonant) separated by a predetermined time and is asked to identify the word created by blending the phonemes together. The difficulty variables for this task may include changing the predetermined time between the phonemes, changing the perceptual saliency of the phonemes and changing the presentation format of the phonemes to the user (e.g., auditory alone, auditory and visual or visual alone). In task 156, the user is presented with a series of phonemes, such as CCVC (consonant, consonant, vowel and consonant) separated by a predetermined time and is asked to identify the word created by blending the phonemes together. The difficulty variables for this task may include changing the predetermined time between the phonemes, changing the perceptual saliency of the phonemes and changing the presentation format of the phonemes to the user (e.g., auditory alone, auditory and visual or visual alone).

In task 158, the user is presented with a sound unit and is asked to identify the number of phonemes in the sound unit. The difficulty variables for this task may include changing the phonetic saliency of the phonemes, changing the availability of auditory feedback and changing HV\7063358.3

5

the availability of visual display of the graphemes. In task 160, the user is presented with a word and is asked to spell the word. The difficulty variables for this task may include changing the phonetic saliency of the word, changing the availability of auditory feedback and changing the availability of auditory cues. Each of these tasks is described in more detail in the attached Appendix. Now, the tasks associated with the sound/symbol training module will be described.

Figure 7 is a diagram illustrating an example of the tasks and games in the sound/symbol training module 124 in accordance with the invention. The sound/symbol module 124 may include a task 170 of identifying the next letter in an order, a task 172 of identifying letters corresponding to a long vowel phoneme, a task 174 of identifying letters corresponding to a short vowel phoneme, a task 176 of identifying an upper case letter corresponding to a consonant phoneme, a task 180 of identifying the lower case letter corresponding to a consonant phoneme, a task 182 of typing the letter on the keyboard corresponding to a phoneme, a task 184 of matching long vowel phonemes, a task 186 of matching short vowel phonemes, a task 188 of matching consonant phonemes, a task 190 of identifying a beginning phoneme, a task 192 of identifying a ending phoneme and a task 192 of identifying a medial phoneme. These tasks. together, train a user's skill at auditory attention, discrimination, short term memory, phonological segmentation, identification, sequencing, manipulation, closure, working memory, letter recognition, letter naming, alphabetic order, sound/symbol correspondence, spoken language processing, left-to-right progression, visual memory for orthographic images and spelling. The primary skills being trained are short term memory, discrimination, phonological segmentation, phonological identification, phonological manipulation, phonological working memory, letter recognition, alphabetic order, sound/symbol correspondence, visual orthographic HV\7063358.3

5

memory and phonetic spelling. The secondary skills being trained are left-to-right progression, keyboard entry, oral directions and attention.

For each task, the training method may generally include presenting a stimulus to the user, gathering a response from the user to the stimulus, analyzing the response for correctness and performance, providing feedback to the user and changing the difficulty of the task (by changing one or more difficulty variables) based on the user's performance.

In more detail, in task 170, the user is presented with a letter of the alphabet and is asked to identify the next letter in the alphabet at different difficulty levels by varying one or more difficulty variables in accordance with the invention. In this task, the user may advance to a harder difficulty level or fall back to an easier difficulty level based on the user's performance during the task. In this task, the difficulty variables may include changing the position in the alphabet of the letter presented to the user, changing from the upper or lower case display of the letter and changing the visual cueing of the user. In the task 172, the user is presented with a long vowel phoneme and is asked to identify the visual representation (letter) of the long vowel phoneme. The difficulty variables for this task may include changing the availability of auditory cues, changing the availability of associated keywords, changing from the upper or lower case display of the letter and changing the visual cueing of the user. In task 174, the user is presented with a short vowel phoneme and is asked to identify the visual representation of the short vowel phoneme. The difficulty variables for this task may include changing the availability of auditory cues, changing the availability of associated keywords, changing from the upper or lower case display of the letter and changing the visual cueing of the user. In step 176, the user is presented

HV\7063358.3

5

with a consonant phoneme and is asked to identify the visual representation (an upper case letter) corresponding to the consonant phoneme. The difficulty variables for this task may include changing the availability of auditory cues, changing the availability of associated keywords and changing the phonetic similarity of the responses. In step 180, the user is presented with a consonant phoneme and is asked to identify the visual representation (a lower case letter) corresponding to the consonant phoneme. The difficulty variables for this task may include changing the availability of auditory cues, changing the availability of associated keywords and changing the phonetic similarity of the responses.

In task 182, the user is presented with a phoneme and is asked to select the corresponding letter on the keyboard. The difficulty variables for this task may include changing the perceptual saliency of the phoneme, changing the availability of the display of the printed letter and changing whether the letter is displayed as upper or lower case. In task 184, the user is presented with a long vowel phoneme and is asked to identify the matching sound. The difficulty variables for this task may include changing the number of response choices presented to the user, changing the availability of the display of the printed letter and changing whether the letter is displayed as upper or lower case. In task 186, the user is presented with a short vowel phoneme and is asked to identify the matching sound. The difficulty variables for this task may include changing the number of response choices presented to the user, changing the availability of the display of the printed letter and changing whether the letter is displayed as upper or lower case. In task 188, the user is presented with a consonant phoneme and is asked to identify the matching sound. The difficulty variables for this task may include changing the number of response

HV\7063358.3 2100632-991140

5

choices presented to the user, changing the availability of the display of the printed letter and changing whether the letter is displayed as upper or lower case.

In task 190, the user is presented with a word and asked to identify the beginning phoneme of the word. The difficulty variables for this task may include changing the type of word (real vs. nonsense), changing the format of the response choices (e.g., auditory only, auditory and visual or visual only) and changing the phonetic similarity of the response choices. In task 192, the user is presented with a word and asked to identify the ending phoneme of the word. The difficulty variables for this task may include changing the type of word (real vs. nonsense), changing the format of the response choices (e.g., auditory only, auditory and visual or visual only) and changing the phonetic similarity of the response choices. In task 194, the user is presented with a word and asked to identify the medial phoneme of the word. The difficulty variables for this task may include changing the type of word (real vs. nonsense), changing the format of the response choices (e.g., auditory only, auditory and visual or visual only) and changing the phonetic similarity of the response choices. Each of these tasks is described in more detail in the attached Appendix. Now, the tasks associated with the sound and word recognition training module will be described.

Figure 8 is a diagram illustrating an example of the tasks and games in the sound and word recognition training module 126 in accordance with the invention. The letter training module 122 may include a task 200 of sorting words based on a beginning target phoneme, a task 202 of sorting words based on an ending rime, a task 204 of sorting words based on an ending target phoneme, tasks 206, 208 of sorting words into one or more semantic categories, a task 210

HV\7063358.3

20

5

of recognizing words, a task 212 of identifying a sound in a word, a task 214 of identifying a vowel in a word, a task 216 of identifying the same ending morpheme in a word, a task 218 of identifying matching nonsense words, a task 220 of identifying words with matching word-final plurality morphemes, a task 222 of identifying words with matching word-final tense morphemes, and a task 224 of identifying words spelled in reverse to the target word. These tasks, together, train a user's skill at auditory attention, vigilance, discrimination, short term memory, phonological identification and sequencing, rhyming, morphological segmentation and identification, letter recognition, sound/symbol correspondence, decoding, sight recognition, visual orthographic memory, reading fluency, and semantic word classification. In particular, the primary skills being trained are auditory attention, auditory short term memory, auditory & phoneme discrimination (syllable sound patterns, vowels, consonants, syllables, words), phoneme identification (recognizing a sound in a word), morpheme identification (recognizing inflectional morphemes, morphological identification (Inflected Morphemes: plurals & verb markers), comprehension of linguistic concepts, letter recognition, sound-symbol correspondence (short vowels, consonants, consonant digraphs, consonant blends, rimes), orthographic knowledge, visual orthographic memory, sight word recognition (printed syllables and words), reading fluency (words in isolation), reading comprehension (vocabulary), decoding with use of morphological knowledge and semantic classification. The secondary skills being trained are rhyme (identify rhyming word), following oral directions and morphophonemic spelling.

For each task, the training method may generally include presenting a stimulus to the user, gathering a response from the user to the stimulus, analyzing the response for correctness and performance, providing feedback to the user and changing the difficulty of the task (by

HV\7063358.3

5

changing one or more difficulty variables) based on the user's performance. For each of the tasks in this module, a difficulty variable may include adaptively changing the time permitted for a response.

In more detail, in the task 200, the user is presented with a target phoneme, such as a consonant, and a word and is asked to sort the word based on the target phoneme at different difficulty levels by varying the difficulty variables in accordance with the invention. In this task, the user may advance to a harder difficulty level or fall back to an easier difficulty level based on the user's performance during the task. In this task, the difficulty variables may include changing the presentation format (e.g., auditory only, visual and auditory or visual only), changing the availability of auditory cues and changing the time permitted for a response. In the task 202, the user is presented with a target phoneme, such as a rime containing a short vowel, and a word and is asked to sort the word based on the target rime at different difficulty levels by varying the difficulty variables in accordance with the invention. In this task, the difficulty variables may include changing the presentation format (e.g., auditory only, visual and auditory or visual only), changing the availability of auditory cues and changing the time permitted for a response. In the task 204, the user is presented with a target phoneme and a word and is asked to sort the word based on the target phoneme at the end of the word at different difficulty levels by varying the difficulty variables in accordance with the invention. In this task, the difficulty variables may include changing the presentation format (e.g., auditory only, visual and auditory or visual only), changing the availability of auditory cues and changing the time permitted for a response.

HV\7063358.3 2100632-991140

FERST AND AND ENGINEEN TO BE SHED FROM THE STATE OF THE S

5

In tasks 206 and 208, the user is presented with a semantic category and a word and is asked to sort the word as it belongs into one or more semantic categories. The difficulty variables for this task may include changing the presentation format (e.g., auditory only, visual and auditory or visual only), changing the availability of auditory cues and changing the time permitted for a response. In task 210, the user is presented with a target word, such as a high frequency sight word, and a series of words and is asked to identify a word in the series that matches the target word. The difficulty variables for this task may include changing the presentation format of the target word (e.g., auditory only, visual and auditory or visual only), changing the availability of auditory cues, changing the time permitted for a response and changing the presentation format of the series of word (e.g., auditory or visual).

In task 212, the user is presented with a word and asked to identify a word that begins with the same sound heard at the end of the first presented word. The difficulty variables for this task may include changing the availability of auditory cues, changing the availability of a visual display, and changing the time permitted for a response. In task 214, the user is presented with a word and asked to identify a word that contains the same medial vowel as the first presented word. The difficulty variables for this task may include changing the availability of auditory cues, changing the availability of a visual display, and changing the time permitted for a response. In task 216, the user is presented with a word and asked to identify a word that ends with the same ending morpheme as first presented word. The difficulty variables for this task may include changing the availability of auditory cues, changing the availability of a visual display, and changing the time permitted for a response.

HV\7063358.3

5

In task 218, the user is presented with a nonsense target word and a series of words and is asked to identify the word in the series that matches the target word. The difficulty variables for this task may include changing the presentation format of the target word (e.g., auditory only, visual and auditory or visual only), changing the availability of visual cues, changing the time permitted for a response and changing the presentation format of the series of word (e.g., auditory or visual). In task 220, the user is presented with a target word, such as a real word containing target plurality morpheme, and a series of words and is asked to identify a word in the series that matches the target word. The difficulty variables for this task may include changing the presentation format of the target word (e.g., auditory only, visual and auditory or visual only), changing the availability of visual cues, changing the time permitted for a response and changing the presentation format of the series of word (e.g., auditory or visual).

In task 222, the user is presented with a target word, such as a real word containing a target verb tense morpheme, and a series of words and is asked to identify a word in the series that matches the target word. The difficulty variables for this task may include changing the presentation format of the target word (e.g., auditory only, visual and auditory or visual only), changing the availability of visual cues, changing the time permitted for a response and changing the presentation format of the series of word (e.g., auditory or visual). In task 224, the user is presented with a printed word (real or nonsense) and a series of other words (real or nonsense) and is asked to identify when a word spelled in reverse to the target word in the series is presented to the user. The difficulty variables for this task may include changing the number of letters in the words, changing the availability of visual cues and changing the time permitted for a response. Each of these tasks is described in more detail in the attached Appendix.

HV\7063358.3

20

5

In summary, the training system may include one or more tasks wherein each task may further include one or more games/sub-tasks. The combination of the various tasks and games described above permits a user's phonological awareness and processing, auditory processing, morphological awareness, VOM, reading and spelling skills to be trained and improved to improve the user's reading and spelling ability.

Figures 9A - 12 are diagrams illustrating more details of each task in the sound segmentation and discrimination training module ("Rock On") in accordance with the invention. In a preferred embodiment of this module implemented in a product. Generally, the user may click on a button to catch the "Rap-A-Taps" rhythm by counting the number of words in sentences or identifying syllable stress patterns in words.

In an implementation of the preferred embodiment, there may be a first activity of segmenting words into syllables with eight different levels and a second activity of discriminating and identifying syllable stresses with twelve different levels. In the first activity, the Rap-A-Taps lead drummer (as described below) will present a 4-6 word sentence. The user may then wait for the speaker to appear on the screen to click the number of words heard in the sentence. During the activity, the user will first hear words and see musical notes that represent words in a sentence. The user then will har and see each word as the he/she clicks the mouse. After four consecutive responses, Rock On will automatically increase the level of difficulty by taking away the narration. As you jam with the band and masterfully complete each item, you will have to rely more upon your reading skills and print awareness. The band will continue to increase the difficulty by presenting sentences with non-rhyming words, then sentences with two

20

5

syllable words. After two consecutive incorrect responses, the level of play will be decreased automatically.

In the second activity, students will first determine whether auditorily presented single-syllable words have the same or different stress. The user may click on the studio lights with the same color if the words have the same stress or click on the studio lights with different colors if the words have different stresses. After four consecutive correct responses, Rock On increases the difficulty by taking away visual cues displayed during the first level of play. When the student becomes proficient at discriminating stress in single syllable words, the student will have to identify two and three syllable words as having same or different syllable stress patterns. Printed syllables will be provided to help students develop mapping of spoken to printed syllables; however, after three consecutive correct responses, visual cues will be taken away and students will have to discriminate stress patterns based on what they hear.

At the highest levels, the user will be asked to identify syllable stress patterns by clicking on small or large color coded musical notes, representing low and high stress patterns. Students initially will be given visual and auditory cues to help them keep track of the syllable patterns in multi-syllable words. Students first will have to identify syllable stress patterns in 2-syllable words; however, the complexity of the game increases as children are asked to identify syllable stress in three syllable words and without visual cues or narration provided during response time. Rock On automatically decreases the level of play if children miss more than two consecutive items. In a preferred embodiment, for all of the tasks in the modules, the level of difficulty of the task is increased after four correct answers and it is decreased after two incorrect answers. In

HV\7063358.3

accordance with the invention, the number of correct answers that cause an increase in the difficulty level and the number of incorrect answers that cause a decrease in the difficulty level may be changed. Now, more details of each task of the sound segmentation and discrimination module will be described.

5

Figure 9A is flowchart illustrating a first task 300 of the sound segmentation and discrimination module wherein the user is asked to identify the number of words in a sentence. An example of the user interface of the task is shown in Figures 9B and 9C and described in more detail below. The learning objective of this task is now described. The student will segment 4-6 word sentences into words. The sentences will consist of one syllable rhyming words, one syllable non-rhyming words, one & two syllable rhyming words or one & two syllable non-rhyming words. Auditory feedback will or will not be provided during response depending on the difficulty of the level and printed words will or will not be displayed during response based on the difficulty level.

In step 302, the system may visually or auditorily present a sentence to the user. The system may then prompt the user (either visually or with auditory instructions) to respond to the above stimuli in step 304 to identify the number of words in the sentence and the user may input a response in step 306 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 308 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 310, the system may provide feedback to the user about the user's performance in the task wherein the

HV\7063358.3

5

feedback may be visual or auditory. In step 312, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the number of syllables in a word, the phonological similarity of words (rhyming vs. non-rhyming), availability of auditory feedback and printed display of the word. If the advancement criteria has been met, then the level of difficulty is increased in step 314 and the method returns to step 302 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 316. The level of difficulty may be decreased by changing one or more of the above difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 318 and the method returns to step 302 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 302. In this manner, the above task may be used to train a user's skills.

Figures 9B and 9C illustrate examples of a user interface 320 of the first task wherein a rock band is shown. The user interface may also include a pause button 322 to permit the user to pause the training at any time, one or more areas 324 that change color as the user indicates the number of words in the spoken sentence so that the user has a visual clue. The user interface may also include a timer 326 which alerts the user to the amount of time that the user has remaining to answer the current task. The time that is takes the user to respond affects the performance rating of the user for the particular task.

HV\7063358.3 2100632-991140

5

Figure 10 is a flowchart illustrating a second task 330 of the first module wherein the user is asked to identify the number of syllables in a word. The student will segment 1-4 syllable words into syllables. To change the difficulty of the task, auditory feedback will or will not be provided during the response and printed syllables will or will not be displayed during the response.

In step 332, the system may present the user with a word. The system may then prompt the user to respond to the above stimuli in step 334 by identifying the number of syllables in the presented word and the user may input a response in step 336 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 338 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 340, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 342, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the availability of auditory feedback or the printed display of the syllables of the word. If the advancement criteria has been met, then the level of difficulty is increased in step 344 and the method returns to step 332 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 346. The level of difficulty may be decreased by changing one or more of the above difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 348 and the method returns to step 332 HV\7063358.3

15

20

5

to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 332. In this manner, the above task may be used to train a user's skills.

Figure 11 is a flowchart illustrating a third task 350 of the first module wherein the user must identify the syllable stresses of a word. This task may actually be broken into two different sub-tasks wherein a first sub-task uses single syllables and a second sub-task uses multisyllabic words. In the first sub-task, the student will discriminate single syllable words as having same or different syllable stress when the words are auditorily presented with an inter-stimulus interval of 1.0 seconds. Visual cues will or will not be displayed to facilitate performance. In the second sub-task the student will identify multi-syllabic words as having same or different syllable stress patterns when the words are auditorily presented with an inter-stimulus interval of 1.0 seconds. Visual cues will or will not be displayed to facilitate performance.

In step 352, the system may present the user with two words either visually or orally. The system may then prompt the user to respond to the above stimuli by identifying if the two words have the same syllable stress in step 354 and the user may input a response in step 356 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 358 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 360, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 362, the system determines if the criteria has been met to increase

5

the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the number of syllables in the words or the availability of a visual cue to aid the user. If the advancement criteria has been met, then the level of difficulty is increased in step 364 and the method returns to step 352 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 366. The level of difficulty may be decreased by changing one or more difficulty variables as described above. If the decrease criteria has been met, then the level of difficulty is decreased in step 368 and the method returns to step 352 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 352. In this manner, the above task may be used to train a user's skills.

Figure 12 illustrates a fourth task 370 of the first module wherein the user is presented with a word and prompted to identify the syllable stress patterns in the word. In this task, the student will replicate syllable stress patterns of multi-syllabic syllable words. Visual cues will or will not be displayed to facilitate performance.

In step 372, the system may present the user with a word. The system may then prompt the user to respond to the above stimuli by identifying the syllable stress patterns in the word in step 374 and the user may input a response in step 376 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g.,

isto al 10 i 831 est al **100 i 100 i 1**00 i 100 i

5

correct or incorrect) in step 378 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 380, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 382, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include changing the number of syllables in the word, the availability of auditory feedback or the availability of visual cues. If the advancement criteria has been met, then the level of difficulty is increased in step 384 and the method returns to step 372 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 386. The level of difficulty may be decreased by changing one or more difficulty variables above. If the decrease criteria has been met, then the level of difficulty is decreased in step 388 and the method returns to step 372 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 372. In this manner, the above task may be used to train a user's skills. Using the above tasks, the sound segmentation and discrimination module may train the skills of the user as described above. Now, more details of the tasks of the segmentation/blending and decoding/spelling training module will be described.

Figures 13 A - 23 are diagrams illustrating more details of each task in the segmentation/blending and decoding/spelling training module ("ZAP!") in accordance with the invention. In a preferred implementation of this module, the user may click on a user interface

HV\7063358.3 2100632-991140

5

element to "take a swim in the swamp" where students will learn to decode, spell and blend real and nonsense words. The user may watch baby frogs catch their lunch as students identify or spell onsets, rimes or whole words with short vowels, single consonants as well as initial and final consonant blends. The user may click on the Bog Frog to by-pass the demonstration items.

In the preferred implementation, the activities may include the following: which word is formed using these onsets and rimes? (16 levels), how do you spell CVC real and nonsense words? (6 levels), which word is formed using consonant and short vowel sounds? (12 levels), and how do you decode and spell CCVC, VCC and CVCC words? (18 levels). In more detail, the first activity involves the baby frogs presenting onsets and rimes that make a CVC word. Three pictures will appear on the side of the screen. Once the onset-rime segments have been presented, the speaker icon appears, and students can roll-over each of the pictures to have it pronounced for a clue. After three consecutive correct responses, Zap! automatically advances the game by increasing the amount of time between onset-rime segments or presenting answer choices that have the same rime, then onset as the target. Students initially are provided with auditory and visual cues, however, as they progress, they must rely on visual-only presentation to decode onset-rime targets. While the student becomes proficient in blending and decoding onsetrime segments for real words, Zap! continues to increase the difficulty by presenting nonsense words for blending and decoding tasks. At this level, children must roll-over the question marks on the screen for an auditory presentation of the answer choices. When children progress to the nonsense word level, they will gradually work their way through the progressive stages of difficulty they encountered during the real word task. After two consecutive incorrect responses,

HV\7063358.3

20

5

the game automatically adjusts by decreasing the level of difficulty for play. As in the previous levels, children gradually work their way through blending phonemes and letters to decoding phonemes and letters for real then nonsense words.

In the second activity, Bog Frog will present a CVC or VC word auditorily. Students will be asked to spell the word by typing letters on the keyboard. Initially, students will be provided with auditory and visual cues from printed letters that pop onto a swamp sign as they type. However, as students become more proficient with spelling, auditory feedback and visual cues are taken away. Students gradually progress to levels of play during which they are asked to spell nonsense words. As in previous levels, they are provided with visual cues and auditory feedback to help them check their spellings as they type; however, as they successfully complete items, auditory feedback, then visual cues are eliminated. At these levels students must rely on what they know about the spellings of English words to spell the nonsense words presented during the game. Zap! automatically decreases the level of play if students miss more than two consecutive items.

In the third activity, as in the onset-rime activity, students are asked to blend letters and decode real and nonsense words to identify a target; however, for this activity module, children must make their decisions by blending and decoding individual letters rather than onset-rime segments. Students first must associate sounds and letters to blend individual letters together and identify a target word. As students progress, the interval between letters increases and students must choose a response from a set of phonetically similar words. At the highest levels, students must decode CVC words from a visual-only presentation, selecting answer choices first from a

HV\7063358.3

5

set of phonetically-dissimilar words then from a set of phonetically similar words. Once a student has completed real word blending and decoding items, (s)he will move on to blending and decoding letter strings for nonsense words.

In the fourth activity, Bog Frog instructs students to blend and decode CCVC words once students have demonstrated proficiency with CVC words. Students begin by associating letters and sounds then blending them together to identify CCVC target words. Zap! automatically advances by increasing the amount of time between letters and by eliminating auditory presentation. Initially, the phonetic saliency of the CC (consonant cluster) blends will be high and more easily identified; however, as children progress, Zap! automatically advances by introducing CC blends with low saliency, which are more difficult to identify. Once the student becomes proficient at identifying CCVC words, Zap! automatically advances to words with VCC and CVCC patterns. The game continues to increase difficulty by varying the mode of response and having students spell CVCC, VCC and CVCC words by typing on the keyboard. Initially, students can roll-over a set of lily pads for auditory cues while they are spelling a word. In addition, narration is provided while they type. After three consecutive correct responses, Zap! automatically advances by eliminating auditory roll-over cues and narration. Once again, students are first asked to spell words with high saliency consonant clusters then words with low saliency consonant blends. If students miss two consecutive responses, the level of play is automatically decreased. Now, more details of the various tasks in the module will be described.

Figure 13A illustrates a first task 400 of the segmentation/blending and decoding/spelling training module wherein the user is presented with an onset and rime and prompted to identify

HV\7063358.3

20

5

the word generated by blending the onset and time. In this task, the student will blend onset-rime units presented at predetermined variable time intervals with or without corresponding graphemes into a word and will make a response by selecting from a set of three phonetically-dissimilar or phonetically-similar words. The student will identify CVC words presented with no auditory cues and will make a response by selecting from a set of three phonetically-dissimilar or phonetically-similar words wherein phonetically dissimilar words have different initial consonant and medial vowels and phonetically similar words have the same rime or onset.

In step 402, the system may present the user with an onset and a rime. The system may then prompt the user to respond to the above stimuli by identifying the word generated by blending the onset and the rime in step 404 and the user may input a response in step 406 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 408 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 410, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 412, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include changing the time interval between the onset and the rime, changing the perceptual similarity of the response choices and changing the presentation format (e.g., auditory alone, auditory and visual together or visual alone). If the advancement criteria has been met, then the level of difficulty is increased in step

HV\7063358.3

5

414 and the method returns to step 402 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 416. The level of difficulty may be decreased by changing one or more of the above difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 418 and the method returns to step 402 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 402. In this manner, the above task may be used to train a user's skills.

Figure 13B illustrates an example of a user interface 420 for the first task. The user interface may include a pause button 422 to permit the user to pause the training. The user interface may also include a first area 424 that supports a frog in the preferred implementation and displays the onset (e.g., "s" in this example), and a second area 426 that supports a frog and displays the rime (e.g., "un" in this example). The user interface may also include a visual display area 428 (if activated) that may display pictures of the correct word as well as one or more incorrect words to provide the user with visual cues. The user interface may also include an area 430 for visually presenting the user selected word (e.g., "sun" in this example) to the user.

Figure 14 illustrates a first task 440 of the segmentation/blending and decoding/spelling training module wherein the user is presented with an onset and rime and is expected to identify the nonsense word created by blending the onset and rime. In this task, the user will blend onset-rime units presented at x second intervals with or without corresponding graphemes into a word

HV\7063358.3

20

5

and will make a response by selecting from a set of three phonetically-dissimilar or phonetically-similar nonsense words. The user then will decode visually presented CVC nonsense words presented with no auditory cues and will make a response by selecting from a set of three phonetically-dissimilar or phonetically-similar nonsense words wherein phonetically dissimilar words have different initial consonant and medial vowel and phonetically similar words have same rime or onset.

In step 442, the system may present the user with a onset and a rime. The system may then prompt the user to respond to the above stimuli by identifying the nonsense word formed by blending the onset and the rime in step 444 and the user may input a response in step 446 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 448 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 450, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 452, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the same variables as described above with respect to Figure 13A. If the advancement criteria has been met, then the level of difficulty is increased in step 454 and the method returns to step 442 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 456. The level of difficulty

20

5

may be decreased by changing one or more difficulty variables described above. If the decrease criteria has been met, then the level of difficulty is decreased in step 458 and the method returns to step 442 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 442. In this manner, the above task may be used to train a user's skills.

Figure 15 illustrates a third task 460 of the segmentation/blending and decoding/spelling training module wherein the user is presented with a word and prompted to identify the rime unit in the word. When presented with a one-syllable CVC word or nonsense word, the student will identify the rime unit by selecting from one of three phonetically-dissimilar or phonetically-similar rimes wherein phonetically dissimilar rimes have different vowels and phonetically similar rimes have the same vowels (the latter of which is more difficult).

In step 462, the system may present the user with a word. The system may then prompt the user to respond to the above stimuli by identifying the rime unit in the word in step 464 and the user may input a response in step 466 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 468 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 470, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 472, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables

HV\7063358.3

5

may include the perceptual similarity of the response choices or the presentation format (e.g., auditory alone, visual alone or visual with auditory). If the advancement criteria has been met, then the level of difficulty is increased in step 474 and the method returns to step 462 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 476. The level of difficulty may be decreased by changing one or more difficulty variables described above. If the decrease criteria has been met, then the level of difficulty is decreased in step 478 and the method returns to step 462 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 462. In this manner, the above task may be used to train a user's skills.

Figure 16 illustrates a fourth task 480 of the segmentation/blending and decoding/spelling training module wherein the user learns to blend phonemes into words. In this task, the student will blend three phonemes presented at predetermined adjustable time intervals with or without corresponding graphemes into a word and will make a response by selecting from a set of three phonetically-dissimilar or phonetically-similar words. The student will identify CVC words presented with no auditory cues and will make a response by selecting from a set of three phonetically-dissimilar or phonetically-similar words wherein phonetically dissimilar words have different initial and final consonants and medial vowel and phonetically similar words have the same medial vowel and initial or final consonant.

In step 482, the system may present the user with a series of individual phonemes separated by some predetermined adjustable interval. The system may then prompt the user to HV\7063358.3

5

respond to the above stimuli by identifying the word created by blending the presented phonemes in step 484 and the user may input a response in step 486 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 488 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 490, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 492, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include changing the time interval between the phonemes wherein a longer time makes the task harder, the perceptual similarity of the response choices or the presentation format as described above. If the advancement criteria has been met, then the level of difficulty is increased in step 494 and the method returns to step 482 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 496. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 498 and the method returns to step 482 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 482. In this manner, the above task may be used to train a user's skills.

HV\7063358.3 2100632-991140

5

Figure 17 illustrates a fifth task 500 of the segmentation/blending and decoding/spelling training module wherein the user blends phonemes together to form nonsense words. In this task, the student will blend three phonemes presented at predetermined variable time intervals with or without corresponding graphemes into a nonsense word and will make a response by selecting from a set of three phonetically-dissimilar or phonetically-similar nonsense words. The student will decode CVC words presented with no auditory cues and will make a response by selecting from a set of three phonetically-dissimilar or phonetically-similar nonsense words wherein phonetically dissimilar words have different initial and final consonants and medial vowel and phonetically similar words have same medial vowel and initial or final consonant.

In step 502, the system may present the user with a series of phonemes separated by a predetermined adjustable time interval. The system may then prompt the user to respond to the above stimuli by identifying the nonsense word formed by blending the phonemes in step 504 and the user may input a response in step 506 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 508 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 510, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 512, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the same variables as for the fourth task. If the advancement criteria has been met,

20

5

then the level of difficulty is increased in step 514 and the method returns to step 502 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 516. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 518 and the method returns to step 502 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 502. In this manner, the above task may be used to train a user's skills.

Figure 18A illustrates a sixth task 520 of the segmentation/blending and decoding/spelling training module wherein the user identifies the number of phonemes in a word. In this task, the student will segment VC and CVC real words and nonsense words into phonemes. Auditory feedback will or will not be provided during response. Graphemes will or will not be displayed during response to change the difficulty wherein the increase criteria for this task may be 80% correct answers.

In step 522, the system may present the user with a word. The system may then prompt the user to respond to the above stimuli by identifying the number of phonemes in the word in step 524 and the user may input a response in step 526 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 528 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 530, the system may provide feedback to the user about the

5

user's performance in the task wherein the feedback may be visual or auditory. In step 532, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the type of the word (e.g., real vs. nonsense), the availability of auditory feedback or the visual display of the graphemes. If the advancement criteria has been met, then the level of difficulty is increased in step 534 and the method returns to step 522 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 536. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 538 and the method returns to step 522 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 522. In this manner, the above task may be used to train a user's skills.

Figure 18B illustrates an example of a user interface 540 of the sixth task. The user interface is similar to the user interface shown in Figure 13B and like elements are designates with like reference numerals. For example, the user interface may include the pause button 422, the one or more stands 424, 426, 427 and 429 that support a frog in the example and each contain a phoneme (e.g., "s", "t", "o" and "p" in this example), a graphical display section 428 that is blank in this example, and the area 430 for displaying the user's selection (e.g., "stop" in this example which is correct).

20

5

Figure 19A illustrates a seventh task 550 of the segmentation/blending and decoding/spelling training module wherein the user spells a spoken word and Figures 19B and 19C illustrate examples of a user interface 552 for this task. In this task, the student will spell VC (e.g., "at") and CVC (e.g., "cat") real and nonsense words by typing letters on the keyboard. Figure 19C illustrates an example of a user interface wherein a CVCC word ("desk") is used although the same type of user interface would be used for the CV and CVC words described. Auditory cues and feedback will or will not be available during the response.

In step 554, the system may present the user with a spoken word. The system may then prompt the user to respond to the above stimuli by spelling the word in step 556 and the user may input a response in step 558 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 560 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 562, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 564, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the availability of auditory cues or the availability of auditory feedback. If the advancement criteria has been met, then the level of difficulty is increased in step 566 and the method returns to step 554 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been

HV\7063358.3

5

met in step 568. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 570 and the method returns to step 554 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 554. In this manner, the above task may be used to train a user's skills. Figure 19B illustrates an example of the user interface for this task that, in addition to the elements shown in Figure 19B, may include a speaker controller 572 for controlling the auditory cues and feedback provided to the user.

Figure 20A illustrates an eighth task 580 of the segmentation/blending and decoding/spelling training module wherein the user blends CVCC phonemes to generate a word and Figure 20B illustrates an example of a user interface 582 for this task. In this task, the student will blend four phonemes presented at predetermined variable time intervals with or without corresponding graphemes into a word and will make a response by selecting from a set of three response choices. The student will decode CVCC words presented with no auditory cues and will make a response by selecting from a set of three response choices. The phonetic saliency of the consonant cluster blends will be controlled to facilitate skill development wherein high saliency consonant clusters have fricative + stop while low saliency consonant clusters have nasal + stop.

In step 584, the system may present the user with a series of CVCC (consonant, vowel, consonant, consonant) phonemes separates by a predetermined adjustable time interval. The system may then prompt the user to respond to the above stimuli by blending the phonemes

HV\7063358.3

2100632-991140

सार अभी र भारत भी रक्षा ने १९ तमा वर्ष के अपने ने साम होता है। जो सम्बद्धा है अपने साम के अपने का साम करते हैं साम के अपने साम की रक्षा ने १९ तमा के अपने समान के अपने समान के अपने समान की अपने समान की समान की अपने समान की

5

together to form a word in step 586 and the user may input a response in step 588 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 590 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 592, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 594, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include changing the interval between the phonemes, the perceptual similarity of the response choices and changing the presentation format (e.g., auditory alone, visual alone or auditory and visual). If the advancement criteria has been met, then the level of difficulty is increased in step 595 and the method returns to step 584 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 596. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 598 and the method returns to step 584 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 584. In this manner, the above task may be used to train a user's skills.

Figure 21 illustrates a ninth task 600 of the segmentation/blending and decoding/spelling training module wherein the user blends phonemes to generate a word. In this task, the student will blend four phonemes presented at predetermined adjustable time intervals with or without HV\7063358.3

5

corresponding graphemes into a word and will make a response by selecting from a set of three response choices. The student will decode CCVC words presented with no auditory cues and will make a response by selecting from a set of three response choices. The phonetic saliency of the consonant cluster blends will be controlled to facilitate skill development.

In step 602, the system may present the user with a series of consonant, consonant, vowel, consonant phonemes (CCVC phonemes in this task) separated by a predetermined adjustable time interval. The system may then prompt the user to respond to the above stimuli by identifying the word generated by blending the phonemes together in step 604 and the user may input a response in step 606 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 608 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 610, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 612, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may be the same as set forth above for the eighth task. If the advancement criteria has been met, then the level of difficulty is increased in step 614 and the method returns to step 602 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 616. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 618 and the method returns to step 602 to HV\7063358.3

5

present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 602. In this manner, the above task may be used to train a user's skills.

Figure 22 illustrates a tenth task 620 of the segmentation/blending and decoding/spelling training module wherein the user identifies the phonemes in a spoken unit. In this task, the student will segment consonant cluster blends and VCC, CVCC and CCVC words into phonemes. Auditory feedback will or will not be provided during the response and graphemes will or will not be displayed during the response to change the difficulty. The phonetic saliency of the consonant cluster blends will be controlled to facilitate skill development.

In step 622, the system may present the user with a sound unit. The system may then prompt the user to respond to the above stimuli by identifying the number of phonemes in the sound unit in step 624 and the user may input a response in step 626 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 628 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 630, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 632, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the phonetic saliency of the phonemes, the availability of auditory feedback or the visual display of graphemes. If the advancement criteria

HV\7063358.3

The state of the s

15

20

5

has been met, then the level of difficulty is increased in step 634 and the method returns to step 622 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 636. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 638 and the method returns to step 622 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 622. In this manner, the above task may be used to train a user's skills.

Figure 23 illustrates an eleventh task 640 of the segmentation/blending and decoding/spelling training module wherein the user spells a word. In this task, the student will spell VCC, CVCC and CCVC words by typing letters on the keyboard. Auditory cues and feedback will or will not be available during the response.

In step 642, the system may present the user with a spoken word. The system may then prompt the user to respond to the above stimuli by spelling the word in step 644 and the user may input a response in step 646 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 648 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 650, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 652, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be

5

increased by changing one or more difficulty variables. In this task, the difficulty variables may include the phonetic saliency of the phonemes, the availability of auditory cues and the availability of auditory feedback. If the advancement criteria has been met, then the level of difficulty is increased in step 654 and the method returns to step 642 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 656. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 658 and the method returns to step 642 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 642. In this manner, the above task may be used to train a user's skills. Using these eleven described tasks, the segmentation/blending and decoding/spelling training module trains the primary and secondary skills of the user as set forth above to improve the user's reading skills. Now, more details of the tasks in the sound/symbol training module will be described in more detail.

Figures 24A - 35 are diagrams illustrating more details of each task in the sound/symbol training module ("Letter Express") in accordance with the invention. In a preferred implementation of the module, the user may click on a symbol and learn about letter names and sounds and how they all fit into short vowel CVC words. In particular, the user may watch a train, known as "CC", speed around the track, blowing puffs of smoke that look like animals, shapes and other fun objects as the student correctly identifies the correct sequence of alphabet letters, match letters and sounds and learn letter names. The student will also learn to identify letters in words as well as manipulate letters to create new real and nonsense words. The module HVV7063358.3

20

5

may include the activity of identifying upper and lower case letter in order in the alphabet, matching letter and sounds, and identifying and manipulating sounds in the beginning, middle and ends of CVC words.

During the first activity, students will be presented with an uppercase letter from the beginning, middle or end of the alphabet and will be asked to identify the next letter of the alphabet by typing a response on the keyboard. The student will hear the letter as he/she types and must get 80% or more of his/her responses correct to advance. After the student becomes proficient at identifying uppercase letters and alphabetic order for the first letters in the beginning of the alphabet, (s)he will identify and type sequences of letters from the middle, and then the end of the alphabet. Letter Express continues to increase in difficulty by introducing lowercase letters and by varying the place in the alphabet the student must begin. After two consecutive incorrect responses, the level of play will automatically be decreased.

In the second activity, students will be asked to identify short vowel and consonant sounds by selecting the correct lowercase letter from a set of response choices displayed on the screen. Students will first hear a vowel phoneme and must identify which of three corresponding letters correctly matches it. Initially, students will be able to roll over picture cues providing auditory cues as well as an associated word; however, once achieving 80% correct or better, they will be asked to match without auditory cues or associated words. Once a student has mastered short vowel letter-sound matching, (s)he will be asked to match consonant phonemes and digraphs with lowercase consonant letters. As the student progresses, Letter Express will increase difficulty by varying the similarity of the response choices and eliminating auditory cues

HV\7063358.3

20

5

and associated words. If a student misses two consecutive items, the level of play will automatically decrease.

In the third activity, a matrix of clouds will appear in the middle of the screen. Students will match phonemes with lowercase letters by clicking on their corresponding clouds before time runs out. CC will keep track of the number of letter-sound matches the student will make in one minute and will advance the game by increasing the number of clouds in the matrix from 8 to 12. As students make a match, the clouds will disappear, reducing the number of choices. If a student matches all of the letters and sounds in a matrix before time runs out, (s)he will be given another matrix to complete. Students will first have to match vowel letters and sounds; however, once they can match 10 or more vowel letters and sounds with 8 then 12 cloud matrices, the game will progress by presenting consonant phonemes that must be matched with lowercase letters.

In the fourth activity, after students have successfully matched letters and sounds, Letter Express automatically begins a new activity. For the first 22 levels of the game students will be asked to focus on letters and sounds in isolation. At the final 28 levels of the game, students will be asked to identify and manipulate sounds in the CVC real and nonsense words. As they progress, students will be asked to identify and manipulate sounds at the end, then in the middle of real and nonsense CVC words. Students first listen to CC say a real CVC word and identify the initial consonant from a set of three response choices. Initially, these response choices will consist of sounds and letters and students will be given roll-over letter and sound cues to help them identify the correct response. As students progress, these cues will be eliminated and

HV\7063358.3

2100632-991140

· 美国拉特 班 · 核红色外侧侧板 经现代的股份的价格 计图像 "空隙"腾星 2 次2 15; 村工内部建作的 化电压桶 电动压机

5

Express gradually increases difficulty by varying the similarity of foils and in the highest levels, having children respond using the keyboard rather than selecting from three response choices. After completing three consecutive responses for a number of different levels, students will be asked to type a new initial consonant letter on the keyboard to make a new word or nonsense word. When the student becomes proficient at identifying and manipulating initial consonant letters and sounds, Letter Express automatically advances the level by introducing final consonant sounds. Students playing at the 10 highest levels of the game will be asked to identify and manipulate short middle vowels in CVC real and nonsense words. For each task, Letter Express advances levels by challenging students to recognize then manipulate letters in real and nonsense words as well as respond to items by clicking on a correct item or typing responses. After two consecutive incorrect responses, the level of play will be decreased automatically. Now, the details of the various tasks associated with the above module will be described in more detail.

Figure 24A illustrates a first task 670 of the sound/symbol training module ("Letter Express") in accordance with the invention wherein the user identifies the next letter in the alphabet. When presented with a letter selected from the beginning, middle or end of the alphabet, the student will identify the next letter of the alphabet by typing a response on the keyboard. Upper case or lower case graphemes will be displayed.

In step 672, the system may present the user with a letter of the alphabet. The system may then prompt the user to respond to the above stimuli by identifying the next letter in the

HV\7063358.3 2100632-991140

5

alphabet in step 674 and the user may input a response in step 676 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 678 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 680, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 682, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the position in the alphabet (beginning, middle or end), upper vs. lower case display of the letters or visual cueing. If the advancement criteria has been met, then the level of difficulty is increased in step 684 and the method returns to step 672 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 686. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 688 and the method returns to step 672 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 672. In this manner, the above task may be used to train a user's skills.

Figures 24B and 24C illustrate examples of a user interface 690 of the first task. In particular, the user interface may include a pause button 691 to pause the training at any time, an animated character 692, such as a steam engine in this example and one or more puffs of smoke

HV\7063358.3 2100632-991140

REPORT IN THE RESIDENCE WAS A REPORTED FOR THE PROPERTY OF THE PARTY O

20

5

693 generated by the steam engine that each contain a letter of the alphabet. Figure 24B illustrates lower case letters being displayed to the user while Figure 24C illustrates upper case letters being displayed to the user.

Figure 25 illustrates a second task 700 of the sound/symbol training module ("Letter Express") in accordance with the invention wherein the user identifies letters corresponding to a long vowel phoneme. When presented with a phoneme sound, the student will select the corresponding letter from a set of response choices displayed on the screen. An associated word will or will not be displayed. Auditory cues will or will not be available. In this task, phoneme sounds will be limited to the most common long vowel sound-symbol associations for the 5 vowels of the English alphabet.

In step 702, the system may present the user with a long vowel phoneme. The system may then prompt the user to respond to the above stimuli by identifying the letters corresponding to the phonemes in step 704 and the user may input a response in step 706 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 708 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 710, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 712, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the availability of auditory cues, the availability

HV\7063358.3

15

20

5

of associated keywords, upper vs. lower case display of a letter or visual cueing. If the advancement criteria has been met, then the level of difficulty is increased in step 714 and the method returns to step 702 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 716. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 718 and the method returns to step 702 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 702. In this manner, the above task may be used to train a user's skills.

Figure 26 illustrates a third task 720 of the sound/symbol training module ("Letter Express") in accordance with the invention wherein the user must identify the letters that correspond to a short vowel phoneme. When presented with a phoneme sound, the student will select the corresponding letter from a set of response choices displayed on the screen. An associated word will or will not be displayed. Auditory cues will or will not be available. In this task, phoneme sounds will be limited to the most common short vowel sound-symbol associations for the 5 vowels of the English alphabet.

In step 722, the system may present the user with a short vowel phoneme. The system may then prompt the user to respond to the above stimuli by identifying the corresponding letters in step 724 and the user may input a response in step 726 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer

HV\7063358.3

5

system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 728 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 730, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 732, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables are the same as for the second task above. If the advancement criteria has been met, then the level of difficulty is increased in step 734 and the method returns to step 722 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 736. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 738 and the method returns to step 722 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 722. In this manner, the above task may be used to train a user's skills.

Figure 27 illustrates a fourth task 740 of the sound/symbol training module ("Letter Express") in accordance with the invention wherein the user the letters corresponding to a consonant phoneme. When presented with a phoneme sound, the student will select the corresponding upper case letter from a set of response choices displayed on the screen. An associated word will or will not be displayed. Auditory cues will or will not be available. Response choices will be phonetically similar or phonetically dissimilar. In this task, phoneme

HV\7063358.3

5

sounds will be limited to the most common sound-symbol associations for the 21 consonant letters of the English alphabet and three common digraphs: sh, ch, th.

In step 742, the system may present the user with a consonant phoneme. The system may then prompt the user to respond to the above stimuli by identifying the corresponding upper case letters corresponding to the phoneme in step 744 and the user may input a response in step 746 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 748 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 750, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 752, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the presence of visual cues, the presence of an associated keyword or the phonetic similarity of the response choices. If the advancement criteria has been met, then the level of difficulty is increased in step 754 and the method returns to step 742 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 756. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 758 and the method returns to step 742 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same

20

5

level and loops back to step 742. In this manner, the above task may be used to train a user's skills.

Figure 28A illustrates a fifth task 760 of the sound/symbol training module ("Letter Express") in accordance with the invention wherein the user is orally presented with a consonant phoneme and asked to identify the lowercase letter corresponding to the phoneme. Figure 28B illustrates an example of a user interface 761 of the fifth task. When presented with a phoneme sound, the student will select the corresponding lower case letter from a set of response choices displayed on the screen. An associated word will or will not be displayed. Auditory cues will or will not be available. Response choices will be phonetically-similar or dissimilar. In this task, phoneme sounds will be limited to the most common sound-symbol associations for the 21 consonant letters of the English alphabet and three common digraphs: sh, ch, th

In step 762, the system may present the user with a consonant phoneme. The system may then prompt the user to respond to the above stimuli by identifying the corresponding lower case letter (see Figure 28B) in step 764 and the user may input a response in step 766 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 768 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 770, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 772, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty

HV\7063358.3

20

5

variables. In this task, the difficulty variables may be the same as the previous task. If the advancement criteria has been met, then the level of difficulty is increased in step 774 and the method returns to step 762 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 776. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 778 and the method returns to step 762 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 762. In this manner, the above task may be used to train a user's skills.

Figure 29A illustrates a sixth task 780 of the sound/symbol training module ("Letter Express") in accordance with the invention wherein the user identifies the corresponding letter to a phoneme. Figure 29B illustrates an example of a user interface 781 for this task. In step 782, the system may present the user with a phoneme. The system may then prompt the user to respond to the above stimuli by identifying the corresponding letter in step 784 and the user may input a response in step 786 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 788 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 790, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 792, the system determines if the criteria

HV\7063358.3 2100632-991140

5

has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the perceptual saliency of the phoneme, the display of the printed letter and the upper vs. lower case display of the letter. If the advancement criteria has been met, then the level of difficulty is increased in step 794 and the method returns to step 782 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 796. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 798 and the method returns to step 782 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 782. In this manner, the above task may be used to train a user's skills.

Figure 30 illustrates a seventh task 800 of the sound/symbol training module ("Letter Express") in accordance with the invention wherein the user is asked to match the sound of a long vowel phoneme. In this task, the student will identify the vowel phoneme of a real or nonsense CVC word. The student will select a response from a set of three response choices or by typing a letter on the keyboard. The student will manipulate vowel phonemes and letters to spell new CVC words.

In step 801, the system may present the user with a long vowel phoneme. The system may then prompt the user to respond to the above stimuli by identifying the corresponding sound in step 802 and the user may input a response in step 803 using an input device of the computer,

COMMENTAL SECTIONS

HV\7063358.3

5

such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 804 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 805, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 806, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the number of response choices, the display of the printed letter or the upper vs. lower case letters. If the advancement criteria has been met, then the level of difficulty is increased in step 807 and the method returns to step 801 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 808. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 809 and the method returns to step 801 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 801. In this manner, the above task may be used to train a user's skills.

Figure 31 illustrates an eighth task 810 of the sound/symbol training module ("Letter Express") in accordance with the invention wherein the user identifies the sound associated with a presented short vowel phoneme. When presented with a 2x4 or 3x4 matrix of phonetically-similar phonemes, the student will recall and match pairs of long vowel phonemes and will recall

HV\7063358.3 2100632-991140

5

and match short vowel phonemes with upper case and lower case graphemes in a timed 1 minute per round task.

In step 811, the system may present the user with a short vowel phoneme. The system may then prompt the user to respond to the above stimuli by identifying the letter corresponding to the phoneme in step 812 and the user may input a response in step 813 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 814 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 815, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 816, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables are the same as the previous task. If the advancement criteria has been met, then the level of difficulty is increased in step 817 and the method returns to step 811 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 818. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 819 and the method returns to step 811 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 811. In this manner, the above task may be used to train a user's skills.

THE LOCAL CLASS PRINCE DATE

HV\7063358.3

20

5

Figure 32 illustrates a ninth task 820 of the sound/symbol training module ("Letter Express") in accordance with the invention wherein the user identifies a letter corresponding to a consonant phoneme. When presented with a 2x4 or 3x4 matrix of phonetically-similar phonemes, the student will recall and match pairs of consonant phonemes and will recall and match consonant phonemes with upper case and lower case graphemes in a timed 60 second task.

In step 821, the system may present the user with a consonant phoneme. The system may then prompt the user to respond to the above stimuli by identifying the letter corresponding to the phoneme in step 822 and the user may input a response in step 823 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 824 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 825, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 826, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables are the same as the previous task. If the advancement criteria has been met, then the level of difficulty is increased in step 827 and the method returns to step 821 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 828. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 829 and the method returns

HV\7063358.3

20

5

to step 821 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 821. In this manner, the above task may be used to train a user's skills.

Figure 33 illustrates a tenth task 830 of the sound/symbol training module ("Letter Express") in accordance with the invention wherein the user identifies the beginning phoneme of a word. In this task, the student will identify the beginning consonant phoneme of a real or nonsense CVC word. The student will select a response from a set of three phonetically similar or phonetically dissimilar response choices or by typing a letter on the keyboard. The student will manipulate phonemes and letters to spell new CVC and CVCe words.

In step 831, the system may present the user with a word. The system may then prompt the user to respond to the above stimuli by identifying the beginning phoneme of the word in step 832 and the user may input a response in step 833 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 834 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 835, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 836, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the type of the word (e.g., real vs. nonsense), format of the response choices (e.g., auditory only, visual only, auditory and visual or none) or the phonetic

HV\7063358.3

5

similarity of the response choices. If the advancement criteria has been met, then the level of difficulty is increased in step 837 and the method returns to step 831 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 838. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 839 and the method returns to step 831 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 831. In this manner, the above task may be used to train a user's skills.

Figure 34A illustrates an eleventh task 840 of the sound/symbol training module ("Letter Express") in accordance with the invention wherein the user identifies the ending phoneme of a word. In this task, the student will identify the final consonant phoneme of a real or nonsense frequency CVC word. The student will select a response from a set of three phonetically similar or phonetically dissimilar response choices or by typing a letter on the keyboard. The student will manipulate phonemes and letters to spell new CVC words.

In step 841, the system may present the user with a word. The system may then prompt the user to respond to the above stimuli by identifying the ending phoneme in the word in step 842 and the user may input a response in step 843 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 844 and the user's performance of the task (e.g., did the user respond within the

HV\7063358.3

allotted time?). In step 845, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 846, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may be the same as the prior task. If the advancement criteria has been met, then the level of difficulty is increased in step 847 and the method returns to step 841 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 848. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 849 and the method returns to step 841 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 841. In this manner, the above task may be used to train a user's skills.

Figure 34B illustrates an example of a user interface 850 for this task. The user interface has the same elements as the other user interfaces for this module including the pause button 691, the animated character 692 and the puffs of smoke 693 that contain letters. In addition, this user interface may include a sound control icon 851 that permits the user to control the loudness of the auditory cues provided to the user. As shown, the puffs of smoke may contain one or more different ending phonemes for a word spoken to the user and the user must select the correct ending phoneme

Figure 35 illustrates a last task 860 of the sound/symbol training module ("Letter Express") in accordance with the invention wherein the user identifies the medial phoneme of a HV\7063358.3 2100632-991140

The state of the s

POMBOOS OF A SHIP PERSONNEL FOR FRANCISM OF

20

5

word. In step 861, the system may present the user with a word. The system may then prompt the user to respond to the above stimuli by identifying the medial phoneme in step 862 and the user may input a response in step 863 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 864 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 865, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 866, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables are the same as for the previous task. If the advancement criteria has been met, then the level of difficulty is increased in step 867 and the method returns to step 861 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 868. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 869 and the method returns to step 831 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 831. In this manner, the above task may be used to train a user's skills. The above tasks constitute the training provided to the user by the sound/symbol training module that trains various primary and secondary skills as set forth above. Now, the tasks of the sound and word recognition training module will be described in more detail.

5

Figures 36A - 48 are diagrams illustrating more details of each task in the sound and word recognition training module ("Circus Fun") in accordance with the invention. In a preferred implementation of this module, the user may click on an element to have some Circus Fun with Karloon (an animated clown character as shown in Figure 36B). Karloon does many tricks while students learn to sort words into categories by sound, spelling and meaning, recognize sight words and identify word-final morphemes. The activities may include sorting words by category, recognizing non-decodable high frequency sight words and matching letters, sounds and morphemes.

In the first activity, the user helps Karloon sort words into categories by clicking on his right or left shoe. Once Karloon tells students the target feature they need to sort words, he will present a printed word. Students need to click on his right shoe if the word belongs in the group on the right of the screen and on his left shoe if the word belongs in the group on the left side of the screen. Students will look and listen to the word then decide whether to put it on the target category group or on the non-target category group. As students gain proficiency in sorting by answering 80% or more items correctly in a round of ten, they must sort words more quickly. Karloon begins by showing and saying each word, but when students show proficiency in sorting words presented at 4-,2- and 1-second intervals, his narration is eliminated and students must sort based only on what they see. At the end of a sort, Karloon reads all of the words in the target category out loud. When students are able to sort words by initial consonant presented at 4-, 2- and 1-second intervals with 80% accuracy or better, Circus Fun automatically advances to sorting words by initial consonant digraph, then closed syllable VC rimes, short vowels, final

HV\7063358.3

20

5

consonants and finally by final consonant digraphs. Circus Fun continues to increase difficulty by varying the intervals between words as well as by eliminating narration to help students develop automatic word recognition. The last three tasks in this activity require students to sort words into semantic categories. Color, Number, Shape, Animal, Object and People words are provided to students as they are asked to sort by their respective categories. As in the previous tasks, difficulty will increase by reducing response intervals and eliminating auditory presentation of each word. If students do not sort a word correctly, the word is automatically placed in the correct category and the student receives an auditory prompt reinforcing the correct answer. A score of less than 50% results in a decrease of level of play. When students successfully complete a round of 10 with 80% accuracy or better, Karloon gives them a fun show of his unicycle-riding skills.

In the second activity, Karloon will present a target word to students. Nine balloons will appear on a dart board in the middle of the screen. Words will appear at a rate of 15-30- or 60 words per minute. Students will be asked to click on a dart when they see and hear or see a target word on the dart board. If correct, the dart will hit the target and the balloon will burst. If incorrect, the target word that Karloon is holding will flash and the word will be pronounced again. After getting 80% correct in a round of ten, Circus Fun automatically advances by increasing the rate at which words are presented. Once students have become proficient at recognizing words presented with auditory and visual support, the target word will be taken off of the screen before the words are presented, encouraging students to hold the target word in memory while they wait for the match to appear on the dart board. Circus Fun continues to

20

5

increase in difficulty by varying whether words are presented visually or auditorily or both. At the highest level of these tasks, students will be asked to match a auditorily presented target word to a word presented visually. After missing 50% or more of the items in a round of 10, the level of difficulty will decrease.

In the third activity, the user may click on the top left box of the maze to begin. After a brief tutorial, Karloon will present a word. Students must roll-over two adjacent highlighted boxes, listen to or look at the words in the boxes and decide which one has a matching sound and/or spelling. Click on the correct box after rolling over both boxes and listening to their pronunciations or looking at their spellings. If correct, students will use the correct answer as the target for the next set of boxes in the maze and will roll-over two different boxes to find the match. Karloon has a pile of ten balls next to him at the beginning of every round. For every correct answer, students get a hat with a flower in each box and Karloon picks up a ball from the pile. For incorrect answers or if the maze is not completed in the time allowed, the maze will end, a new maze will begin, and a ball from the top of the pile will roll off the screen. When the maze is complete, the words will be read aloud as their respective boxes are highlighted.

Circus Fun automatically increases difficulty after students get three trials correct.

Students begin with auditory and visual presentation of words containing the same short vowel sounds and letters. Initially, short vowel targets are highlighted within the words presented.

Students will begin the tasks with unlimited time to respond, however, as they master matching short vowels in words, the amount of time allowed to complete a maze will be reduced to 20 seconds then to 10 seconds. Circus Fun continues to increase difficulty by eliminating

THE PARTY OF THE P

20

5

highlighted vowels and providing visual-only presentation without narration. Once students master matching short vowels, Circus Fun automatically advances by introducing word final morphemes. For the last levels of this game, students are asked to match plural nouns and verbs ending in "ed", "ing" "es" and "s". Karloon provides a brief tutorial to reinforce the concept of plurality as well as present and past tense. This tutorial can be by-passed by clicking once on the square in the upper left hand corner of the maze. Students are asked to match words with final morphemes when provided with auditory-only, auditory-visual and visual-only targets. Circus Fun continues to increase difficulty by varying availability of a visual cue and decreasing the time allowed to complete a maze. Now, the individual tasks in the module will be described in more detail.

Figure 36 illustrates more details of the first task 900 of the sound and word recognition training module wherein the user determines if a word begins with a particular phoneme. This task may be broken down into two sub-tasks wherein single consonants are used and consonant digraphs are used. In the first sub-task, the student will sort words based on initial consonant sound and single consonant letter when a series of words is presented at a rate of 30 words per minute (wpm), 45 wpm and 60 wpm. Words will be presented in auditory only, auditory + visual, or visual only format. A visual cue will or will not be provided to facilitate performance with visual presentations. In the second sub-task, the student will sort words based on initial consonant sound and consonant digraphs when a series of words is presented at a rate of 30 wpm, 45 wpm and 60 wpm. Words will be presented in auditory only, auditory + visual, or visual only

THE RESERVE OF THE PROPERTY OF

5

format. A visual cue will or will not be provided to facilitate performance with visual presentations. Now, the first sub-task will be described in more detail.

In step 901, the system may present the user with a consonant phoneme and a word. The system may then prompt the user to respond to the above stimuli by identifying if the word begins with the phoneme in step 902 and the user may input a response in step 903 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 904 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 905, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 906, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the presentation format (e.g., auditory only, visual only or auditory and visual), the availability of a visual cue or the time allowed for a response. If the advancement criteria has been met, then the level of difficulty is increased in step 907 and the method returns to step 901 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 908. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 909 and the method returns to step 901 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task

CHILD CONTRACTOR OF THE PROPERTY.

HV\7063358.3

5

continues at the same level and loops back to step 901. In this manner, the above task may be used to train a user's skills.

Figure 37 illustrates more details of a second task 910 of the sound and word recognition training module wherein the user if a rime begins with a short vowel. This task may be broken down into two sub-tasks wherein single consonants and consonant digraphs are used. In the first sub-task, the student will sort words based on word rime when a series of words is presented at a rate of 30 wpm, 45 wpm and 60 wpm. Words will be presented in auditory only, auditory + visual, or visual only format. A visual cue will or will not be provided to facilitate performance with visual presentations. In the second sub-task, the student will sort words based on word rime when a series of words is presented at a rate of 30 wpm, 45 wpm and 60 wpm. Words will be presented in auditory only, auditory + visual, or visual only format. A visual cue will or will not be provided to facilitate performance with visual presentations. The first sub-task is now described in more detail.

In step 911, the system may present the user with a short vowel and its rime unit. The system may then prompt the user to respond to the above stimuli by identifying if the rime begins with the short vowel in step 912 and the user may input a response in step 913 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 914 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 915 the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory.

The lift of the last that the same and a star of the same that the lift of the last that the last th

20

5

In step 916, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may be the same as the previous task. If the advancement criteria has been met, then the level of difficulty is increased in step 917 and the method returns to step 911 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 918. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 919 and the method returns to step 911 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 911. In this manner, the above task may be used to train a user's skills.

Figure 38 illustrates more details of a third task 920 of the sound and word recognition training module wherein the user identifies if a presented word ends with a particular phoneme. This task may be broken down into two sub-tasks wherein single consonants and consonant digraphs are used. In the first sub-task, the student will sort words based on final consonant sound and single consonant letter when a series of words is presented at a rate of 30 wpm, 45 wpm and 60 wpm. Words will be presented in auditory only, auditory + visual, or visual only format. A visual cue will or will not be provided to facilitate performance with visual presentations. In the second sub-task, the student will sort words based on final consonant sound and consonant digraphs when a series of words is presented at a rate of 30 wpm, 45 wpm and 60 wpm. Words will be presented in auditory only, auditory + visual, or visual only format. A visual

TOTAL TENEDRAL STREET

H V \/\003336.3

5

cue will or will not be provided to facilitate performance with visual presentations. Now, the first sub-task will be described in more detail.

In step 921, the system may present the user with a phoneme and a word. The system may then prompt the user to respond to the above stimuli by identifying if the word ends with the phoneme in step 922 and the user may input a response in step 923 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 924 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 925, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 926, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables are the same as the previous task. If the advancement criteria has been met, then the level of difficulty is increased in step 927 and the method returns to step 921 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 928. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 929 and the method returns to step 921 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 921. In this manner, the above task may be used to train a user's skills.

HV\7063358.3

5

Figure 39A illustrates more details of a fourth task 930 of the sound and word recognition training module wherein the user sorts words into one or more semantic categories. In this task, the student will sort words into categories of colors, numbers, shapes when a series of words is presented at a rate of 30 wpm, 45 wpm and 60 wpm. Words will be presented in auditory only, auditory + visual, or visual only format.

In step 931, the system may present the user with a word and one or more categories. The system may then prompt the user to respond to the above stimuli by placing the word into a category in step 932 and the user may input a response in step 933 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 934 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 935, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 936, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the presentation format as described above, the availability of a visual cue or the time allowed for a response. If the advancement criteria has been met, then the level of difficulty is increased in step 937 and the method returns to step 931 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 938. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 939 and the method returns HV\7063358.3

2100632-991140

THE REPORT OF A STATE OF A BASE OF A BASE OF A STATE OF

20

5

to step 931 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 931. In this manner, the above task may be used to train a user's skills.

Figure 39B illustrates an example of a user interface 940 for the above task. In this user interface, there may be a pause button 941 that permits the user to pause the training, an animated character 942, such as Karloon the clown, a first category area 943 and a second category area 944. Above each category area, there may be an indication of the types of words that should be put into that category. Then, as each word is presented to the user, the user may click on a left shoe 945 of the clown to place the word in the first category or the user may click on a right shoe 946 of the clown to place the word in the second category. In this manner, the user's skills at recognizing a word and then placing that word in the proper category is trained.

Figure 40A illustrates more details of a fifth task 950 of the sound and word recognition training module wherein the user places words into more complex categories. Figure 40B illustrates an example of a user interface 948 for this task which is very similar to the user interface shown in Figure 39B so this user interface will not be described here. In this task, the student will sort words into categories of animals, objects and people when a series of words is presented at a rate of 30 wpm, 45 wpm and 60 wpm. Words will be presented in auditory only, auditory + visual, or visual only format.

In step 951, the system may present the user with a one or more categories and a series of one or more words. The system may then prompt the user to respond to the above stimuli by sorting the words into the proper categories in step 952 and the user may input a response in step HV/7063358.3

5

953 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 954 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 955, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 956, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables are the same as for the previous task. If the advancement criteria has been met, then the level of difficulty is increased in step 957 and the method returns to step 951 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 958. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 959 and the method returns to step 951 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 951. In this manner, the above task may be used to train a user's skills.

Figure 41 illustrates more details of a sixth task 960 of the sound and word recognition training module wherein the user matches words to each other. This task may be broken down into three sub-tasks wherein different high frequency sight words are trained. In the first sub-task, following visual + auditory, visual-only or auditory-only visual-only presentation of a target

AND BLOOM BULL TO SERVER AND AND ASSESSED.

HV\7063358.3

5

word, the student will identify the same word in a series of words auditorily or visually presented at a rate of 30 wpm, 45 wpm and 60 wpm. The visual display of the target word will or will not remain on screen to facilitate performance. The target word list is: a, are, have, I, me, one, said, the, they, we. For the second sub-task, following visual + auditory, visual-only or auditory-only visual-only presentation of a target word, the student will identify the same word in a series of words auditorily or visually presented at a rate of 30 wpm, 45 wpm and 60 wpm. The visual display of the target word will or will not remain on screen to facilitate performance. The target word list is: all, for, he, is, my, out, that, to, was, you. In the third sub-task, following visual + auditory, visual-only or auditory-only visual-only presentation of a target word, the student will identify the same word in a series of words auditorily or visually presented at a rate of 30 wpm, 45 wpm and 60 wpm. The visual display of the target word will or will not remain on screen to facilitate performance. The target word list is: by, has, her, his, of, put, some, them, then, when. Now, the first sub-task is described in more detail.

In step 961, the system may present the user with a target word and a series of words. The system may then prompt the user to respond to the above stimuli by identifying when the word that matches the target word is presented to the user in step 962 and the user may input a response in step 963 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 964 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 965, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 966, the system determines if the criteria has been HVV7063358.3

5

met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the presentation format of the target word (auditory, visual or auditory and visual), the availability of a visual cue or the time allowed for a response. If the advancement criteria has been met, then the level of difficulty is increased in step 967 and the method returns to step 961 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 968. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 969 and the method returns to step 961 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 961. In this manner, the above task may be used to train a user's skills.

Figure 42A illustrates more details of a seventh task 970 of the sound and word recognition training module wherein the user identifies a word that begins with the same sound heard at the end of the first words presented to the user. Figure 42B illustrates a user interface of this task. In step 971, the system may present the user with a word. The system may then prompt the user to respond to the above stimuli by identifying the word that begins with the same sound as the end of the first word presented to the user in step 972 and the user may input a response in step 973 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 974 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 975,

HV\7063358.3

5

the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 976, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the availability of visual cues or visual displays or the time allowed for response. If the advancement criteria has been met, then the level of difficulty is increased in step 977 and the method returns to step 971 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 978. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 979 and the method returns to step 971 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 971. In this manner, the above task may be used to train a user's skills.

Figure 43A illustrates more details of an eighth task 980 of the sound and word recognition training module wherein the user identifies a word with the same vowel as the first word. Figure 43B illustrates a user interface for this task. In this task, following presentation of a target word, the student will select a word containing the same short vowel sound from two auditory-only, auditory + visual or visual-only response choices. When visual response choices are available, visual cues will or will not be provided to facilitate response. The task will be untimed or timed with 20 seconds or 10 seconds allowed for response in the timed task.

HV\7063358.3 2100632-991140

5

In step 981, the system may present the user with a target word. The system may then prompt the user to respond to the above stimuli by identifying a presented word with the same vowel as the target word in step 982 and the user may input a response in step 983 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 984 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 985, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 986, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may be the same as the previous task. If the advancement criteria has been met, then the level of difficulty is increased in step 987 and the method returns to step 981 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 988. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 989 and the method returns to step 981 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 981. In this manner, the above task may be used to train a user's skills.

HV\7063358.3 2100632-991140

5

Figure 44A illustrates more details of a ninth task 990 of the sound and word recognition training module wherein the user identifies a word with the same ending morpheme as a target word. Figure 44B illustrates an example of a user interface for this task. This task may be broken down into four sub-tasks wherein the morphemes are verbs ending in "ing", plural nouns ending in "s", verbs ending in "ed" and verbs ending in "s" or "es". In the first sub-task, following presentation of a target word ending in "ing", the student will select a word containing the same word-final morpheme from two auditory-only, auditory + visual or visual-only response choices. Visual cues will or will not be provided to facilitate response. The task will be untimed or timed with 20 or 15 seconds allowed for response in the timed task. In the second sub-task, following presentation of a target word ending in "s" or "es", the student will select a word containing the same word-final morpheme from two auditory-only, auditory + visual or visual-only response choices. Visual cues will or will not be provided to facilitate response. The task will be untimed or timed with 20 or 15 seconds allowed for response in the timed task.

In the third sub-task, following presentation of a target word ending in "ed", the student will select a word containing the same word-final morpheme from two auditory-only, auditory + visual or visual-only response choices. Visual cues will or will not be provided to facilitate response. The task will be untimed or timed with 20 or 15 seconds allowed for response in the timed task. In the fourth sub-task, following presentation of a target word ending in "ing", the student will select a word containing the same word-final morpheme from two auditory-only, auditory + visual or visual-only response choices. Visual cues will or will not be provided to

5

facilitate response. The task will be untimed or timed with 20 or 15 seconds allowed for response in the timed task. Now, the first sub-task will be described in more detail.

In step 991, the system may present the user with a word. The system may then prompt the user to respond to the above stimuli by identifying a presented word with the same ending morpheme as the first word in step 992 and the user may input a response in step 993 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 994 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 995, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 996, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables are the same as the previous task. If the advancement criteria has been met, then the level of difficulty is increased in step 997 and the method returns to step 991 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 998. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 999 and the method returns to step 991 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 991. In this manner, the above task may be used to train a user's skills.

HV\7063358.3

5

Figure 45 illustrates more details of a tenth task 1000 of the sound and word recognition training module wherein the user identifies matching words. In step 1001, the system may present the user with a target nonsense word and a series of words. The system may then prompt the user to respond to the above stimuli by identifying the matching words in step 1002 and the user may input a response in step 1003 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 1004 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 1005, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 1006, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the presentation format (e.g., auditory, visual or auditory and visual), the availability of visual cues or the time allowed for a response. If the advancement criteria has been met, then the level of difficulty is increased in step 1007 and the method returns to step 1001 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 1008. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 1009 and the method returns to step 1001 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 1001. In this manner, the above task may be used to train a user's skills.

HV\7063358.3

20

5

Figure 46A illustrates more details of an eleventh task 1010 of the sound and word recognition training module wherein the user matches words. Figure 46B illustrates an example of the user interface for the task. In step 1011, the system may present the user with a target word containing a group of target plurality morphemes and then a series of words. The system may then prompt the user to respond to the above stimuli by identifying the matching words in step 1012 and the user may input a response in step 1013 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 1014 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 1015, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 1016, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include presentation format of the target word (e.g., auditory, visual or auditory and visual), the availability of a visual cue or the time allowed for response. If the advancement criteria has been met, then the level of difficulty is increased in step 1017 and the method returns to step 1011 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 1018. The level of difficulty may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 1019 and the method returns to step 1011 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task

HV\7063358.3

5

continues at the same level and loops back to step 1011. In this manner, the above task may be used to train a user's skills.

Figure 47A illustrates more details of a twelfth task 1020 of the sound and word recognition training module wherein the user matches words that contain verb tense morphemes. Figures 47B and 47C illustrates examples of the user interface for this task. In step 1021, the system may present the user with a target word having verb tense morphemes and then a series of words. The system may then prompt the user to respond to the above stimuli by matching the target word with a word in the series of words in step 1022 and the user may input a response in step 1023 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 1024 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 1025, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 1026, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the presentation format of the target word (e.g., visual, auditory or visual and auditory), the availability of a visual cue and the time allowed for a response. If the advancement criteria has been met, then the level of difficulty is increased in step 1027 and the method returns to step 1021 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 1028. The level of difficulty may be decreased by changing one or more difficulty variables. If the HV\7063358.3

20

5

decrease criteria has been met, then the level of difficulty is decreased in step 1029 and the method returns to step 1021 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 1021. In this manner, the above task may be used to train a user's skills.

Figure 48 illustrates more details of a thirteenth task 1030 of the sound and word recognition training module wherein the user identifies a words spelled in reverse to the target word. In step 1031, the system may present the user with a printed target word and then a series of printed words. The system may then prompt the user to respond to the above stimuli by identifying the word in the series of presented words that is spelled in reverse to the target word in step 1032 and the user may input a response in step 1033 using an input device of the computer, such as the keyboard, the mouse, the speech recognition tool or the like. Once the computer system receives the response from the user, the system may analyze the user's response (e.g., correct or incorrect) in step 1034 and the user's performance of the task (e.g., did the user respond within the allotted time?). In step 1035, the system may provide feedback to the user about the user's performance in the task wherein the feedback may be visual or auditory. In step 1036, the system determines if the criteria has been met to increase the level of difficulty of the task. The level of difficulty may be increased by changing one or more difficulty variables. In this task, the difficulty variables may include the number of letters in the words, the availability of visual cues or the time allowed for a response. If the advancement criteria has been met, then the level of difficulty is increased in step 1037 and the method returns to step 1031 to present the next task to the user at the higher difficulty level. If the advancement criteria is not met, then the system determines if the decrease level criteria has been met in step 1038. The level of difficulty HV\7063358.3

HV\7063358.3

may be decreased by changing one or more difficulty variables. If the decrease criteria has been met, then the level of difficulty is decreased in step 1039 and the method returns to step 1031 to present the next task to the user at the lower level of difficulty. If the decrease level criteria has also not been met, then the task continues at the same level and loops back to step 1031. In this manner, the above task may be used to train a user's skills.

While the foregoing has been with reference to a particular embodiment of the invention, it will be appreciated by those skilled in the art that changes in this embodiment may be made without departing from the principles and spirit of the invention.

" PROPERTY OF STREET

CLAIMS:

5

6

10

1 2 3

1

2

3

3

- 1 A device for training one or more reading and spelling skills of a user including
- 2 phonological and morphological skills, the device comprising:
- a graphical display that displays images to a user;
- a user input device that permits the user to interact with the computer; and
 - a game that presents stimuli to the user so that the user can respond to the stimuli and improve the reading and spelling skills of the user, the game further comprising a phonological skills training portion for training the phonological skills of the user and a sound/symbol correspondence training portion for training the sound/symbol correspondence skills of the user wherein the game trains the phonological skills of the user and then transitions to training the sound/symbol correspondence skills once the phonological skills are mastered.
 - 2. The device of Claim 1, wherein the phonological training portion further comprises a morphological skills training portion to train the user's skills at decoding a word and vocabulary.
 - 3. The device of Claim 2, wherein the sound/symbol training portion further comprises a phonics portion to train the user's skills at decoding printed words and awareness of the connections between speech and print.
- 1 4. The device of Claim 1, wherein the game further comprises one or more modules 2 that train different skills of the user wherein each module trains one or more different skills of

the user.

2

3

4

1

2

3

- 5. The device of Claim 4, wherein the one or more modules further comprise a segmentation, discrimination and syllable stress training module, a segmentation, blending, decoding and spelling training module, a sound/symbol correspondence training module and a sound and word recognition training module.
 - 6. The device of Claim 5, wherein each module further comprises means for providing a cue to the user, wherein the cues are auditory cues first, then auditory and visual cues and then visual cues.
 - 7. The device of Claim 1, wherein the game further comprises means for adaptively changing the difficulty of the training of the user based on user performance.
 - 8. The device of Claim 7, wherein the difficulty changing means further comprises means for changing one or more difficulty variables to change the difficulty of the training.
 - 9. The device of Claim 8, wherein the difficulty changing means further comprises means for increasing the difficulty of the training if the user has met a predetermined increase level criteria and means for decreasing the difficulty of the training if the user has met a predetermined decrease level criteria.
 - 10. The device of Claim 1, wherein the game is stored on a server computer and downloaded to a client computer and wherein the user input device and the graphical display are part of a client computer connected to the server computer by a computer network.
- 1 11. The device of Claim 10, wherein the server further comprises means for downloading changes to the game from the server computer to the client computer.

AND THE PROPERTY OF THE PROPER

2

3

4

1

1

2

3

1

2

- 1 12. The device of Claim 1, wherein the game is stored on a compact disk and then loaded into a computer having the graphical display and the user input device.
 - 13. The device of Claim 10, wherein the server further comprises a diagnostic tool for testing the skills of the user in order to customize the game for a particular user and means for downloading the customized game from the server computer to the client computer of the particular user.
 - 14. The device of Claim 10, wherein the server further comprises a scoring database that stores the scores of the users of the system.
 - 15. The device of Claim 14, wherein the server further comprises means for generating statistics about the scores stored in the scoring database.
 - 16. The device of Claim 1, wherein the game further comprises a module for training the user's skills at identifying the correspondence between sounds and symbols.
 - 17. The device of Claim 16, wherein the module further comprises a task in which the user sorts words into one or more categories in order to identify patterns in printed words.
 - 18. The device of Claim 17, wherein the sorting task further comprises means for sorting words based on an initial portion of a word, means for sorting words based on a middle portion of the words and means for sorting a word based on a final portion of the words.
 - 19. The device of Claim 17, wherein the module further comprises a second task in which the user sorts words into one or more semantic categories.

- 美有具体 化基子环 医乳子环状肿 化二氯甲基化丁基二甲基化丁基化甲基二甲基化甲基

2

3

4

5

6

7 8 9

1:0

(1) (2)

3

1

2

- 1 20. The device of Claim 17, wherein the module further comprises a third task in 2 which the user identifies a word that is spelling is reverse order to a target word.
 - 21. A method for training one or more reading and spelling skills of a user including phonological and morphological skills using a computer system having a graphical display for displaying images to the user and a user input device to permit the user to interact with the computer, the method comprising:

executing a game that presents stimuli to the user so that the user can respond to the stimuli and improve the reading and spelling skills of the user, the game further comprising a phonological skills training portion for training the phonological skills of the user and a sound/symbol correspondence training portion for training the sound/symbol correspondence skills of the user wherein the game trains the phonological skills of the user and then transitions to training the sound/symbol correspondence skills once the phonological skills are mastered.

- 22. The method of Claim 21, wherein the phonological training portion further comprises a morphological skills training portion to train the user's skills at decoding a word and vocabulary.
- 23. The method of Claim 22, wherein the sound/symbol training portion further comprises a phonics portion to train the user's skills at decoding printed words.
- The method of Claim 21, wherein the game further comprises simultaneously training one or more skills of the user using one or more modules that train different skills of the user.

- The method of Claim 24, wherein the one or more modules further comprise a segmentation, discrimination and syllable stress training module, a segmentation, blending, decoding and spelling training module, a sound/symbol correspondence training module and a sound and word recognition training module.
- The method of Claim 25, wherein each module further comprises providing a cue to the user wherein the cues are auditory cues first, then auditory and visual cues and then visual cues.
 - 27. The method of Claim 21, wherein the game further comprises adaptively changing the difficulty of the training of the user based on user performance.
 - 28. The method of Claim 27, wherein the difficulty changing further comprises changing one or more difficulty variables to change the difficulty of the training.
 - 29. The method of Claim 28, wherein the difficulty changing further comprises increasing the difficulty of the training if the user has met a predetermined increase level criteria and decreasing the difficulty of the training if the user has met a predetermined decrease level criteria.
- 1 30. The method of Claim 21, wherein the game is stored on a server computer and
 2 downloaded to a client computer and wherein the user input method and the graphical display are
 3 part of a client computer connected to the server computer by a computer network.
- 1 31. The method of Claim 30, wherein the server further comprises downloading changes to the game from the server computer to the client computer.

2

1 32. The method of Claim 21, wherein the game is stored on a compact disk and then 2 loaded into a computer having the graphical display and the user input method.

-105-

- 1 33. The method of Claim 30, wherein the server further comprises testing the skills of 2 the user with diagnostic tool in order to customize the game for a particular user and 3 downloading the customized game from the server computer to the client computer of the 4 particular user.
 - 34. The method of Claim 30, wherein the server further comprises using a scoring database that stores the scores of the users of the system.
 - 35. The method of Claim 34, wherein the server further comprises generating statistics about the scores stored in the scoring database.
 - 36. The method of Claim 21, wherein the game further comprises a module for training the user's skills at identifying the correspondence between sounds and symbols.
 - 37. The method of Claim 36, wherein the module further comprises a task in which the user sorts words into one or more categories in order to identify patterns in printed words.
- 1 38. The method of Claim 37, wherein the sorting task further comprises sorting words 2 based on an initial portion of a word, sorting words based on a middle portion of the words and 3 sorting a word based on a final portion of the words.
- 1 39. The method of Claim 37, wherein the module further comprises a second task in 2 which the user sorts words into one or more semantic categories.

1

14

2

13

1.] 1.2

2 3

į i

order to the target word.

- 1 40. The method of Claim 37, wherein the module further comprises a third task in 2 which the user identifies a word that is spelling is reverse order to a target word.
- 1 41. A method for training a user's spelling and reading skills, comprising
 2 visually presenting a target word to the user for a predetermined time;
 3 visually presenting a series of words to the user after the target word is removed; and
 4 prompting the user to identify the word in the series of words whose letters are in reverse
 - 42. The method of Claim 41 further comprising receiving a response from the user indicating a selected word, analyzing the selected word to determine if it is the correct choice,

and providing feedback to the user about the selected word.

- 43. A computer implemented system for training the reading and spelling skills of a user, comprising:
- a graphical display that visually presenting a target word to the user for a predetermined time;
- the graphical display visually presenting a series of words to the user after the target word

 is removed; and
- means for prompting the user to identify the word in the series of words whose letters are
 in reverse order to the target word.
- 1 44. The system of Claim 43 further comprising a user input device that receives a
 2 response from the user indicating a selected word, means for analyzing the selected word to
 HV\7063358.3

AND PROPERTY OF STREET

2100632-991140

- determine if it is the correct choice, and means for providing feedback to the user about the
 selected word.
- 1 45. A method for training a user's spelling and reading skills, comprising
- 2 visually presenting one or more words to the user;
- 3 visually presenting one or more categories into which the word is sorted by the user; and
- 4 prompting the user to sort the one or more words into the one or more categories to
- 5 improve the user's skills at recognizing patterns in words.
 - 46. The method of Claim 45 further comprising receiving a response from the user indicating a selected category, analyzing the selected category to determine if it is the correct category, and providing feedback to the user about the selected category.
 - 47. The method of Claim 45, wherein the one or more categories are semantic categories.
 - 48. The method of Claim 47, wherein the semantic categories further comprise one or more of colors, numbers, shapes, animals, objects and people.
- 1 49. A computer implemented system for training the reading and spelling skills of a 2 user, comprising:
- a graphical display that visually presents one or more words to the user;
- the graphical display visually presenting one or more categories into which the word is sorted by the user; and

į.

- 6 means for prompting the user to sort the one or more words into the one or more
 7 categories to improve the user's skills at recognizing patterns in words.
- The system of Claim 49 further comprising a user input device that receives a response from the user indicating a selected category, means for analyzing the selected category to determine if it is the correct category, and means for providing feedback to the user about the selected category.
 - 51. The system of Claim 49, wherein the one or more categories are semantic categories.
 - 52. The system of Claim 51, wherein the semantic categories further comprise one or more of colors, numbers, shapes, animals, objects and people.

TOWN TO THE PERSON NAMED AND ADDRESS OF THE PERSON NAMED AND A

1


2


[] [2]

į. A

ABSTRACT OF THE DISCLOSURE

A reading and spelling skill diagnosis and training system and method are provided wherein a user's auditory processing, phonological awareness and processing, morphological awareness, visual orthographic memory, reading and spelling skills are trained in order to improve the user's reading and spelling skills. The system may include one or more modules that each test and train a different set of skills. Each module may include one or more different tasks (implemented as interactive graphical games) that train a particular skill or set of skills of the user.








Figure 3

1, 1

####

1 182

ļ.i

5

Į, à

ļ.

13

100 and

FIGURE G




FIGURE 8

CHERT CHARLEMAN




Figure 9A

Figure 9B



Figure 9C




Figure 10

. . .

tere a percentile to the first of the first




Figure 11




Figure 12

resolute duit din i langua a a farmana a glantara




Figure 13A




Figure 14

the state of the second se




Figure 15




Figure 16




Figure 17





Figure 18 A






Figure 19A

Figure 19B

Figure 19C





Figure 20 A



TOP BY THE SALE OF SHIRING PROPERTY AS A PRINCE AS A SHARE




Figure 21




Figure 22




Figure 23





Figure 24A

Figure 24B






Figure 25

A Mark Street

Committee of the control of the state of the




Figure 26

ent manaticionista (manataril a secilos de mora e

可分种类的 人名英国西特特斯特人名英斯斯特拉克 计程序集制的数据系统 板




Figure 27




Figure 28A




Figure 28B




Figure 29 A

TO MISSELLE TO THE PROPERTY OF THE PROPERTY OF

Figure 29B




Figure 30




Figure 31




Figure 32




Figure 33




Figure 34 A

and the second of the second o

Figure 34B




Figure 35




Figure 36




Figure 37

يرين والعراقة فالألف فالأاليب




Figure 38




Figure 39A

Figure 39B




Figure 40A

constitution of the

Figure 40B




Figure 41




Figure 4ZA

Figure 42B




Figure 43 A

Figure 43B





Figure 44 A






Figure 45





Figure 46 A







Figure 47 A



Figur 47C




Figure 48

DECLARATION AND POWER OF ATTORNEY

DECLARATION:

As a below named inventor, I hereby declare that:

the specification of which (check only one item below):

My residence, post office address and citizenship are as stated below next to my name.

I believe, I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

READING AND SPELLING SKILL DIAGNOSIS AND TRAINING SYSTEM AND METHOD

X is attached hereto.	
was filed as United States Application Serial No on and was amended on	(if applicable).
was filed as PCT international application	
Number on	
and was amended under PCT Article 19	
on (if applicable).	

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) on which priority is claimed:

Gray Cary\HV\7064263.1 2100632-991140

PRIOR FOREIGN/PCT APPLICATION(S) AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. 119:						
Country (If PCT, indicate PCT)	Application Number	Date Filed	Priority Claimed (Yes/No)			

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application:

PRIOR U.S. APPLICA BENEFIT UNDER 35		CT INTER	NATIONAL APPLICAT	IONS DESIG	NATING T	HE U.S. FOR
U.S. APPLICATIONS			STATUS (check one)			
U.S. APPLICATION NUMBER U.S. FILING D		U.S. FILING DATE	PATENTED	PENDING	ABANDONED	
60/164,659		November 9, 1999			X	
						
PCT APPL	ICATIONS D	ESIGNATI	NG THE U.S.			
PCT APPLICATION NO. PCT FILING DATE		U.S. SERIAL NUMBERS ASSIGNED (if any)				
	<u> </u>	= <u> </u>			<u> </u>	

POWER OF ATTORNEY:

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) with full power of substitution to act exclusively for Cognitive Concepts, Inc. to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

Barry N. Young (Reg. No. 27,774); Timothy W. Lohse (Reg. No. 35,255); Stephen E. Reiter (Reg. No. 31,192); Steven R. Sprinkle (Reg. No. 40,825); Terrance A. Meador (Reg. No. 30,298); John Schlicher (Reg. No. 28,343); June M. Learn (Reg. No. 31,238); John Oskorep (Reg. No. 41,234); Timothy N. Ellis (Reg. No. 41,734); and William G. Goldman (Reg. No. 42,590)

All correspondence should be addressed to:

Timothy W. Lohse GRAY CARY WARE & FREIDENRICH Attn: Patent Group 400 Hamilton Avenue Palo Alto, CA 94301

All telephone calls should be directed to Timothy W. Lohse, telephone number (650) 320-7426.

Inventor's Full Name:	Janet M. WASOWICZ		
Inventor's Signature:	Dym ranny		
Date:	11-7-00 \$		
Residence: (City, State and/or country)	Evanston, Illinois		
Citizenship:	United States		
Post Office Address:	207 Hamilton Street, Evanston, Illinois 60202		

Appendix A (Pages A1-A12)

The group grows survey around survey as survey around grows carried and the grows grows and the grows and the grows grow

Client-Attorney Privilege

1. Rock On

<u>Purpose</u>: (Skills listed subject to revision) Auditory attention, Discrimination, Short-term memory, Sequential memory, Pattern recognition, Temporal ordering, Temporal integration; Phonological Segmentation and Sequencing; Sight Word Recognition

Functionality: This task teaches and develops the above listed skills through the following tasks:

Description of Task 1:

- Present a sentence
- Prompt user to identify the number of words in the sentence
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: number of syllables in words, phonological similarity of words (rhyming vs. non-rhyming) sounds, availability of auditory feedback; printed display of word
- If decrease level performance criterion met, decrease level re: number of syllables in words, phonological similarity of words (rhyming vs. non-rhyming) sounds, availability of auditory feedback; printed display of word
- Else, continue at current level of play

Similarity to other CCI patent claims:

Description of Task 2:

- Present a word

11

ļ.ā

13

- Prompt user to identify the number of syllables in the word
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: availability of auditory feedback; printed display of syllables
- If decrease level performance criterion met, decrease level re: availability of auditory feedback; printed display of syllables
- Else, continue at current level of play

Similarity to other CCI patent claims:

Description of Tasks 3&4:

- Present two words
- Prompt user to identify whether the words have same or different syllable stress
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: number of syllables in words, availability of visual cue to facilitate performance
- If decrease level performance criterion met, decrease level re: number of syllables in words, availability of visual cue to facilitate performance
- Else, continue at current level of play

Description of Task 5:

- Present a word
- Prompt user to identify the syllabic stress pattern of the word
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: number of syllables in words, availability of auditory feedback; availability of visual cues to facilitate performance
- If decrease level performance criterion met, decrease level re: number of syllables in words, availability of auditory feedback; availability of visual cues to facilitate performance
- Else, continue at current level of play

2. Slurp & Burp

<u>Purpose</u>: (Skills listed subject to revision) Blending onset-rime; Recognizing word endings; Segmenting phonemes; Deleting phonemes; Word identification, Decoding and Spelling.

Functionality: This task teaches and develops the above listed skills through the following tasks:

Description of Task 1:

- Present an onset and rime, separated by an inter-stimulus interval
- Prompt user to identify the word created by blending the onset & rime units
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: interval of time between onset & rime, perceptual similarity of response choices, presentation format (auditory alone, auditory + visual, visual alone)
- If decrease level performance criterion met, decrease level re: interval of time between onset & rime, perceptual similarity of response choices, presentation format (auditory alone, auditory + visual, visual alone)
- Else, continue at current level of play

Similarity to other CCI patent claims:

Description of Task 2: same as Task 1 but onset-rimes form nonsense words instead of real words

Similarity to other CCI patent claims:

Description of Task 3:

- Present a word
- Prompt user to identify the rime unit of the word
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: perceptual similarity of response choices, presentation format (auditory alone, auditory + visual, visual alone)
- If decrease level performance criterion met, decrease level re: presentation format (auditory alone, auditory + visual, visual alone)
- Else, continue at current level of play

Similarity to other CCI patent claims:

Client-Attorney Privilege

Description of Task 4:

- Present individual phonemes, separated by an inter-stimulus interval
- Prompt user to identify the word created by blending the phonemes
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: interval of time between onset & rime, perceptual similarity of response choices, presentation format (auditory alone, auditory + visual, visual alone)
- If decrease level performance criterion met, decrease level re: interval of time between onset & rime, perceptual similarity of response choices, presentation format (auditory alone, auditory + visual, visual alone)
- Else, continue at current level of play

Similarity to other CCI patent claims:

Description of Task 5: same as Task 4 but phonemes form nonsense words instead of real words

Similarity to other CCI patent claims:

Description of Task 6:

- Present word
- Prompt user to identify the number of phonemes in the word
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: word type (real vs. nonsense), availability of auditory feedback, visual display of graphemes
- If decrease level performance criterion met, decrease level re: word type (real vs. nonsense), availability of auditory feedback, visual display of graphemes
- Else, continue at current level of play

Similarity to other CCI patent claims:

Description of Task 7:

- Present word
- Prompt user to spell word
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: availability of auditory cues, availability of auditory feedback
- If decrease level performance criterion met, decrease level re: availability of auditory cues, availability of auditory feedback
- Else, continue at current level of play

Similarity to other CCI patent claims:

- Present a series of phonemes (CVCC), separated by an inter-stimulus interval
- Prompt user to identify the word created by blending the phoneme units
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: interval of time between phonemes, perceptual saliency of phonemes, presentation format (auditory alone, auditory + visual, visual alone)
- If decrease level performance criterion met, decrease level re: : interval of time between phonemes, perceptual saliency of phonemes, presentation format (auditory alone, auditory + visual, visual alone)
- Else, continue at current level of play

Similarity to other CCI patent claims

<u>Description of Task 9</u>: same as Task 8 but using CCVC words instead of CVCC words (different syllable structure and location of CC blend in word)

Description of Task 10:

- Present sound unit
- Prompt user to identify the number of phonemes in the sound unit
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: phonetic saliency of phonemes, availability of auditory feedback, visual display of graphemes
- If decrease level performance criterion met, decrease level re: phonetic saliency of phonemes, availability of auditory feedback, visual display of graphemes
- Else, continue at current level of play

Similarity to other CCI patent claims:

Description of Task 11:

- Present word
- Prompt user to spell word
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: phonetic saliency of phonemes, availability of auditory cues. availability of auditory feedback
- If decrease level performance criterion met, decrease level re: phonetic saliency of phonemes, availability of auditory cues, availability of auditory feedback
- Else, continue at current level of play

And the first that the property of the property of the first first

3. Letter Express

<u>Purpose</u>: (Skills listed subject to revision) Auditory attention. Discrimination, Short-Term Memory;

Phonological Segmentation, Identification, Sequencing, Manipulation, Closure, Working Memory; Letter Recognition. Latter naming, Alphabetic order, Sound-Symbol Correspondence. Spoken Language Processing, Left-to-Right Progression, Visual Memory for Orthographic Images, Spelling

Functionality: This task teaches and develops the above listed skills through the following tasks:

Description of Task 1:

- Present letter of the alphabet
- Prompt user to identify the next letter in order
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: position in alphabet (beginning, middle, ending third), upper vs. lower case display of letter, (may also control visual cueing to facilitate performance)
- If decrease level performance criterion met, decrease level re: position in alphabet (beginning, middle, ending third), upper vs. lower case display of letter, (may also control visual cueing to facilitate performance)
- Else, continue at current level of play

Similarity to other CCI patent claims:

Description of Task 2:

- Present long vowel phoneme
- Prompt user to identify corresponding letter by selecting from choices displayed on the screen
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: availability of auditory cue, availability of associated keyword, upper vs. lower case display of letter, (may also control visual cueing to facilitate performance)
- If decrease level performance criterion met, decrease level re: availability of auditory cue, availability of associated keyword, upper vs. lower case display of letter. (may also control visual cueing to facilitate performance)
- Else, continue at current level of play

Similarity to other CCI patent claims:

Description of Task 3: Same as Task 2 but using short vowel phonemes

Description of Task 4:

- Present consonant phoneme
- Prompt user to identify corresponding upper case letter by selecting from choices displayed on the screen
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: availability of auditory cue, availability of associated keyword, phonetic similarity of response choices
- If decrease level performance criterion met, decrease level re: availability of auditory cue, availability of associated keyword, phonetic similarity of response choices
- Else, continue at current level of play

Similarity to other CCI patent claims:

Description of Task 5: Same as Task 4 but using lower case letters instead of upper case letters

Description of Task 6:

- Present phoneme
- Prompt user to identify corresponding letter by typing response on the keyboard or speaking the response (i.e., no response choices provided by program)
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: perceptual saliency of phoneme, display of printed letter, upper vs. lower case display of printed letter
- If decrease level performance criterion met, decrease level re: perceptual saliency of phoneme, display of printed letter, upper vs. lower case display of printed letter
- Else, continue at current level of play

Similarity to other CCI patent claims:

Description of Task 7:

- Present long vowel phoneme
- Prompt user to identify matching sound
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: number of response choices, display of printed letter, upper vs. lower case display of printed letter
- If decrease level performance criterion met, decrease level re: number of response choices, display of printed letter, upper vs. lower case display of printed letter
- Else, continue at current level of play

Similarity to other CCI patent claims:

Client-Attorney Privilege

Description of Task 8: Same as Task 7 but using short vowel phonemes

Description of Task 9: Same as Task 7 but using consonant phonemes

Description of Task 10:

- Present word
- Prompt user to identify beginning phoneme
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: type of word (real vs. nonsense), format of response choices (auditory only, visual + auditory, visual, none), phonetic similarity of response choices
- If decrease level performance criterion met, decrease level re: type of word (real vs. nonsense), format of response choices (auditory only, visual + auditory, visual, none), phonetic similarity of response choices
- Else, continue at current level of play

Similarity to other CCI patent claims:

Description of Task 11: Same as Task 10 but user is required to identify ending phoneme

Description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The description of Task 12: Same as Task 10 but user is required to identify medial phoneme

The desc

4. Juggling Letters

<u>Purpose</u>: (Skills listed subject to revision) Auditory Attention, Vigilance, Discrimination, Short Term Memory; Phonological Segmentation, Phonological Identification, Rhyming, Phonological Sequencing; Morphological Segmentation and Identification; Letter Recognition; Sound-Symbol Correspondence; Decoding; Sight Recognition; Visual Orthographic Memory; Reading Fluency; Semantic Word Classification.

Functionality: This task teaches and develops the above listed skills through the following tasks:

<u>Description of Task 1</u>:

- Present target phoneme (consonant)
- Present word

AND HAND AND

- Prompt user to identify if word begins with target phoneme
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: presentation format (auditory only, auditory + visual, visual only), availability of visual cue, time allowed for response
- If decrease level performance criterion met, decrease level re: presentation format (auditory only, auditory + visual, visual only), availability of visual cue, time allowed for response
- Else, continue at current level of play

Similarity to other CCI patent claims:

Description of Task 2: Same as Task 1 but target sound is a rime containing a short vowel

Description of Task 3: Same as Task 1 but user is prompted to identify word that ends with target phoneme

Description of Task 4:

- Present semantic category
- Present word
- Prompt user to identify if word belongs to semantic category
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: presentation format (auditory only, auditory + visual, visual only), availability of visual cue, time allowed for response
- If decrease level performance criterion met, decrease level re: presentation format (auditory only, auditory + visual, visual only), availability of visual cue, time allowed for response
- Else, continue at current level of play

Similarity to other CCI patent claims:

<u>Description of Task 5:</u> Same as Task 4, with more advanced semantic categories

Client-Attorney Privilege

Description of Task 6:

- Present target word (high frequency sight word)
- Present a series of words
- Prompt user to identify when matching word is presented in the series
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: presentation format for target (auditory + visual, visual only, auditory only), availability of visual cue, presentation format (auditory, visual), time allowed for response
- If decrease level performance criterion met, decrease level re: presentation format for target (auditory + visual, visual only, auditory only), availability of visual cue, presentation format (auditory, visual), time allowed for response
- Else, continue at current level of play

Similarity to other CCI patent claims:

Description of Task 7:

- Present word

Į, £

[, **2**

10

- Prompt user to identify a word that begins with the same sound heard at the end of the first word
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: availability of auditory cues, availability of visual display, availability of visual cues to facilitate performance, time allowed for response
- If decrease level performance criterion met, decrease level re: availability of auditory cues, availability of visual display, availability of visual cues to facilitate performance, time allowed for response
- Else, continue at current level of play

Similarity to other CCI patent claims:

Description of Task 8: Same as Task 7 but user is prompted to identify word with same vowel as first word

<u>Description of Task 9:</u> Same as Task 7 but user is prompted to identify word with same ending morpheme as first word

Description of Task 10: (Same as Task 6 above but target word is a nonsense word)

- Present target word (nonsense word)
- Present a series of words
- Prompt user to identify when matching word is presented in the series
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: presentation format for target (auditory + visual, visual only, auditory only), availability of visual cue, presentation format (auditory, visual), time allowed for response

A-10

- If decrease level performance criterion met, decrease level re: presentation format for target (auditory + visual, visual only, auditory only), availability of visual cue, presentation format (auditory, visual), time allowed for response
- Else, continue at current level of play

Similarity to other CCI patent claims:

Description of Task 11: (Same as Task 6 above but target word contains a word-final plurality morpheme)

- Present target word (real word containing target plurality morpheme)
- Present a series of words
- Prompt user to identify when matching word is presented in the series
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: presentation format for target (auditory + visual, visual only, auditory only), availability of visual cue, presentation format (auditory, visual), time allowed for response
- If decrease level performance criterion met, decrease level re: presentation format for target (auditory + visual, visual only, auditory only), availability of visual cue, presentation format (auditory, visual), time allowed for response
- Else, continue at current level of play

Similarity to other CCI patent claims:

Description of Task 12: (Same as Task 6 above but target word contains a word-final verb tense morpheme)

- Present target word (real word containing target verb tense morpheme)
- Present a series of words
- Prompt user to identify when matching word is presented in the series
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)
- Provide feedback to user
- If advance level performance criterion met, advance level re: presentation format for target (auditory + visual, visual only, auditory only), availability of visual cue, presentation format (auditory, visual), time allowed for response
- If decrease level performance criterion met, decrease level re: presentation format for target (auditory + visual, visual only, auditory only), availability of visual cue, presentation format (auditory, visual), time allowed for response
- Else, continue at current level of play

Similarity to other CCI patent claims:

Description of Task 13:

- Present printed word or nonsense word
- Present a series of printed words or nonsense words
- Prompt user to identify when word spelled in reverse of target word is presented in the series
- User indicates response with input device
- Analyze response (correct or incorrect?) and performance (re: performance criterion)

A - 11

Client-Attorney Privilege

- Provide feedback to user
- If advance level performance criterion met, advance level re: number of letters in word, availability of visual cue, time allowed for response
- If decrease level performance criterion met, decrease level re: number of letters in word, availability of visual cue, time allowed for response
- Else, continue at current level of play

Similarity to other CCI patent claims

Appendix B (Pages B1-B137)

Revised 3/1/99

Revised 6/1/99 Added levels in Task 1 (JMW)

Revised 9/22/99 Revised listing of primary skills. Task 1: Replaced some sentences in list of stimuli, deleted others. Task 2: Deleted some words from list of stimuli, added a few new words. Task 3: Deleted some words from list of stimuli. Task 4: Replaced all 2 syllable words with new compound words, deleted some 3 & 4 syllable words from list of stimuli. Task 5: Deleted some words from list of stimuli. Will need to consider limiting words to normal stress patterns or using nonsense words....will wait to make decision based on field testing. Changed heading for Task 5. (JMW)

TOKEN =→ JC

Player: (Current Player)

Game: The Rap-A-Taps Rock On

<u>Primary Skills</u>: Auditory Attention, Discrimination, Short Term Memory, Sequential Memory, Pattern Recognition, Temporal Ordering; Phonological Segmentation and Sequencing; Sight Word Recognition

ACTIVITY 1: Tap out words or syllables. 8/10 correct within round of play.

ACTIVITY 2: Discriminate syllable stress and stress patterns in a same-different discrimination task. 100% correct on 4 same trials and 83% on 6 different trials within round of play. ACTIVITY 3: Replicate syllable patterns. 3/2 adaptive training.

Programming notes: Allow max of 15 seconds for response but accept correct answer after x seconds (same as we did in Penguin).

STEP 1 (5 tasks; 32 levels of play)

TASK 1: SEGMENTING SENTENCES INTO WORDS (12)

<u>Learning Objective</u>: The student will segment 4-6 word sentences into words. Sentences will consist of one syllable rhyming words, one syllable non-rhyming words, one & two syllable rhyming words or one & two syllable non-rhyming words. Auditory feedback will or will not be provided during response. Printed words will or will not be displayed during response. Activity Module 1: 8/10 correct within round of play

<u>Task(1)</u>	Auditory Feedback	Printed Words	#Trials
Cuml. Score Segment; 1 syllable, rhyming %	yes		no
Segment; 1 syllable, rhyming %	yes		yes
Segment; 1 syllable, rhyming %	no	yes	
Segment; 1 syllable, non-rhy	ming yes		no

Segment; 1 syllable, non-rhyming yes Segment; 1 syllable, non-rhyming yes Segment: 1-2 syllable, rhyming no yes % Segment; 1-2 syllable, rhyming yes yes Segment; 1-2 syllable, rhyming yes no Segment; 1-2 syllable, non-rhyming yes no % Segment; 1-2 syllable, non-rhyming yes yes Segment; 1-2 syllable, non-rhyming no yes

TASK 2: SEGMENTING WORDS INTO SYLLABLES (3)

<u>Learning Objective</u>: The student will segment 1-4 syllable words into syllables. Auditory feedback will or will not be provided during response. Printed syllables will or will not be displayed during response.

Activity Module 1: 8/10 correct within round of play

步音员基件 排水系列 2000 建轴积钢 利抗 2005和 11.12 12.12 11.12 11.12 11.12 11.12 12.12 12.13 12.13 13.13 14.13

Task(2)	Auditory Feedback	Printed Syllables	<u># Trials</u>	Cuml.
Score				
Segment words	yes	no		
%				
Segment words	yes	yes		
%				
Segment words	no	yes		
%				

TASK 3: DISCRIMINATING SYLLABLE STRESS: SINGLE SYLLABLES (2)

<u>Learning Objective</u>: The student will discriminate single syllable words as having same or different syllable stress when the words are auditorily presented with an inter-stimulus interval of 1.0 seconds. Visual cues will or will not be displayed to facilitate performance. Activity Module 2: 100% correct on 4 same trials and 83% on 6 different trials within round of play.

<u>Task (3)</u>	# Syllables	Visual Cues	# Trials	Cuml.
Score				
Discriminate syllable stress	1	yes		%
Discriminate syllable stress	1	no		%

TASK 4: DISCRIMINATING SYLLABLE STRESS PATTERNS: MULTISYLLABIC WORDS (6)

<u>Learning Objective</u>: The student will identify multi-syllabic words as having same or different syllable stress patterns when the words are auditorily presented with an inter-stimulus interval of 1.0 seconds. Visual cues will or will not be displayed to facilitate performance.

Activity Module 2: 100% correct on 4 same trials and 83% on 6 different trials within round of play.

<u>Task (4)</u>	# Syllables	Visual Cues	# Trials
Cuml. Score			
Discriminate syllabic stress patterns	2	yes	
%			
Discriminate syllabic stress patterns	2	no	
%			
Discriminate syllabic stress patterns	3	yes	
%			
Discriminate syllabic stress patterns	3	no	
%			
Discriminate syllabic stress patterns	4	yes	
%			
Discriminate syllabic stress patterns	4	no	
%			

TASK 5: IDENTIFYING SYLLABLE STRESS PATTERNS (9)

<u>Learning Objective</u>: The student will replicate syllable stress patterns of multi-syllabic syllable words. Visual cues will or will not be displayed to facilitate performance.

i. Activity Module 3: 3/2 adaptive training

<u>Task (5)</u>	# Syllables	Visual Cues	Auditory Feedback	<u>#</u>
<u>Trials</u> <u>Score</u>				
Replicate syllabic stress pattern	2 syllables	yes	yes	
%				
Replicate syllabic stress pattern	2 syllables	no	yes	
%				
Replicate syllabic stress pattern	2 syllables	no	no	
%				
Replicate syllabic stress pattern	3 syllables	yes	yes	
%				
Replicate syllabic stress pattern	3 syllables	no	yes	
%				
Replicate syllabic stress pattern	3 syllables	no	no	
%				
Replicate syllabic stress pattern	4 syllables	yes	yes	
%				
Replicate syllabic stress pattern	4 syllables	no	yes	
%				
Replicate syllabic stress pattern	4 syllables	no	no	
%				

Instruction Script_Revised 2-12-99 Revised 4-23-99

Word Lists Revised 6-2-99

The first of the first that the state of the first first

13

Word list revised 9-20-99.-(JMW)

$TOKEN = \rightarrow JC$

Task 1

IN1: Rap-A-Tap-Tap, Rap-A-Tap-Tap,

It'll be so cool, it'll be so neat Tap on the mouse once for every WORD beat. Revised 4/23/99

IN1: Rap-A-Tap-Tap, Rap-A-Tap-Tap,

It'll be so cool, it'll be so neat Click once for every WORD to keep the beat

DEMO1A: Let me show you how it's done. First I listen....DEMO1B: Then I tap....
DEMO1C: Are you ready? Here we go.....

Task 2:

IN2: Rap-A-Tap-Tap, Rap-A-Tap-Tap, 2. It'll be so cool, it'll be so neat

3. Tap on the mouse once for every SYLLABLE

Revised 4/23/99

IN2: Rap-A-Tap-Tap, Rap-A-Tap-Tap,

It'll be so cool, it'll be so neat

Click once for every SYLLABLE to keep the beat.

DEMO1A: Let me show you how it's done. First I listen....DEMO1B: Then I tap....
DEMO1C: Are you ready? Here we go.....

Task 3:

IN3/4: Rap-A-Tap-Tap, Rap-A-Tap-Tap,

You're so cool, you're so neat

Follow my directions....we'll be rockin' to the beat.

DEMO3A: Click on the two green lights when you hear two sounds that are the SAME, like this...

DEMO3B: Click on the green and yellow lights when you hear two DIFFERENT sounds, like this...

DEMO1C: Are you ready? Here we go....

THE TELL THE TELL THE PROPERTY CONTINUES OF THE PROPERTY OF TH

Revised 4/23/99

DEMO3A: Click on the two green lights when you hear two sounds that have the SAME stress, like this...

DEMO3B: Click on the green and yellow lights when you hear two sounds that have DIFFERENT stress, like this...

Task 4:

IN3/4: Rap-A-Tap-Tap, Rap-A-Tap-Tap,

You're so cool, you're so neat

Follow my directions.... we'll be rockin' to the beat.

DEMO4A: Click on the two green lights when you hear two sound PATTERNS that are the SAME, like this...

DEMO4B: Click on the green and yellow lights when you hear two DIFFERENT sound PATTERNS, like this...

DEMO1C: Are you ready? Here we go....

Revised 4/23/99

DEMO4A: Click on the two green lights when you hear words that sound the SAME, like this...

DEMO4B: Click on the green and yellow lights when you hear two words that sound

DIFFERENT, like this...

DEMO4A: Click on the two green lights when you hear two STRESS patterns that are the SAME, like this...

DEMO4B: Click on the green and yellow lights when you hear two DIFFERENT stress patterns, like this...

Task 5:

IN5A: Rap-A-Tap-Tap, Rap-A-Tap-Tap,

You're so cool, you're so neat

Follow my directions....we'll be rockin' to the beat.

IN5B: Listen to the beats of the of the word I say.

Click on my drum to match what you hear. Click here to play the big, strong notes. Click here to play the little, quiet notes.

DEMO1A: Let me show you how it's done.

First I listen....DEMO5B: Then I click....

DEMO1C: Are you ready? Here we go.....

a.

b. Stimuli

Revised 2/12/99

TASK 1: Segmenting 4-6 word sentences into words.

21 sentences, 84 words

Record full sentence with normal inflection.

Record each word with non-final inflection (read in reverse order)

Need to record 3 additional sentences in each group (4, 5, 6 words) for total of 30 sentences for more variety.

9/22/99 Sentence revisions shown in bold.

4 words

1R-Kate likes to skate. → I like to bike.

1-Jen takes a nap. \rightarrow He goes to school.

2-My room is messy. \rightarrow The door is open.

2-I broke my glasses \rightarrow I always drink milk.

2-My teacher is funny.

2-The pizza is hot. \rightarrow It is very hot.

2-Her sister is silly. \rightarrow Her sister is pretty.

2-Fish swim in water. \rightarrow I can carry you.

2-Matt made five wishes. -> She made five wishes.

Added 6/2/99

1R-He ate the date.

1R-Matt has a cat.

- 1R-The nun can run.
- 1R-Let's make a cake.
- 1R-Let's get a pet.
- 1R-Let's try to fly.
- 1R-Plip, plop, drip, drop. → OMIT
- 1R-The pot got hot.
- 1R- The mop will drop. \rightarrow The ball will fall.
- 1-He read the book.
- 1-My name is Bob. \rightarrow I just found it.
- 1-It is lunch time. \rightarrow **OMIT**
- 1-She has six dolls. \rightarrow **OMIT**
- 1-She can play now.
- 1The doll is new. \rightarrow Bring both toys here.
- 1-The bike is blue.
- 1-Show us the duck. \rightarrow **Don't show us now.**
- 1-I shall go first.
- 2R-Candy is so dandy.
- 2R-The kittens wear mittens.
- 2R-The poodles eat noodles.
- 2R-Mable set the table.
- 2R-Here's money for honey.
- 2-Sam has many friends.
- 2-It is warm today.
- 2-They like candy too.
- 2-The rabbit is big.

- 2-We want some pizza.
- 2-He has two rabbits.
- 2-The puppy ran away.
- 2-Look at my sister.
- 2-The sun is yellow.
- 2-We played after school.
- 2-Daddy found the ball.
- 2-Do your very best.
- 2-Open only one box.
- 2-I have seven kittens.

5 words

- 1R-Mike likes his red bike.
- 1R-Bill is on the hill. \rightarrow **OMIT**
- 1-Ned jumped on his bed. \rightarrow OMIT
- 2-Wet kisses make me giggle.

 We are going to sleep.
- 2-Kevin is washing the dishes. \rightarrow I never walk by myself.
- 2-Mom is rocking the baby. → OMIT
- 2-He fell off the ladder. \rightarrow **OMIT**
- 2-The dragon likes to wiggle.
- 2R-Cotton candy is so dandy.
- 2R-Rockets, rockets in my pockets.
- 2R-The little fellow likes yellow.

Added 6/2/99

1R-Dell fell in the well.

1R-The cat wears a hat. \rightarrow The black car went far.

1R-No, no do not go!

1R-It is fun to run!

1R-He fell on the bell. \rightarrow He fell in the well.

1R-She ran with the pan.

1R-We sleep with the sheep.

1R-They took the red book.

1R-Our house has a mouse.

1-I will work with you.

1-He likes to run fast. →

1-We walked back to school. \rightarrow Ask if we may go.

1-I am eight years old.

1-I will be your friend.

1-The big boy lives here.

1-There goes the school bus. \rightarrow We will start school soon.

1-I did my own work.

2R-The fishes are washing dishes. \rightarrow OMIT

2R-What a funny little bunny.

2R-Hey Mister, she's my sister.

2R-The puppy ate a guppy.

2R-I giggle when you wiggle.

2-The teacher will help you.

2-Look at this little pig.

orando de la colonida de la colonida

- 2-I have a big brother.
- 2-The big dog ran away.
- 2-We saw three brown rabbits.
- 2-Our house is very old.
- 2-Please come over and play.
- 2-The men were very kind. → Let him go before you.
- 2-I heard the snowman laugh. \rightarrow The snowman made them laugh.
- 2-The boys ate the candy.
- 2-I want to play again.
- 2-We are going far away.
- 2-The ride was very long.
- 2-Thank you for the candy.
- 2-I can carry both books. \rightarrow This is where my teacher lives.
- 2-The little pig was cold.
- 2-Let him hold the baby.
- 2-The small doll is pretty.

6 words

- 1R-Take the rake to the lake.
- 1R-The pig has a red wig.
- 1R-The new bike is for Mike.
- 1R- Ned said get off the bed.
- 1-Here is your ball and mitt. \rightarrow **OMIT**

- 1-Sit down when you are done.
- 1-I can find my way home.
- 1-He can use my red car.
- 2R-Not so soon you big baboon.
- 2-Put the dishes on the table.
- 2-The button fell off my jacket. \rightarrow **OMIT**
- 2-The boys like to eat candy.
- 2-The monster gave me a pickle.

Added 6/2/99

- 1R-Stop and see the big tree.
- 1R- We can keep the black sheep.
- 1R-We will get a new pet.
- 1R-Let us know if you go.
- 1R-I think I'll have a drink.
- 1R-Ten hens are in the pen.
- 1R-Be fast and not the last.
- 1R-The frog jumped on the log. \rightarrow The frog sat on the log.
- 1R-Look, look I found the book.
- 1-Yes, we may see the show.
- 1-This book is for my friend.
- 1-Come out and play with me.
- 1-Bring the black pen to me.

- 1-I have to clean my room.
- 1-We like to draw and paint.
- 1-I sleep with the light on.
- 2R-There's a dragon in my wagon.
- 2R-Put the cable on the table.
- 2R-The fiddle goes in the middle.
- 2R-I feel funny when it's sunny.
- 2R-We bought honey with the money.
- 2-We went to see the doctor.
- 2-The girl jumped into the water.
- 2-Father went to school with us.
- 2-We saw fish in the water.
- 2-This note is from my mother.
- 2-All the children are in school.
- 2-The monster has big green feet.
- 2-I will buy some yellow paint.
- 2-I could tell you a story.
- 2-A dragon lives behind my house.
- 2-We would like some birthday cake.
- 2-Always look before crossing the street.
- 2-Tell me a story right now.
- 2-Come to my house after school.
- 2-Father came to pick me up.
- 2-We have many new baby kittens.

2-Frogs like to eat yummy treats.

TASK 2: Segmenting words into syllables

9-20-99 Revised word list includes only those words in bold.

1 syllable words

likes skate takes nap

broke my hot room

hill red bike jumped

Mom fell off bed

mitt take rake ball

likes

fast

we

lake pig wig boys eat

New words added to list 6/2/99 (remove duplicates)

walked

date has a cat he ate the make cake get fly can run pet try to nun will drop book drip drop pot got hot mop is lunch time it name is my dolls play now doll new she has six show duck first fell in well bike blue us go fun wears hat no do not run cat sleep with sheep bell with we on ran pan house mouse book they took red our little pig work you big dog look at this school

back

ra'-bbit

fu'-nny

dra'-gon

your friend boy lives here eight years old be am did work own there goes bus black get keep new stop and see tree know if think I'll have a drink let us fast not last hens are pen be ten show jumped log may frog yes bring book for friend come out this me clean room draw pain light

2 syllable words

Record each whole word with normal inflection.

Record each syllable.

ja'-cket

gla'-sses

si'-lly

子生产生以及作业组织的 可可加加维化 网络拉拉拉拉 **计操业 机**移动 生物的糖品 2.2 60 1.50 水白 可加强线的现在时间 **标**题的 1.00

9-20-99 Revised word list includes only those words in bold.

bu'-tton

tea'-cher

di'-shes

ro'-bo	er ro'-ck t si'-ster w words added	ing pi'-zza mon'-ster l 6/2/99	a a'-pplo ba'-by	e can'-d wa'-shing	ly	
dan'-d	~	ns mi'-tte noo'-dles		mo'-ney		
	ho'-ney	to-day'	pu'-ppy	a-way'	ye'-llow	
	af'-ter	o'-pen on'-ly	se'-ve	en ki'-sse	es gi'-gg	le
	li'-ttle bro'-ther	fu'-nny	bu'-nny	gu'-ppy	wi'-ggle	tea'-cher
	a'-way ca'-ble	o'-ver	ba'-by	a-gain'	dra'-gon	wa'-gon
	fi'-ddle	mi'-ddle	fi'-shes	fu'-nny	su'-nny	

me'-ssy

wa'-gon

la'-dder

wi'-ggle

pi'-ckle

ta'-ble

9-20-99 New words added in bold my-self' un'-der to-day'mu'-sic be-cause' win'-ter be-fore' thun'-der al'-ways pa'-per a-bout'nap'-kin num'-ber par'-ty pic'-nic

3 syllable words

1,1

Į, A

13

á, š

1.4

1.2

112

ľĝ

13

13

Record each whole word with normal inflection.

Record each syllable to match.

9-20-99 Revised word list includes only those words in bold.

ske'-le-ton pre'-si-dent prin'-ci-pal e-le'-ven cro'-co-dile cu'-cum-ber e'-le-phant te'-le-phone am'-bu-lance ham'-bur-ger grass'-ho-pper di'-no-saur lo'-lli-pop bu'-tter-fly al'-pha-bet pop'-si-cle cho'-co-late a'-ni-mal

dis-co'-ver tor-na'-do pa-ja'-mas to-ma'-to ba-na'-na com-pu'-ter po-lice'-man go-ri'-lla um-bre'-lla

por'-cu-pine

```
le-mo-nade'
kan-ga-roo'
ma-ga-zine'
```

```
4 syllable words (15 words)
```

Record each whole word with normal inflection.

Record each syllable to match.

9-20-99 Revised word list includes only those words in bold.

wa'-ter-me-lon a'-lli-ga-tor he'-li-cop-ter ca'-ter-pi-llar ro'-ller-coa-ster

cal'-cu-la-tor e'-le-va-tor ve'-ge-ta-bles

bi-no'-cu-lars rhi-no'-cer-os har-mo'-ni-ca ther-mo'-me-ter

ba-ller-i'-na ma-ca-ro'-ni a-vo-ca'-do

9-20-99 New words added in bold kin'-der-gar-ten su'-per-mar-ket

TASK 3

Discriminating syllable stress of single syllable words

9-20-99 Revised word list includes only those words in bold.

fat, cat, nap, big, hot, bed, mop, hill, zip, pen, mitt, fun, pen, cave, fell, bell, wig, pig, bike, take, like, skate, kite, lake, rake

New words added 6/2/99:

he, ate, the, date, has, nun, can, run, make, cake, get, pet, try, to, fly, drip, drop, pot, got, hot, mop, will, book my, name, is, it, lunch, time, she, has, six, dolls, play, now, doll, new, bike, blue, show, us, duck, go, first, fell in, well, hat, no, do, not, fun, run, on, bell, ran, with, pan, we, sleep, with, sheep, they, took, red, book, our, house, mouse, look, at, this, little, pig, work, you, big, dog, fast, we, back, school, am, eight, years, old, be, your, bus, did, own, work, stop, and, see, tree, keep black, get, new, let, us, know, if, think, have, drink, ten, are, pen, fast, not, frog, log, yes, may, show, this, book, for, friend, come, out, me, bring, clean, room, draw, pain, light

TASK 4: Discriminating 2,3,4 syllable words with varying stress

2 syllable words (25 words, included above)

Record each whole word with normal inflection and with contrastive syllable stress.

Record each syllable to match.

9-20-99 Added 2 syllable compound words.

some'-thing

door'-bell

pop'-corn

my-self'

to-day'

with-out'

tooth'-brush

gum-'-ball hot'-dog birth'-day snow'-man mail'-bag sail'-boat

fire'-man school'-book rain'-coat skate'-board shoe'-lace tea'-pot sun'-shine boy'-friend home'-work

3 syllable words

Record each whole word with normal inflection.

Record each syllable to match.

9-20-99 Revised word list includes only those words in bold.

ske'-le-ton pre'-si-dent prin'-ci-pal e-le'-ven cro'-co-dile cu'-cum-ber e'-le-phant te'-le-phone am'-bu-lance ham'-bur-ger grass'-ho-pper di'-no-saur lo'-lli-pop bu'-tter-fly al'-pha-bet pop'-si-cle cho'-co-late a'-ni-mal por'-cu-pine

dis-co'-ver tor-na'-do pa-ja'-mas to-ma'-to ba-na'-na com-pu'-ter po-lice'-man go-ri'-lla um-bre'-lla

le-mo-nade' kan-ga-roo' ma-ga-zine'

4 syllable words (15 words)

Record each whole word with normal inflection. Record each syllable to match.

month of the ball of the first of the first

9-20-99 Revised word list includes only those words in bold.

wa'-ter-me-lon
a'-lli-ga-tor
he'-li-cop-ter
ca'-ter-pi-llar
ro'-ller-coa-ster

cal'-cu-la-tor
e'-le-va-tor
ve'-ge-ta-bles

bi-no'-cu-lars rhi-no'-cer-os har-mo'-ni-ca ther-mo'-me-ter

ba-ller-i'-na ma-ca-ro'-ni a-vo-ca'-do

9-20-99 New words added in bold kin'-der-gar-ten su'-per-mar-ket

TASK 5: Matching stress pattern of 2, 3, 4 syllable words (Recorded above in Task 2)

9-20-99 Revised word list includes only those words in bold.

me'-ssy wi'-ggle ia'-cket bu'-tton ra'-bbit pi'-ckle si'-lly tea'-cher wa'-gon fu'-nny ta'-ble gla'-sses la'-dder di'-shes dra'-gon can'-dy pi'-zza a'-pple zi'-pper ro'-cking ro'-bot si'-ster ba'-by wa'-shing mon'-ster 5. New words added 6/2/99

mi'-ttens dan'-dy. ki'-ttens poo'-dles noo'-dles ta'-ble mo'-ney a-wav' ve'-llow ho'-ney to-day' pu'-ppy af'-ter o'-pen on'-ly se'-ven ki'-sses gi'-ggle wi'-ggle li'-ttle fu'-nny bu'-nny gu'-ppy tea'-cher bro'-ther a'-way o'-ver ba'-by a-gain' dra'-gon wa'-gon ca'-ble

fi'-ddle mi'-ddle fi'-shes fu'-nny su'-nny
ho'-ney doc'-tor wa'-ter fa'-ther
mo'-ther mon'-ster be'-hind cross'-ing yu'-mmy

9-20-99 New words added in bold my-self' un'-der to-day'mu'-sic be-cause' win'-ter be-fore' thun'-der al'-ways pa'-per a-bout'nap'-kin num'-ber par'-ty pic'-nic

For JMW use only - 2 syllable word count: stress on 1st syllable = 19 stress on 2nd syllable = 7

3 syllable words (30 words)

Record each whole word with normal inflection.

Record each syllable to match.

9-20-99 Revised word list includes only those words in bold.

ske'-le-ton pre'-si-dent prin'-ci-pal e-le'-ven cro'-co-dile cu'-cum-ber e'-le-phant te'-le-phone am'-bu-lance ham'-bur-ger grass'-ho-pper di'-no-saur lo'-lli-pop bu'-tter-fly al'-pha-bet pop'-si-cle cho'-co-late a'-ni-mal por'-cu-pine

dis-co'-ver tor-na'-do pa-ja'-mas

```
that their time time with the the the time time time the the three times
```

```
to-ma'-to
ba-na'-na
com-pu'-ter
po-lice'-man
go-ri'-lla
For JMW use only - 3 syllable word count:
stress on 1^{st} syllable = 8
stress on 2^{nd} syllable = 6
4 syllable words (15 words)
Record each whole word with normal inflection.
Record each syllable to match.
9-20-99 Revised word list includes only those words in bold.
wa'-ter-me-lon
a'-lli-ga-tor
he'-li-cop-ter
ca'-ter-pi-llar
ro'-ller-coa-ster
cal'-cu-la-tor
e'-le-va-tor
ve'-ge-ta-bles
bi-no'-cu-lars
rhi-no'-cer-os
har-mo'-ni-ca
       ther-mo'-me-ter
ba-ller-i'-na
ma-ca-ro'-ni
a-vo-ca'-do
9-20-99 New words added in bold (RECORD WITH CONSTRASTIVE STRESS ON EACH
SYLLABLE)
kin'-der-gar-ten
su'-per-mar-ket
For JMW use only - 4 syllable word count:
stress on 1^{st} syllable = 6
stress on 2^{nd} syllable = 2
stress on 2^{nd} syllable = 1
```

or fill to the first first **Field & Fill to Extra in** the first **b**

Revised 6/2/99: Separated out real & nonsense words
Revised 9/25/99: Remove all words ending in 'ck' and 'll' from all Tasks;
Removed Tasks 4, 5, 6; Renumbered Tasks 7 & 8 to now be Tasks 4 & 5; Remove
Tasks 9 & 10; Renumbered Tasks 11 & 12 to now be Tasks 6 & 7; Revised header
and learning objective text for new Task 6; Revised header and learning
objective text for new Task 7; remove VCe and CVCe words from new Tasks 6 & 7;
Remove VCe and CVCe levels from new Task 7; JMW needs to review all word lists,
please provide this data; Added 4 additional tasks, new Tasks 8 and 9 use
Activity Module 1, new Task 10 uses Activity Module 3 and new Task 11 uses
Activity Module 4; word lists added for new Tasks 8, 9, 10 & 11.
Revised 10/11/99: Revised task numbers to correspond to re-design and renumbering of tasks in design specs on 9/25/99. Removed words from word lists
(all words ending in "ck", "ll" and all CVCe words); added 5 new words in task
6.

TOKEN (JC

Slurp & Burp

Player: (Current Player)

Game: Slurp & Burp

Primary Skills: Blending onset-rime; Recognizing word endings; Segmenting phonemes; Deleting phonemes; Word identification, Decoding and Spelling.

ACTIVITY MODULE 1: Present sound units, separated by interval. Student makes response by selecting one of three pictures.

ACTIVITY MODULE 2: Present word. Instruct student to identify word ending by selecting from one of three choices.

ACTIVITY MODULE 3: Click to segment word into phonemes

ACTIVITY MODULE 4: Student spells word with keyboard input.

STEP 1 (12 tasks; 134 levels of play)

TASK 1: BLENDING ONSETS & RIMES AND DECODING: CVC WORDS (13)

Learning Objectives: The student will blend onset-rime units presented at x second intervals with or without corresponding graphemes into a word and will make a response by selecting from a set of three phonetically-dissimilar or phonetically-similar words. The student will identify CVC words presented with no auditory cues and will make a response by selecting from a set of three phonetically-dissimilar or phonetically-similar words.

Phonetically dissimilar = different initial consonant and medial vowel.

Phonetically similar = same rime or onset.

"Hello. Bog Frogg here." "Let me show you how to play."

A: "s-un says sun"

A: "Now it's your turn. What word do you hear?"

A&G: "s-un says sun"

A&G: "Now it's your turn. What word do you hear and see?"

G: "This word is sun"

G: "Now it's your turn. What word do you see?"

No lily-pad rollovers.

Activity Module 1

Task(1) Presentation Interval Choices # Trials

Cuml. Score

1-Blend onset-rimes auditory .25 sec dissimilar

2-Blend onset-rimes	auditory	1 sec	dissimilar
3-Blend onset-rimes	auditory	2 sec	dissimilar
4-Blend onset-rimes	auditory	2 sec	same rime
5-Blend onset-rimes	auditory	2 sec	same onset
6-Blend onset-rimes	auditory & visual	.25 sec	dissimilar
7-Blend onset-rimes	auditory & visual	1 sec	dissimilar
8-Blend onset-rimes	auditory & visual	2 sec	dissimilar
9-Blend onset-rimes	auditory & visual	2 sec	same rime
10-Blend onset-rimes	auditory & visual	2 sec	same onset
11-Decode CVC words	visual	n/a	dissimilar
12-Decode CVC words	visual	n/a	same rime
13- Decode CVC words	visual	n/a	same onset

TASK 2: BLENDING ONSETS & RIMES AND DECODING: CVC NONSENSE WORDS (13)
Learning Objectives: The student will blend onset-rime units presented at x
second intervals with or without corresponding graphemes into a word and will
make a response by selecting from a set of three phonetically-dissimilar or
phonetically-similar nonsense words. The student will decode CVC nonsense words
presented with no auditory cues and will make a response by selecting from a set
of three phonetically-dissimilar or phonetically-similar nonsense words.
Phonetically dissimilar = different initial consonant and medial vowel.
Phonetically similar = same rime or onset.

"Hello. Bog Frogg here." "Let me show you how to play."

A: "s-un says sun"

A: "Now it's your turn. What word do you hear?"

A&G: "s-un says sun"

A&G: "Now it's your turn. What word do you hear and see?"

G: "This word is sun"

G: "Now it's your turn. What word do you see?"

No lily-pad rollovers.

Activity Module 1				
Task(2) Pre	sentation	Interval	Choices # Trials	
Cuml. Score				
1-Blend onset-rimes	auditory	.25 sec	dissimilar	
8				
2-Blend onset-rimes	auditory	1 sec	dissimilar	
ક્ષ				
3-Blend onset-rimes	auditory	2 sec	dissimilar	
ક				
4-Blend onset-rimes	auditory	2 sec	same rime	
Q .				

```
2 sec
                                                same onset
                  auditory
5-Blend onset-rimes
                  auditory & visual
                                                       dissimilar
                                       .25 sec
6-Blend onset-rimes
                                                dissimilar
7-Blend onset-rimes auditory & visual
                                       1 sec
                                       2 sec dissimilar
8-Blend onset-rimes auditory & visual
                  auditory & visual
                                       2 sec same rime
9-Blend onset-rimes
10-Blend onset-rimes auditory & visual
                                       2 sec
                                                same onset
                                       dissimilar
                                   n/a
11-Decode CVC words visual
                                            same rime
                                   n/a
12-Decode CVC words visual
                                          same onset
                                   n/a
13-Decode CVC words visual
```

TASK 3: SEGMENTING & ELISION OF INITIAL CONSONANT: CVC WORDS & NONSENSE WORDS Learning Objective: When presented with a one-syllable CVC word or nonsense word, the student will identify the rime unit by selecting from one of three phonetically-dissimilar or phonetically-similar rimes.

Phonetically dissimilar = different vowel.

Phonetically similar = same vowel.

"Hello. Bog Frogg here."

A: "Listen to the frog say sun without the s.....un (animate)"

A: "Now it's your turn. Which frog says --- without the ---?" A&G: "Listen to the frog say sun without the s.....un (animate)"

A&G: "Now it's your turn. Which frog says --- without the ---?"

G: "Watch the frog spell the end of sun (animate)"

G: "Now it's your turn. Which letters spell ___ without the ___ ?"

User rolls-over lily-pad to hear (at auditory levels) and select response choices.

Activity Module 2 Task(3)	Presentation	Choices # Trials
Cuml. Score 1-ID rime in CVC word	auditory	dissimilar
2-ID rime in CVC word	auditory	similar
3-ID rime in CVC word	auditory & visual	dissimilar
4-ID rime in CVC word 5-ID rime in CVC word	auditory & visual visual	similar dissimilar
6-ID rime in CVC word	visual	similar
7-ID rime in CVC nonsense wor	d auditory	dissimilar
8-ID rime in CVC nonsense wor	d auditory	similar

```
9-ID rime in CVC nonsense word auditory & visual dissimilar

10-ID rime in CVC nonsense word auditory & visual similar

11-ID rime in CVC nonsense word visual dissimilar

12-ID rime in CVC nonsense word visual similar
```

(Former Task 7)

TASK 4: BLENDING PHONEMES AND DECODING: CVC WORDS (10)

Learning Objectives: The student will blend three phonemes presented at x second intervals with or without corresponding graphemes into a word and will make a response by selecting from a set of three phonetically-dissimilar or phonetically-similar words. The student will identify CVC words presented with no auditory cues and will make a response by selecting from a set of three phonetically-dissimilar or phonetically-similar words.

Phonetically dissimilar = (different initial and final consonants and medial vowel).

Phonetically similar = (same medial vowel and initial or final consonant).

"Hello. Bog Frogg here." "Let me show you how to play"

A: "s-u-n says sun"

A: "Now it's your turn. What word do you hear?"

A&G: "s-u-n says sun"

A&G: "Now it's your turn. What word do you hear and see?"

G: "This word is sun"

G: "Now it's your turn. What word do you see?"

No roll-overs on lilypads.

Activity Module 1		T b	. 3	
Task(4)	Presentation	Inter	val Choices	# Trials
Cuml. Score				
1-Blend phonemes	auditory	.25 sec	dissimilar	
2-Blend phonemes	auditory	1 sec	dissimilar	
3-Blend phonemes	auditory	2 sec	dissimilar	
4-Blend phonemes	auditory	2 sec	similar	
J	auditory & visual	.25 sec	dissimilar	
6-Blend phonemes	auditory & visual	1 sec	dissimilar	
7-Blend phonemes	auditory & visual	2 sec	dissimilar	
8-Blend phonemes	auditory & visual	2 sec	similar	
9-Decode CVC word	s visual	n/a	dissimilar	
10-Decode CVC work	ds visual	n/a	similar	

(Former Task 8)

TASK 5: BLENDING PHONEMES AND DECODING: CVC NONSENSE WORDS (10)

Learning Objectives: The student will blend three phonemes presented at x second intervals with or without corresponding graphemes into a nonsense word and will make a response by selecting from a set of three phonetically-dissimilar or phonetically-similar nonsense words. The student will decode CVC words presented with no auditory cues and will make a response by selecting from a set of three phonetically-dissimilar or phonetically-similar nonsense words.

Phonetically dissimilar = (different initial and final consonants and medial vowel).

Phonetically similar = (same medial vowel and initial or final consonant).

"Hello. Bog Frogg here." "Let me show you how to play"

A: "s-u-n says sun"

A: "Now it's your turn. What word do you hear?"

A&G: "s-u-n says sun"

A&G: "Now it's your turn. What word do you hear and see?"

G: "This word is sun"

G: "Now it's your turn. What word do you see?"

No roll-overs on lilypads.

Activity Module 1 Task(5) Cuml. Score			Inter	val	Choices	# Trials
1-Blend phonemes		.25	sec	dissin	nilar	
2-Blend phonemes	auditory	1 se	С	dissin	nilar	
3-Blend phonemes	auditory	2 se	С	dissin	nilar	
4-Blend phonemes	auditory	2 se	С	simila	ar	
5-Blend phonemes	auditory & visual	. 25	sec		dissimi	lar
6-Blend phonemes	auditory & visual	1 se	С	dissir	mílar	
3	auditory & visual	2 se	С	dissi	milar	
8-Blend phonemes	auditory & visual	2 se	c	simila	ar	
9-Decode CVC word	s visual			n/a	d	issimilar
10-Decode CVC wor	ds visual	n/a		simila	ar	

(Former Task 11)

TASK 6: SEGMENTING VC & CVC WORDS INTO PHONEMES (6)

Learning Objective: The student will segment VC and CVC real words and nonsense words into phonemes. Auditory feedback will or will not be provided during response. Graphemes will or will not be displayed during response. (programming note: 80% criterion here)

"Hello. Bog Frogg here. Click on the mouse once for each sound you hear. Let me show you how this is done."

A: "First, listen to the word..... sun. Then, click on the mouse once for each sound in the word, like this...s-u-n "

A: "Now it's your turn."

A&G: "First, listen to the word.... sun. Then, click on the mouse once for each sound in the word, like this...s-u-n"

A&G: "Now it's your turn." G: "First, Listen to the word..... sun. Then, click on the mouse once for each sound in the word, like this...s-u-n " G: "Now it's your turn." Activity Module 3 Auditory Feedback Display Graphemes # Trials Task(6) Cuml. Score 1-Segment real word into phonemes yes no 2-Segment real word into phonemes yes yes 3-Segment real word into phonemes no yes 4-Segment nonsense word into phonemes yes no yes 5-Segment nonsense word into phonemes yes 6-Segment nonsense word into phonemes no yes (Former Task 12) TASK 7: SPELLING VC & CVC WORDS (12) Learning Objective: The student will spell VC and CVC real and nonsense words by typing letters on the keyboard. Auditory cues and feedback will or will not be available during the encoding response. "Hello. Bog Frogg here. Let me show you how to play. A: "First, listen to the word..... sun. Then, use the keyboard to spell the word. A: "Now it's your turn." No A: "First, listen to the word..... sun. Then, use the keyboard to spell the word. No A: "Now it's your turn." Auditory cues = roll-overs Auditory Feedback = play sound when typed in by user. Activity Module 4 Task(7) Auditory Cues Auditory Feedback # Trials Cuml. Score 1-Spell VC, CVC real word yes yes 2-Spell VC, CVC real word no yes

WORD LISTS

Task 1

Blend onset-rimes: REAL WORDS

3-Spell VC, CVC real word

4-Spell VC, CVC nonsense word

5-Spell VC, CVC nonsense word

6-Spell VC, CVC nonsense word

Revised 10/11/99: removed all words ending in "ck" and "ll"

Dissimilar: select foils from different vowel family, exclude those with same onset

yes

no

no

no

no

yes

yes

no

Copyright 1999 Cognitive Concepts, Inc. B-27

TO THE BUT OF A STANDARD BY CONTRACTOR OF THE STANDARD AND A STAND

용

```
k:cap,m:map,l1:lap,aep
b:back,s:sack,dz:jack,aek
d:dad,s:sad,m:mad,aed
m:mat, h:hat, k:cat, aet
k:can,f:fan,p:pan,aen
h:ham,dz:jam,j:yam,aem
b:bag,r1:rag,t:tag,aeg
sh:shell,b:bell,w:well,cap(e)1
p:pen,t:ten,m:men,cap(e)n
r1:red,b:bed,sh:shed,cap(e)d
w:wet,n:net,dz:jet,cap(e)t
k:kick,l1:lick,s:sick,cap(i)k
ch:chin,p:pin,f:fin,cap(i)n
w:wig,p:pig,d:dig,cap(i)g
11:lip,sh:ship,z:zip,cap(i)p
p:pot,k:cot,h:hot,at
m:mop,t:top,k:cop,ap
s:sock,r1:rock,l1:lock,ak
n:nut, h:hut, k:cut, ^t
s:sun,g:gun,b:bun,^n
k:cub,t:tub,s:sub,^b
b:bug,r1:rug,h:hug,^g
Same rime: select foils from same line
k:cap,m:map,l1:lap,aep
b:back,s:sack,dz:jack,aek
d:dad,s:sad,m:mad,aed
m:mat,h:hat,k:cat,aet
k:can,f:fan,p:pan,aen
h:ham,dz:jam,j:yam,aem
b:bag,r1:rag,t:tag,aeg
sh:shell,b:bell,w:well,cap(e)1
p:pen,t:ten,m:men,cap(e)n
r1:red,b:bed,sh:shed,cap(e)d
w:wet,n:net,dz:jet,cap(e)t
k:kick,l1:lick,s:sick,cap(i)k
ch:chin,p:pin,f:fin,cap(i)n
w:wig,p:pig,d:dig,cap(i)g
l1:lip,sh:ship,z:zip,cap(i)p
p:pot,k:cot,h:hot,at
m:mop,t:top,k:cop,ap
s:sock,r1:rock,l1:lock,ak
n:nut,h:hut,k:cut,^t
s:sun,g:gun,b:bun,^n
k:cub,t:tub,s:sub,^b
b:bug,r1:rug,h:hug,^g
```

```
Same onset: select foils with same onset, same vowel family (whenever possible,
otherwise o.k. to select from different vowel family)
k:cap,m:map,l1:lap,aep
b:back,s:sack,dz:jack,aek
s:sad,m:mad,aed
m:mat, h:hat, k:cat, aet
k:can,f:fan,p:pan,aen
h:ham,dz:jam,rl:ram,aem
b:bag,r1:rag,t:tag,aeg
sh:shell,b:bell,f,fell,cap(e)l
p:pen,t:ten,m:men,h:hen,cap(e)n
r1:red,b:bed,sh:shed,cap(e)d
p:pet,dz:jet,cap(e)t
k:kick,l1:lick,s:sick,ch:chick,cap(i)k
ch:chin,p:pin,f:fin,cap(i)n
p:pig,cap(i)g
11:lip, sh:ship, ch:chip, cap(i)p
p:pot,k:cot,h:hot,at
m:mop,t:top,k:cop,ap
s:sock,r1:rock,l1:lock,ak
h:hut,k:cut,^t
s:sun,r1:run,b:bun,^n
k:cub,t:tub,s:sub,^b
b:bug,r1:rug,h:hug,^g
Task 2 (blending onset & rimes & decoding nonsense words (need to add?) YES
10/11/99
Words taken from Task 6.
New words added in bold
w:wap,b:bap,f:fap,aep
v:vad,n:nad,w:wad,aed
z:zat,w:wat,y:yat,aet
h:han,sh:shan,j:yan,aen
v:vam,n:nam,c:cam,aem
p:pag,c:cag,v:vag,aeg
m:mab,z:zab,w:wab,aeb
f:fen,l:len,v:ven,cap(e)n
p:ped,s:sed,dz:jed,cap(e)d
t:tet,ch:chet,h:het,cap(e)t
11:lin,h:hin,n:nin,cap(i)n
11:lig,s:sig,k:kig,cap(i)g
v:vip,m:mip,f:fip,cap(i)p
z:zot, m:mot, ch:chot, at
f:fop,dz:jop,z:zop,ap
ch:chod,v:vod,d:dod,ad
s:sut, w:wut, ch, chut, ^t
l1:lun,d:dun,z:zun,^n
```

```
v:vub, z:zub, m:mub, ^b
f:fug,w:wug,sh,shug,^g
dz:jum, l1:lum, v:vum, ^m
j:yup,g:gup,dz:jupv:vup,h:hup,^p
Task 3
Segmenting & Elision of Initial Consonant REAL & NONSENSE WORDS
Revised 10/11/99: removed all words ending in "ck" and "ll"
Words need to be sorted into Real & Nonsense (I think Matthew may have already
done this, if not let me know and I will do it)
Dissimilar: select foils from different vowel sound family
Similar: select foils from same vowel sound family, different line
k:cap,m:map,l1:lap,n:nap,g:gap,w:wap,b:bap,f:fap,aep
b:back, s:sack, dz:jack, p:pack, r1:rack, d:dack, n:nack, aek
d:dad,s:sad,m:mad,h:had,l1:lad,w:wad,v:vad,n:bad,aed
m:mat,h:hat,k:cat,f:fat,s:sat,p:pat,z:zat,w:wat,j:yat,aet
k:can,f:fan,p:pan,v:van,r1:ran,l1:lan,h:han,aen
h:ham,dz:jam,j:yam,r1:ram,d:dam,v:vam,t:tam,n:nam,k:cam,aem
b:bag,rl:rag,t:tag,n:nag,s:sag,p:pag,h:hag,aeg
k:cab, l1:lab, t:tab, n:nab, g:gab, m:mab, z:zab, w:wab, aeb
sh:shell,b:bell,w:well,t:tell,j:yell,z:zell,r1:rell,cap(e)l
p:pen,t:ten,m:men,h:hen,d:den,f:fen,l1:len,cap(e)n
r1:red, sh:shed, b:bed, f:fed, l1:led, p:ped, s:sed, cap(e)d
w:wet,n:net,dz:jet,g:get,p:pet,s:set,t:tet,cap(e)t
p:peg,l1:leg,b:beg,w:weg,t:teg,d:deg,n:neg,cap(e)g
k:kick,l1:lick,s:sick,p:pick,t:tick,w:wick,z:zick,m:mick,cap(i)k
ch:chin,p:pin,f:fin,b:bin,t:tin,s:sin,l1:lin,m:min,cap(i)n
w:wig,p:pig,d:dig,f:fig,d:dig,l1:lig,s:sig,cap(i)g
11:lip,sh:ship,z:zip,d:dip,t:tip,v:vip,m:mip,cap(i)p
b:bit,h:hit,r1:rit,p:pit,f:fit,s:sit,l1:lit,w:wit,v:vit,cap(i)t
p:pill,s:sill,b:bill,t:till,f:fill,w:will,h:hill,d:dill,m:mill,cap(i)l
d:dig,rl:rig,b:big,s:sig,h:hig,n:nig,w:wig,f:fig,l1,lig,cap(i)q
p:pot,k:cot,h:hot,t:tot,n:not,d:dot,z:zot,m:ot,at
m:mop,t:top,k:cop,p:pop,h:hop,b:bop,f:fop,dz:jop,ap
s:sock,r1:rock,l1:lock,d:dock,m:mock,t:tock,j:yock,v:vock,ak
r1:rob, k:cob, m:mob, h:hob, l1:lob, w:wob, g:gob, s:sob, ab
r1:rod,n:nod,k:cod,p:pod,s:sod,t:tod,j:yod,ad
n:nut,h:hut,k:cut,b:but,r1:rut,g:gut,s:sut,w:wut,^t
s:sun,g:gun,b:bun,r1:run,f:fun,l1:lun,d:dun,^n
k:cub,t:tub,s:sub,h:hub,r1:rub,v:vub,z:zub,^b
b:bug,rl:rug,h:hug,d:dug,m:mug,f:fug,w:wug,^g
d:duck, t:tuck, p:puck, m:muck, l1:luck, n:nuck, w:wuck, ^k
g:gum,r1:rum,s:sum,b:bum,h:hum,dz:jum,l1:lum,^m
k:cup,p:pup,j:yup,g:gup,dz:jup,v:vup,h:hup,^p
m:mud, f:fud, s:sud, l1:lud, z:zud, d:dud, b:bud,
(REMOVED former Task 3 10/11/99)
Blending Onset-Rimes
```

```
Dissimilar: select foils from different vowel family, exclude those with same
onset
r1:ride, s:side, h:hide, aid
11:line,p:pine,v:vine,ain
r1:rice,d:dice,m:mice,ais
t:tile,p:pile,f:file,ail
t:time,d:dime,l1:lime,aim
t:tire,w:wire,f:fire,air
w:wave,k:cave,sh:shave,ev
k:cake,r1:rake,l1:lake,ek
g:gate,d:date,k:kate
t:tape,k:cape,ep
k:cane,m:mane,en
h:hose,r1:rose,n:nose,oz
h:hole,p:pole,m:mole,ol
r1:rope,op
h:home,d:dome,om
Same rime: select foils from same line
r1:ride,s:side,h:hide,aid
11:line,p:pine,v:vine,ain
rl:rice,d:dice,m:mice,ais
t:tile,p:pile,f:file,ail
t:time,d:dime,l1:lime,aim
t:tire,w:wire,f:fire,air
w:wave,k:cave,sh:shave,ev
k:cake,r1:rake,l1:lake,ek
g:gate,d:date,k:kate
h:hose,r1:rose,n:nose,oz
h:hole,p:pole,m:mole,ol
Same onset: select foils with same onset, same vowel family (whenever possible,
otherwise o.k to select from different vowel family)
r1:ride,h:hide,aid
11:line,p:pine,ain
r1:rice,d:dice,m:mice,ais
t:tile,p:pile,ail
t:time,d:dime,l1:lime,aim
t:tire,air
b:bike,aik
k:kite,ait
k:cave,ev
k:cake,r1:rake,l1:lake,ek
d:date,k:kate
t:tape,k:cape,ep
k:cane,m:mane,en
h:hose,r1:rose,n:nose,oz
h:hole,p:pole,m:mole,ol
r1:robe,ob
```

B-31

```
r1:rope,op
h:home,d:dome,om
(REMOVED Former Task 4 10/11/99)
Segmenting & Elision of Initial Phoneme
Dissimilar: select foils from different vowel sound family
Similar: select foils from same vowel sound family, different line
r1:ride,s:side,h:hide,t:tide,b:bide,l1:lide,n:nide,z:zide,aid
11:line,p:pine,v:vine,m:mine,d:dine,f:fine,s:sine,b:bine,ain
f:five,d:dive,l1:live,dz:jive,s:sive,p:pive,z:zive,aiv
r1:rice, d:dice, m:mice, n:nice, t:tice, b:bice, w:wice, ais
t:tile,p:pile,f:file,m:mile,n:nile,s:sile,k:kile,ail
t:time, d:dime, l1:lime, f:fime, r1:rime, z:zime, dz:jime, h:hime, aim
t:tire,w:wire,f:fire,h:hire,s:sire,b:bire,dz:jire,p:pire
b:bike,p:pike,h:hike,l1:like,r1:rike,v:vike,aik
k:kite,b:bite,d:dite,j:yite,ll:lite,n:nite,m:mite,r1:rite,v:vite,ait
w:wave,k:cave,sh:shave,r1:rave,p:pave,f:fave,l1:lave,ev
k:cake,r1:rake,l1:lake,b:bake,m:make,d:dake,dz:jake,ek
m:maze,h:haze,t:taze,f:faze,w:wazw,dz,jaze,l1:laze,b:baze,ez
k:cape,t:tape,n:nape,d:dape,l1:lape,z:zape,ep
g:gate, m:mate, r1:rate, f:fate, d:date, v:vate, b:bate, et
m:made,f:fade,w:wade,t:tade,j:yade,s:sade,ed
h:hose,r1:rose,n:nose,p:pose,w:wose,v:vose,b:bose,k:kose,oz
h:hole,p:pole,m:mole,f:fole,dz:jole,s:sole,r1:role,d:dole,ol
r1:rope, h:hope, n:nope, t:tope, j:yope, z:zope, l1:lope, op
r1:robe, d:dobe, t:tobe, f:fobe, h:hobe, p:pobe, ob
h:home,d:dome,k:kome,n:nome,p:pome
Task 4
Blending and decoding CVC Words
Revised 10/11/99 REMOVED words ending in "ck" and "ll"
dissimilar: select foils from different vowel family, with different first and
last phonemes
similar: select from same vowel family, match 1st or 3rd phoneme
cap, k, ae, p
map, m, ae, p
lap, l1, ae, p
back, b, ae, k
sack,s,ae,k
jack, dz, ae, k
dad, d, ae, d
sad, s, ae, d
mad, m, ae, d
mat, m, ae, t
hat, h, ae, t
cat, k, ae, t
can, k, ae, n
fan, f, ae, n
pan, p, ae, n
ham, h, ae, m
jam, dz, ae, m
yam, j, ae, m
bag, b, ae, g
```

B-32

```
rag, r1, ae, g
tag, t, ae, g
shell, sh, cap(e), 12
bell, b, cap (e), 12
well, w, cap(e), l2
pen,p,cap(e),n
ten, t, cap(e), n
men, m, cap(e), n
red, r1, cap(e), d
shed, sh, cap(e), d
b,b,cap(e),d
wet, w, cap(e), t
net, n, cap(e), t
jet, dz, cap(e), t
kick, k, cap(i), k
lick, ll, cap(i), k
sick,s,cap(i),k
chin, ch, cap(i), n
pin,p,cap(i),n
fin,f,cap(i),n
wig, w, cap(i), g
pig,p,cap(i),g
dig,d,cap(i),g
lip, l1, cap(i), p
ship, sh, cap(i), p
zip, z, cap(i), p
pot,p,a,t
cot, k, a, t
hot, h, a, t
mop, m, a, p
top,t,a,p
cop, k, a, p
sock, s, a, k
rock, r1, a, k
lock, l1, a, k
nut,n,^,t
hut,h,^,t
cut,k,^,t
sun,s,^,n
gun,g,^,n
bun,b,^,n
cub, k, ^, b
tub,t,^,b
sub,s,^,b
bug,b,^,g
rug,r1,^,g
hug,h,^,g
duck,d,^,k
gum, g, ^, m
cup,k,^,p
```

ļ. ž.

PR

į.

:: ::

1 12

ļ.ē

13

15

£i

13 13

```
Task 5 ( Blending and decoding nonsense words (add word list?) YES 10/11/99
       (Words taken from Task 6 below)
       wap, w, ae, p
       bap, b, ae, p
       fap, f, ae, p
       dack, d, ae, k
       nack, n, ae, k
       vad, v, ae, d
       nad, n, ae, d
       wad, w, ae, d
       zat, z, ae, t
       wat, w, ae, t
       yat, j, ae, t
       lan, ll, ae, n
       han, h, ae, n
       vam, v, ae, m
       nam, n, ae, m
       cam, k, ae, m
       pag, p, ae, g
       cag, k, ae, g
       mab, m, ae, b
       zab, z, ae, b
       wab, w, ae, b
       zell, z, cap(e), 12
       rell, r1, cap(e), 12
1.4
       fen, f, cap(e), n
       len, l1, cap(e), n
ped,p,cap(e),d
sed, s, cap(e), d
1.2
       set, s, cap(e), t
       tet,t,cap(e),t
į. A
       zick, z, cap(i), k
1.4
       mick, m, cap(i), k
       lin, l1, cap(i), n
       min, m, cap(i), n
       lig, l1, cap(i), g
       sig, s, cap(i), g
       vip, v, cap(i), p
       mip, m, cap(i), p
       zot, z, a, t
       mot, m, a, t
       fop,f,a,p
       jop, dz, a, p
       mock, m, a, k
       yock, j, a, k
       vock, v, a, k
       sut,s,^,t
wut,w,^,t
lun,l1,^,n
dun,d,^,n
       vub, v, ^, b
       zub,z,^,b
       fug,f,^,g
wug,w,^,g
nuck,n,^,k
jum,dz,^,m
```

B-34

THE PROPERTY OF THE PROPERTY O

```
lum, 11, ^, m
yup,j,^,p
gup,g,^,p
jup,dz,^,p
vup, v, ^, p
hup,h,^,p
(REMOVED Task 6 10/11/99)
Blending CVCe Words
dissimilar: select foils from different vowel family, with different first and
last phonemes
similar: select from same vowel family, match 1st or 3rd phoneme
ride, r1, ai, d e
side, s, ai, d e
hide, h, ai, d e
line, ll, ai, n e
pine,p,ai,n_e
vine, v, ai, n_e
rice,r1,ai,s_e
dice,d,ai,s e
mice, m, ai, s_e
tile,t,ai,l2 e
pile,p,ai,12_e
file,f,ai,l2_e
time, t, ai, m e
dime,d,ai,m e
lime, l1, ai, m_e
tire,t,ai,r2_e
wire, w, ai, r2 e
fire, f, ai, r2_e
wave,w e,v e
cave, k, e, v_e
shave, sh, e, v e
cake,k,e,k_e
rake, r1, e, k e
lake, l1, e, k_e
hose, h, o, z e
rose, r1, o, z_e
nose, n, o, z_e
hole, h, o, 12_e
pole,p,o,12 e
mole, m, o, 12 e
TASK 6 Segmenting VC & CVC words and nonsense words into phonemes
Revised 10/11/99 to remove words ending in "ck" and "ll" and all CVCe words;
sorted words into real and CVC words; added 5 new words to word list.
1 segment:
ae, e, b, k, d, cap(e), i, f, g, h, ai, cap(i), dz, sh, ch, k, l1, m, n, o, a,
p, r1, s, t, u, cap(u), v, w, j, z
2 segments:
REAL
```

B-35

1.5. REPUBLISH the first of appropriate secretarial action of the rest of the

Copyright 1999 Cognitive Concepts, Inc.

- Fig. 1999年195日 - TETER TOTAL TOTAL CONTROL OF A SECOND CONTROL

```
aed, ae, d
       aet, ae, t
       aen, ae, n
       aem, ae, m
       cap(i)n, cap(i), n
       10/11/99 added new words:
      up,^,p
us,^,s
       on, a, n
       it, cap(I), t
       ash, ae, sh
      NONSENSE
       aep, ae, p
       aek, ae, k
       aeg, ae, g
       aeb, ae, b
       cap(e)1,cap(e),12
      cap(e)n,cep(e),n
       cap(e)d, cap(e), d
       cap(e)t,cap(e),t
      cap(i)k,cap(i),k
       cap(i)g,cap(i),g
      cap(i)p,cap(i),p
      at,a,t
       ap,a,p
       ak,ak
^t ,^,t
       ^n,^,n
^b,^,b
       ^g,^,g
1 25
ļ, š
      aid, ai, d_e
      ain, ai, n e
      ais,ai,s_e
      ail,ai,12_e
      aim,ai,m e
      air,ai,r2 e
      aik,ai,k_e
      ait,ai,t_e
      ev,e,v_e
      ek,e,k_e
      et,e,t_e
      ep,e,p_e
      en,e,n_e
      oz,o,z_e
      ol,o,12_e
      ob,o,b e
      op,o,p_e
      om, o, m_e
      3 segments:
      REAL
      cap, k, ae, p
      map, m, ae, p
```

'n.

1.4

į÷

1 5

£

lap,l1,ae,p
nap,n,ae,p
gap,g,ae,p
back,b,ae,k
sack,s,ae,k
jack,dz,ae,k

B-37

dig,d,cap(i),g
fig,f,cap(i),g
cab,k,ae,b

```
lab, l1, ae, b
tab, t, ae, b
nab, n, ae, b
gab, g, ae, b
mab, m, ae, b
wet, w, cap(e), t
net,n,cap(e),t
jet, dz, cap(e), t
get,g,cap(e),t
pet,p,cap(e),t
set,s,cap(e),t
lip,l1,cap(i),p
ship, sh, cap(i), p
zip,z,cap(i),p
dip,d,cap(i),p
tip,t,cap(i),p
pot,p,a,t
cot, k, a, t
hot, h, a, t
not, n, a, t
bug,b,^,g
rug,r1,^,g
hug,h,^,g
dug,d,^,g
mug,m,^,g
dot,d,a,t
mop, m, a, p
top,t,a,p
sun,s,^,n
gun,g,^,n
bun,b,^,n
run,r1,^,n
fun,f,^,n
cop, k, a, p
pop,p,a,p
hop,h,a,p
bop, b, a, p
nut,n,^,t
hut,h,^,t
cut, k, ^, t
but,b,^,t
rut,r1,^,t
gut,g,^,t
NONSENSE
wap, w, ae, p
bap, b, ae, p
fap,f,ae,p
vad, v, ae, d
nad, n, ae, d
wad, w, ae, d
zat,z,ae,t
wat, w, ae, t
yat, j, ae, t
han, h, ae, n
```

vam, v, ae, m

```
tam, t, ae, m
nam, n, ae, m
cam, k, ae, m
pag,p,ae,g
cag, k, ae, g
zab, z, ae, b
wab, w, ae, b
shell, sh, cap(e), 12
bell, b, cap(e), 12
well, w, cap(e), 12
tell, t, cap(e), 12
yell, j, cap(e), 12
zell, z, cap(e), 12
rell, r1, cap(e), 12
len, l1, cap(e), n
fen, f, cap(e), n
ped,p,cap(e),d
sed, s, cap(e), d
tet,t,cap(e),t
kick, k, cap(i), k
lick, l1, cap(i), k
sick, s, cap(i), k
pick,p,cap(i),k
tick, stcap(i), k
wick, w, cap(i), k
zick, z, cap(i), k
mick, m, cap(i), k
lin, l1, cap(i), n
min, m, cap(i), n
lig, l1, cap(i), g
sig,s,cap(i),g
vip,v,cap(i),p
mip, m, cap(i), p
zot, z, a, t
mot, m, a, t
fop, f, a, p
jop, dz, a, p
sock, s, a, k
rock, r1, a, k
lock, 11, a, k
dock, d, a, k
mock, m, a, k
tock, t, a, k
yock, j, a, k
vock, v, a, k
sut,s,^,t
wut, w, ^, t
lun, 11, ^, n
dun,d,^,n
cub,k,^,b
tub,t,^,b
sub,s,^,b
hub,h,^,b
```

i A

13

41

1.2

į. 4

```
rub, r1, ^, b
vub, v, ^, b
zub,z,^,b
fug,f,^,g
wug,w,^,g
duck,d,^,k
tuck, t, ^, k
puck,p,^,k
muck,m,^,k
luck, ll, ^, k
nuck, n, ^, k
duck, d, ^, k
gum,g,^,m
rum, r1, ^, m
sum,s,^,m
bum,b,^,m
hum,h,^,m
jum,dz,^,m
lum, 11, ^, m
cup,k,^,p
pup,p,^,p
yup,j,^,p
gup,g,^,p
jup,dz,^,p
vup,v,^,p
hup,h,^,p
ride, r1, ai, d_e
side, s, ai, d e
hide, h, ai, d e
tide,t,ai,d_e
bide,b,ai,d_e
lide, l1, ai, d_e
nide,n,ai,d_e
zide,z,ai,d_e
line, l1, ai, n_e
pine,p,ai,n e
vine, v, ai, n e
mine, m, ai, n_e
dine, d, ai, n e
fine,f,ai,n_e
sine,s,ai,n_e
bine, b, ai, n e
five,f,ai,v_e
dive,d,ai,v_e
live, l1, ai, v_e
jive, dz, ai, v_e
sive,s,ai,v_e
pive,p,ai,v_e
zive,z,ai,v_e
rice, r1, ai, s e
dice,d,ai,s_e
nice, n, ai, s_e
tice, t, ai, s e
fice, f, ai, s e
bice, b, ai, s e
```

mice, m, ai, s_e tile,t,ai,12_e pile,p,ai,12_e file, f, ai, 12_e pile,p,ai,l2 e tile,t,ai,l2 e mile, m, ai, 12_e nile,n,ai,12 e kile, k, ai, 12_e sile,s,ai,l2_e time,t,ai,m_e dime,d,ai,m_e lime, l1, ai, m_e fime, f, ai, m e rime, rl, ai, m_e zime,z,ai,m_e jime, dz, ai, m e hime, h, ai, m_e tire,t,ai,r2_e wire, w, ai, r2 e fire, f, ai, r2_e hire, h, ai, r2_e sire, s, ai, r2_e bire,b,ai,r2_e jire, dz, ai, r2_e pire,p,ai,r2_e bike,b,ai,k_e pike,p,ai,k_e like, l1, ai, k_e rike, r1, ai, k e vike,v,ai,k_e kite, k, ai, t_e bite,b,ai,t_e dite,d,ai,t e lite, l1, ai, t_e nite,n,ai,t_e mite, m, ai, t_e rite, r1, ai, t_e vite, v, ai, t_e

wave, w e, v_e cave, k, e, v_e shave, sh, e, v_e rave, r1, e, v_e fave, f, e, v_e lave, l1, e, v_e cake, k, e, k_e rake, r1, e, k_e lake, l1, e, k_e bake, b, e, k_e make, m, e, k_e dake, d, e, k_e maze, m, e, z_e

Copyright 1999 Cognitive Concepts, Inc.

į. "L

Ĭñ.

ĺ

1: 1

31

ļ, Ļ

14

13

15

13

```
haze, h, e, z_e
 faze, f, e, z_e
 waze, w, e, z e
 jaze, dz, e, z e
 laze,1,e,z_e
 baze,b,e,z_e
 cape, k, e, p_e
 tape, t, e, p e
 nape,n,e,p_e
 dape,d,e,p_e
 lape, l1, e, p e
 zape,z,e,p_e
 gate,g,e,t e
mate, m, e, t_e
 rate, r1, e, t_e
fate, f, e, t_e
date, d, e, t e
vate, v, e, t_e
bate, b, e, t_e
hose, h, o, z_e
rose, rl, o, z_e
nose, n, o, z_e
pose,p,o,z_e
wose,w,o,z _e
vose, v, o, z_e
bose,b,o,z _e
kose, k, o, z _e
hole, h, o, 12 e
pole,p,o,l2 e
mole, m, o, 12 e
fole, f, o, 12 e
sole,s,o,12_e
dole,d,o,l2 e
rope, rl, o, p_e
hope, h, o, p e
nope, n, o, p e
tope, t, o, p e
yope,j,o,p_e
zope,z,o,p_e
lope, l1, o, p_e
robe, r1, o, b e
dobe, d, o, b_e
tobe, t, o, b_e
fobe, f, o, b e
hobe, h, o, b_e
pobe,p,o,b_e
Task 7 Spelling
Revised 10/11/99: Removed words ending in "ck" and "ll" and a few misc. words
from word list.
(Levels 1, 2 & 3: Spell VC, CVC REAL words)
aet, ae, t
aen, ae, n
aem, ae, m
```

Copyright 1999 Cognitive Concepts, Inc. B-42

THE PERSON OF TH

cap(i)n,cap(i),n

ļ.

17

ļå

1.4

ļA

į. 4

13

10

B-43

led, l1, cap(e), d
wet, w, cap(e), t

14

1.5

1.4

51

Íå

į.

112

13

13

```
That we will be the constituent and the second of the seco
```

```
rub, rl, ^, b
 bug,b,^,g
rug,r1,^,g
hug,h,^,g
dug,d,^,g
 mug,m,^,g
duck,d,^,k
 tuck,t,^,k
puck,p,^,k
muck,m,^,k
luck,l1,^,k
 duck,d,^,k
 gum,g,^,m
 gum,g, ,m
rum,r1,^,m
sum,s,^,m
bum,b,^,m
hum,h,^,m
 cup,k,^,p
 pup,p,^,p
yup,j,^,p
gup,g,^,p
 (Levels 3 & 4 Spell VCe and CVCe words)
 et,e,t e
 ep,e,p_e
 ride, r1, ai, d e
 side,s,ai,d_e
hide, h, ai, d e
tide, t, ai, d e
bide, b, ai, d e
line, l1, ai, n_e
pine, p, ai, n e
vine, v, ai, n e
mine, m, ai, n e
dine, d, ai, n e
fine, f, ai, n e
five, f, ai, v_e
dive, d, ai, v e
live, l1, ai, v e
jive, dz, ai, v_e
rice, r1, ai, s_e
dice, d, ai, s e
nice,n,ai,s e
mice, m, ai, s_e
tile,t,ai,12_e
pile,p,ai,12 e
file, f, ai, 12 e
pile,p,ai,12_e
tile,t,ai,12_e
mile, m, ai, 12 e
nile, n, ai, 12 e
time, t, ai, m e
dime, d, ai, m e
lime, l1, ai, m_e
rime, r1, ai, m_e
tire,t,ai,r2_e
```

- The State of the Astronomy Constitution Co. The Lange of Constitution

```
wire, w, ai, r2_e
fire, f, ai, r2 e
hire, h, ai, r2 e
bike,b,ai,k e
pike, p, ai, k e
like, l1, ai, k_e
kite,k,ai,t e
bite,b,ai,t e
lite, l1, ai, t_e
nite,n,ai,t_e
rite, r1, ai, t_e
wave,w e,v_e
cave, k, e, v e
shave, sh, e, v_e
rave, r1, e, v e
pave,p,e,v e
cake, k, e, k e
rake, r1, e, k_e
lake, l1, e, k_e
bake,b,e,k e
make, m, e, k_e
jake,j,e,k_e
maze, m, e, z_e
haze, h, e, z_e
cape, k, e, p_e
tape, t, e, p_e
nape, n, e, p_e
gate, g, e, t_e
mate, m, e, t e
rate, r1, e, t e
fate, f, e, t e
date, d, e, t e
hose,h,o,z e
rose, r1, o, z e
nose, n, o, z e
pose,p,o,z_e
hole, h, o, 12 e
pole,p,o,12_e
mole, m, o, 12_e
dole,d,o,l2_e
rope, r1, o, p_e
hope, h, o, p_e
nope, n, o, p_e
robe, r1, o, b_e
(Levels 4, 5 & 6: Spell VC, CVC nonsense words)
aep,ae,p
aed, ae, d
aek, ae, k
aeg, ae, g
aeb, ae, b
cap(e)1, cap(e), 12
cap(e)n,cep(e),n
cap(e)d,cap(e),d
cap(e)t, cap(e), t
cap(i)k, cap(i), k
```

```
cap(i)g,cap(i),g
 cap(i)p,cap(i),p
 at,a,t
 ap,a,p
 ak,ak
 ^t ,^,t
^n,^,n
^b,^,b
^g,^,g
 wap,w,ae,p
 bap, b, ae, p
 fap,f,ae,p
 dack, d, ae, k
 nack, n, ae, k
 vad, v, ae, d
 nad, n, ae, d
 wad, w, ae, d
 zat, z, ae, t
 wat, w, ae, t
 yat, j, ae, t
 lan, ll, ae, n
han, h, ae, n
vam, v, ae, m
nam, n, ae, m
cam, k, ae, m
pag, p, ae, g
cag, k, ae, g
mab, m, ae, b
zab, z, ae, b
wab, w, ae, b
zell, z, cap(e), 12
rell, r1, cap(e), 12
fen, f, cap(e), n
len, l1, cap(e), n
ped,p,cap(e),d
sed, s, cap(e), d
set, s, cap(e), t
tet, t, cap(e), t
zick, z, cap(i), k
mick, m, cap(i), k
lin, l1, cap(i), n
min, m, cap(i), n
lig, ll, cap(i), g
sig,s,cap(i),g
vip, v, cap(i), p
mip,m,cap(i),p
zot,z,a,t
mot, m, a, t
fop,f,a,p
jop, dz, a, p
mock, m, a, k
yock, j, a, k
vock, v, a, k
sut,s,^,t
wut, w, ^, t
lun, 11, ^, n
```

```
dun,d,^,n
        vub, v, ^, b
        zub,z,^,b
fug,f,^,g
wug,w,^,g
nuck,n,^,k
        jum, dz, ^, m
        lum, 11, ^, m
       yup,j,^,p
gup,g,^,p
jup,dz,^,p
        vup, v, ^, p
        hup,h,^,p
        (Levels 7 & 8: Spell VCe, CVCe nonsense words)
        aid,ai,d_e
        ain,ai,n_e
        ais,ai,s_e
       ail, ai, 12 e
       aim, ai, m e
       air,ai,r2 e
       aik,ai,k e
       ait,ai,t_e
       ev,e,v_e
       ek,e,k e
ļ. 4
       en,e,n e
       oz,o,z_e
î,ħ
       ol,o,12_e
ļ. š.
       ob,o,b_e
ļ, £
       op,o,p_e
ŝi
       om, o, m_e
į.
       lide, l1, ai, d_e
       nide, n, ai, d e
1.4
       zide, z, ai, d e
       sine, s, ai, n e
13
       bine, b, ai, n e
1.2
       sive,s,ai,v_e
       pive,p,ai,v_e
       zive,z,ai,v e
       tice, t, ai, s e
       fice, f, ai, s e
       bice, b, ai, s_e
       kile,k,ai,l2 e
       sile,s,ai,l2_e
       fime,f,ai,m_e
       zime,z,ai,m_e
       jime, dz, ai, m e
       hime, h, ai, m e
       bire,b,ai,r2_e
       jire, dz, ai, r2_e
       pire,p,ai,r2_e
       rike, rl, ai, k_e
       vike, v, ai, k_e
       dite,d,ai,t_e
       mite, m, ai, t_e
       rite, rl, ai, t e
```

```
vite, v, ai, t e
fave, f, e, v e
lave, l1, e, v e
dake,d,e,k_e
faze, f, e, z e
waze,w,e,z_e
jaze, dz, e, z e
laze, l, e, z e
baze,b,e,z_e
dape,d,e,p_e
lape, l1, e, p e
zape,z,e,p_e
vate, v, e, t e
bate, b, e, t e
wose, w, o, z e
vose, v, o, z e
bose, b, o, z_e
kose, k, o, z_e
fole,f,o,l2_e
dole,d,o,12_e
tope, t, o, p e
yope,j,o,p e
zope,z,o,p_e
lope, l1, o, p e
dobe, d, o, b e
tobe, t, o, b e
fobe, f, o, b e
hobe, h, o, b e
pobe,p,o,b_e
```

TASK 8: BLENDING PHONEMES AND DECODING: CVCC WORDS (14)

Learning Objectives: The student will blend four phonemes presented at x second intervals with or without corresponding graphemes into a word and will make a response by selecting from a set of three response choices. The student will decode CVCC words presented with no auditory cues and will make a response by selecting from a set of three response choices. The phonetic saliency of the CC blends will be controlled to facilitate skill development.

High saliency CC = fricative + stop

Low saliency CC = nasal + stop

"Hello. Bog Frogg here." "Let me show you how to play"
A: "d-e-s-k says desk"
A: "Now it's your turn. What word do you hear?"
A&G: "d-e-s-k says desk"
A&G: "Now it's your turn. What word do you hear and see?"
G: "This word is desk"
G: "Now it's your turn. What word do you see?"
No roll-overs on lilypads.

Activity Module 1

Task(8) Presentation Interval Phonetic Saliency # Trials

Cuml. Score

1-Blend phonemes auditory .25 sec high %

2-Blend phonemes auditory 1 sec high %

Copyright 1999 Cognitive Concepts, Inc. B-49

"大大"。李子等打开"排除"技术所有相称解析的 医眼球皮肤炎 经自由的 自由的人们 医眼镜病 2000 Procedure 计通过电子机能和电阻电阻电阻电阻电阻

```
3-Blend phonemes auditory
                                                high
                                                                        왐
4-Blend phonemes auditory & visual .25 sec
                                                      high
5-Blend phonemes auditory & visual 1 sec
                                                high
                                                                        용
6-Blend phonemes auditory & visual 2 sec
                                                high
                                                                        욯
7-Decode CVCC words visual
                                                high
                                                                        웅
8-Blend phonemes auditory
                                   .25 sec
                                                low
9-Blend phonemes auditory
                                    1 sec
                                                low
                                                                        용
10-Blend phonemes auditory
                                    2 sec
                                                low
11-Blend phonemes auditory & visual .25 sec
                                                      low
12-Blend phonemes auditory & visual 1 sec
                                                low
13-Blend phonemes auditory & visual 2 sec
                                                low
                                                                        욯
14-Decode CVCC words visual
                                   n/a
                                                low
```

Word List:

High Saliency:

nest, best, rest, west, pest, mask, task, bask, disk, risk, mist, list, fist, fast, last, cast, mast, desk, dusk, musk, tusk, raft, gift, lift, sift, left, gasp, lisp, wisp

Low Saliency: pant, lamp, camp, damp, ramp, sand, land, hand, band, bump, lump, hump, milk, tent, went, dent, sent, pump, dump, vent, mint, lint, tint, mend, lend, bend, send, jump

TASK 9: BLENDING PHONEMES AND DECODING: CCVC WORDS (14)

Learning Objectives: The student will blend four phonemes presented at x second intervals with or without corresponding graphemes into a word and will make a response by selecting from a set of three response choices. The student will decode CCVC words presented with no auditory cues and will make a response by selecting from a set of three response choices. The phonetic saliency of the CC blends will be controlled to facilitate skill development.

High saliency CC = fricative + stop or fricative + glide

Low saliency CC = fricative + nasal or fricative + liquid

High saliency = CC blends do not include nasals or liquids

Low saliency = CC blends include nasals and liquids

"Hello. Bog Frogg here." "Let me show you how to play"
A: "s-t-o-p says stop"
A: "Now it's your turn. What word do you hear?"
A&G: "s-t-o-p says stop"
A&G: "Now it's your turn. What word do you hear and see?"
G: "This word is stop"
G: "Now it's your turn. What word do you see?"
No roll-overs on lilypads.

Activity Module 1

Task(9) Cuml. Score	Presentation	Inter	val	Phonetic s	Saliency #	Trials
1-Blend phonemes 2-Blend phonemes		.25 sec 1 sec	high high		95	
3-Blend phonemes	auditory	2 sec	high		ક ૪	
4-Blend phonemes 5-Blend phonemes	<pre>auditory & visual auditory & visual</pre>	1 sec	high	high	ક	ક
6-Blend phonemes	auditory & visual	2 sec	high		8	

7-Decode CCVC words visual n/a high	8
8-Blend phonemes auditory .25 sec low	8
9-Blend phonemes auditory 1 sec low	8
10-Blend phonemes auditory 2 sec low	9 .
11-Blend phonemes auditory & visual .25 sec low	ç.
12-Blend phonemes auditory & visual 1 sec low	8
13-Blend phonemes auditory & visual 2 sec low	8
14-Decode CCVC words visual n/a low	9.

High Saliency:

stop, step, skip, stab, stud, stub, stun, stem, skin, skit, skid, swim, spin, spit, spot, spud, scab, scan, swam, swum

Low Saliency:

Flag, flat, flap, flip, frog, sled, snag, snob, smug, slap, slab, slat, slam, slip, slid, slim, snap, snip

TASK 10: SEGMENTING CC BLENDS AND VCC, CVCC & CCVC WORDS INTO PHONEMES (6) Learning Objective: The student will segment CC blends and VCC, CVCC and CCVC words into phonemes. Auditory feedback will or will not be provided during response. Graphemes will or will not be displayed during response. The phonetic saliency of the CC blends will be controlled to facilitate skill development. (programming note: 80% criterion here)

"Hello. Bog Frogg here. Click on the mouse once for each sound you hear. Let me show you how this is done."

A: "First, listen to the word..... desk. Then, click on the mouse once for each sound in the word, like this...d-e-s-k " $\,$

A: "Now it's your turn."

A&G: "Now it's your turn."

G: "First, Listen to the word.... desk. Then, click on the mouse once for each sound in the word, like this...d-e-s-k " G: "Now it's your turn."

Activity Module 3
Task(10)
Trials

Phonetic Saliency Auditory Feedback Display Graphemes #

1-Segment	phonemes %	high	yes	no
2-Segment	phonemes %	high	yes	yes
3-Segment	phonemes %	high	no	yes
4-Segment	phonemes %	low	yes	no
5-Segment	phonemes %	low	yes	yes
6-Segment	phonemes %	low	no	yes

CC

High: st, sk, sp, ft, sw, sc Low: sn, sm ,sl, sr, fl, fr

19

12

Client - Attorney Privilege

VCC word

High: ask, asp, aft

Low: imp, amp, end, and, ant

CVCC & CCVC words (use words from Tasks 8 & 9)

TASK 11: SPELLING VCC, CVCC & CCVC WORDS (12)

Learning Objective: The student will spell VCC, CVCC and CCVC words by typing letters on the keyboard. Auditory cues and feedback will or will not be available during the encoding response.

"Hello. Bog Frogg here. Let me show you how to play.

A: "First, listen to the word..... stop. Then, use the keyboard to spell the word.

A: "Now it's your turn."

No A: "First, listen to the word..... stop. Then, use the keyboard to spell the word.

No A: "Now it's your turn."

Auditory cues = roll-overs

Auditory Feedback = play sound when typed in by user.

Activity Module 4

Phonetic Salience	y Auditory Cues	Auditory Feedback	# Trials
Score		_	
l high	yes	yes	8
l high	no	yes	9.
l high	no	no	9.
l low	yes	ves	₹ *
low	no	•	9.
low	no	no	₹ *
	Score high high high low low	high yes high no high no low yes low no	Score high yes yes high no yes high no no low yes yes low no yes

Use VCC, CVCC, CCVC words from Task 10

Client-Attorney Privilege

TERES NET EN PETER DE TRES DE LA PROMETE EN DE PARTE ES EN DE LE CONTRE LE CONTRE DE LA CONTRE DE MARIE DE MARIE DE LA CONTRE DEL CONTRE DE LA CONTRE DEL CONTRE DE LA CONTRE DEL CONTRE DE LA CONTRE DE LA CONTRE DE LA CONTRE DE LA CONTRE DE

R & S

Letter Express

Revised 4/28/99

Revised 7/8/99

Revised 8/3/99 DEVELOPMENT NOTES (J-C)

Revised 8/6/99 Instruction Codes added (TC)

Revised 8/9/99 Minor re-wording of learning objectives for Tasks 4 & 5 and Tasks 10 & 11; Major revision to list of similar and dissimilar phonemes for Tasks 4 & 5 and Tasks 10 & 11; added word lists for Tasks 10-13 to very end of file. (JMW)

Revised 8/20/99 Instruction Codes (TC)

Revised 8/25/99 Added program responses following incorrect answer by user (JMW) **

9/1/99 J-C revised instructions

9/7/99 J-C revised instructions

Revised 9/12/99 Revised word list for Tasks 10-13; added one more level at end of task for Tasks 10-13; changed key word for long vowel e (JMW)

Word Lists for Tasks 10-12 (Former Task 12 has been deleted. Former Task 13 is now Task 12)

Revised 9/22/99 Additions in bold.

Task 10: Some words removed from list. No new words added.

Task 11: Some words removed from list. New words added for sh, ch, th.

6. Task 12: This task has been deleted from game

Formerly Task 13, now Task 12: Some words deleted. Words re-arranged for added levels of similar and addissimilar sounds. Some new nonsense words added.(JMW)

TOKEN =→ J-C

Primary Skills:

Auditory and Phoneme Discrimination, Phoneme Identification, Recognition of Sound and Sound Position in Word, Word Closure, Phoneme Segmentation, Spelling

ACTIVITY MODULE 1: Auditory memory and phoneme/sound-to-letter/letter-to-sound match with variable matrix size.

ACTIVITY MODULE 2: Alphabetic order

ACTIVITY MODULE 3: Alphaphonetics; match sound to letter

ACTIVITY MODULE 4: Type letter that matches sound on keyboard.

ACTIVITY MODULE 5: Selecting beginning, ending, vowel sound and/or letter. Change one letter in word to create a new word.

STEP 1 (116 levels of play; 13 skill sets)

TASK 1: ALPHABETIC ORDER (6)

<u>Learning Objective</u>: When presented with a letter selected from the beginning, middle or end of the alphabet, the student will identify the next letter of the alphabet by typing a response on the keyboard. Upper case or lower case graphemes will be displayed.

Copyright 1999 Cognitive Concepts, Inc.

ETERAL NO PARAMENTAL ASSESSMENTAL ASSESSMENT

B53

GAME DESIGN: TASK 1

Activity Module 2

Begin round by playing Alphabet song, display letters on screen as they are spoken in song. Clear letters from puffs of smoke. Then, randomly select a starting letter in beginning, middle or ending 1/3 of alphabet. Say name of letter. "A" Prompt user to enter next letter. "Which letter comes after A?" If last correct entry = Z and plays remain in the round of play, prompt "That's the last letter of the alphabet. What's the first letter in the alphabet?"). Continue play with letter A. SCORING CRITERION: TASK I = 80% within round of play.

AUDIO SCRIPT: TASK 1

IN1B>> Alphabet Song

INTRO1>>"Let's practice the order of the letters of the alphabet using uppercase letters." (levels 1-3) INTRO2>>"Let's practice the order of the letters of the alphabet using lowercase letters." (levels 4-6) (Record each letter of alphabet) "A", "B", etc.

IN1A>> Which letter comes after....(on first play of round)

IN1E"Type the letter on your keyboard"

IN1C>> "That's the last letter of the alphabet. What's the first letter in the alphabet?"

** Upon incorrect response: Highlight first letter, play audio 'A' followed by highlight of second letter and play audio 'B'

IN1D>>M..."comes after"...L

Incorrect answers-no sfx

Task (1) Score	Start Positio	n Grapheme Display # Trials	Cuml.
7. 1-Identify alphabetic order	beginning	upper case	
8. 2-Identify alphabetic order	middle	upper case	
3-Identify alphabetic order	end	upper case	
10. 4-Identify alphabetic order	beginning	lower case	
11. 5-Identify alphabetic order	middle	lower case	
12. 6-Identify alphabetic order	end	lower case	

TASK 2: MATCHING SOUNDS WITH LETTERS: LONG VOWELS (8)

<u>Learning Objective</u>: When presented with a phoneme sound, the student will select the corresponding letter from a set of response choices displayed on the screen. An associated word will

Copyright 1999 Cognitive Concepts, Inc.

THE STATE OF THE SECOND PROPERTY OF THE SECON

or will not be displayed. Auditory cues will or will not be available. In this task, phoneme sounds will be limited to the most common long vowel sound-symbol associations for the 5 vowels of the English alphabet.

13. GAME DESIGN: TASK 2

Activity Module 3

Begin round with Alphaphonetics song, displaying each letter as its corresponding sound is spoken in the song. Then, gray out those letters that will not be used in the round of play. Present a sound and instruct user to click on corresponding letter(in cloud), one of the "active" letters. When auditory cues available, user is able to roll-over active letters to hear sound.

SCORING CRITERION: TASK 2 = 4/2

AUDIO SCRIPT: TASK 2

IN2A>> "Let's practice the long vowel sounds"

IN2B>>"Which letter says....

...IN2C>>"as in...

>>/ju/....'unicorn'"

>>/e/.... 'ape'"

\$\frac{1}{2}>>/i/..... 'eel' " CHANGE KEY WORD TO "EAGLE" 9/12/99

>>/ai/.... 'ice'"

>>/o/.... 'open'

Task (2) Cuml. Score	Auditory Cu	1e Associated Wor	<u>'d</u>	<u>Case</u>	# Trials
44. 7-Match phoneme & symbol	yes	yes	upper		
95. 8-Match phoneme & symbol	no	yes	upper		
6. 9-Match phoneme & symbol	yes	no	upper		
17. 10-Match phoneme & symbol	no	no	upper		
18. 11-Match phoneme & symbol	yes	yes	lower		
19. 12-Match phoneme & symbol	no	yes	lower		
20. 13-Match phoneme & symbol	yes	no	lower		
21. 14-Match phoneme & symbol	no	no	lower		

TASK 3: MATCHING SOUNDS WITH LETTERS: SHORT VOWELS (8)

<u>Learning Objective</u>: When presented with a phoneme sound, the student will select the corresponding letter from a set of response choices displayed on the screen. An associated word will or will not be displayed. Auditory cues will or will not be available. In this task, phoneme sounds will be limited to the most common short vowel sound-symbol associations for the 5 vowels of the English alphabet.

22. GAME DESIGN: TASK 3

Activity Module 3

Begin round with Alphaphonetics song, displaying each letter as its corresponding sound is spoken in the song. Then, gray out those letters that will not be used in the round of play. Present a sound and user has to click on corresponding letter, one of the "active" letters. When auditory cues available, user is able to roll-over active letters to hear sound.

SCORING CRITERION: TASK 3 = 4/2

AUDIO SCRIPT: TASK 3

IN3A>> "Let's practice the short vowel sounds"

IN3B>>"Which letter says....

1N3C>>"as in...

>/ae/..... 'apple'"

>>cap/e/.... 'egg'"

>> cap/i/.... 'igloo'"

;; >>/a/.... 'ox'"

>>/^/..... 'umbrella'"

Which letter says..... / ae/

cap(e) cap(I) /a / //

* Upon incorrect response (if associated word icon is displayed): Highlight letter, play audio 'ae' followed by highlight of displayed word icon and play audio 'apple'

** Upon incorrect response (if associated word icon is not displayed): Highlight letter, play audio 'ae'

Task (3) Score	Auditory Cue	Associated Word	Case # Trials Cuml.
23. 15-Match phoneme & symbol	yes	yes	upper
24. 16-Match phoneme & symbol	no	yes	upper
25. 17-Match phoneme & symbol	yes	no	upper
26. 18-Match phoneme & symbol	no	no	upper
27. 19-Match phoneme & symbol	yes	yes	lower
28. 20-Match phoneme & symbol	no	yes	lower

Copyright 1999 Cognitive Concepts, Inc.

TELE ETERAT NE KALENDENNIAK (NOTERA) BETTER ETERE ETERE EKKELEK KOLENDER EKKELEK ET

29. 21-Match phoneme & symbol	yes	no	lower
30. 22-Match phoneme & symbol	no	no	lower

TASK 4: MATCHING SOUNDS WITH LETTERS: CONSONANTS & UPPER CASE LETTERS (8) Learning Objective: When presented with a phoneme sound, the student will select the corresponding upper case letter from a set of response choices displayed on the screen. An associated word will or will not be displayed. Auditory cues will or will not be available. Response choices will be phonetically similar or phonetically dissimilar. In this task, phoneme sounds will be limited to the most common sound-symbol associations for the 21 consonant letters of the English alphabet and three common digraphs: sh, ch, th

31. GAME DESIGN: TASK 4

Activity Module 3

Begin round with Alphaphonetics song, displaying each letter as its corresponding sound is spoken in the song. Then, gray out those letters that will not be used in the round of play. Present a sound and user has to click on corresponding letter, one of the "active" letters. When auditory cues available, user is able to roll-over active letters to hear sound. SCORING CRITERION: TASK 4 = 4/2AUDIO SCRIPT: TASK 4 IN4A>> "Let's practice the consonant sounds with upper case letters" IN4B>>"Which letter says.... IN4C>>"as in... IN4D>>/b/.... as in 'bell'" @IN4E>>/k/.... as in 'cat'" IN4F>>/d/.... as in 'dog'" IN4G>> /f/.... as in 'fox'" IN4H >>/g/.... as in 'gas'" IN4I >>/h/... as in 'hat'" IN4J>>/dz/.... as in 'jam'" IN4K>>/k/.... as in 'kite'" IN4L >> /l/.... as in 'log'" IN4M>>/m/.... as in 'mop'" IN4N >> /n/.... as in 'net'" IN4O>>/p/.... as in 'pig'" IN4P>> /kw/.... as in 'queen'" Display letter Q as Q^U IN4Q>> /r/.... as in 'rabbit'" IN4R>>/s/..... as in 'sun'" IN4S>> / t/.... as in 'tent'" IN4T>> /v/.... as in 'van'" IN4U>> /w/.... as in 'wagon'" Copyright 1999 Cognitive Concepts, Inc. B57

```
IN4V >> /ks/.... as in 'ax'"
  IN4W >> /j/.... as in 'yoyo'"
  IN4X>> /z/.... as in 'zebra'"
  IN4Y>>/sh/.... as in "shoe"
  IN4Z >>/ch/.... as in 'cheese"
  IN4ZZ >>/th/.... as in 'thumb"
  ** Upon incorrect response (if associated word icon is displayed): Highlight letter, play audio 'b'
  followed by highlight of displayed word icon and play audio 'bell'
  ** Upon incorrect response (if associated word icon is not displayed): Highlight letter, play audio 'b'
  Special Cases for phoneme only presentation:
  /k/ accept "c" or "k", unless picture displayed; then correct response must correspond with picture
  dz/ if response = g, IN4D "Yes, sometimes letter g says dz/ but usually letter g says g/. Which
  letter usually says /dz/?
  /s/if response = c,IN4E "Yes, sometimes letter c says /s/if but usually letter c says /c/if. Which letter
usually says /s/?
Exclude on same trails (when no associated word):
1432. m n, ng
12
f, th
Phoneme: [similar], [dissimilar]: SET 1 for Tasks 4 & 5
Similar = differs by voicing OR place ONLY
Dissimilar = differs by manner, may also differ by voicing and/or place
Exception: for affricates, similar = differs by voicing only, or manner only, but manner of foils is limited to
stop, fricative; dissimilar = differs by manner, other than stop, fricative
Exception: for [kw, ks], similar = either of two phonemes that form sound associated with alphabetic letter;
 dissimilar = differs in place from either of two phonemes that form sound associated with alphabetic letter.
 b: [p,d,g], [z, v, 1, r, j, w, m, n]
 p: [b,t,k], [s, f, sh, ch, th, 1, r, j, w, m, n]
 t: [d,p,k], [s, f, sh, ch, th, l, r, j, w, m, n]
 d: [t,b,g], [z, v, 1, r, j, w, m, n]
 k: [g,p,t], [s, f, sh, ch, th, l, r, j, w, m, n]
 g: [k,d,b], [z, v, 1, r, j, w, m, n]
 s: [z,f,sh,th], [p,t,k,l,r,j,w,m,n,kw]
 z: [s,v], [b,d,g,l,r,j,w,m,n,kw]
 f: [v,s,sh,th], [p,t,k,l,r,j,w,m,n,kw]
 v: [f,z], [b,d,g,l,r,j,w,m,n,kw]
 sh: [s,f,th], [p,t,k,l,r,j,w,m,n,kw]
```

Copyright 1999 Cognitive Concepts, Inc.

th: [s,f,sh], [p,t,k,l,r,j,w,m,n,kw] h: [f,s,sh,th] [p,t,k,l,r,j,w,m,n,kw]

ch: [dz,sh,t], [l,r,j,w,m,n] dz: [ch,d], [l,r,j,w,m,n]

l: [r,j,w], [b,d,g,z,v,dz,m,n,ks] r: [l,j,w], [b,d,g,z,v,dz,m,n,ks] j: [l,r,w], [b,d,g,z,v,dz,m,n,ks] w: [l,r,j], [b,d,g,z,v,dz,m,n,ks]

kw: [k,w], [m,n,ch,dz,s,z,f,v,sh,th,h]

ks: [k,s], [ch,dz,l,r,j,w,m,n]

m: [n], [b,d,g,z,v,dz,l,r,j,w,ks,kw] n: [m], b,d,g,z,v,dz,l,r,j,w,ks,kw]

<u>Task (4)</u>	Aud. Cue	Assoc. Word	Choices# Trials	Cuml. Score
33. 23-Match phoneme & symbol	yes	yes	dissimilar	
34. 24-Match phoneme & symbol	yes	yes	similar	
35. 25-Match phoneme & symbol	no	yes	dissimilar	
हिन्दी अर्थ कुर प्र				
26-Match phoneme & symbol	no	yes	similar	
36. 27-Match phoneme & symbol	yes	no	dissimilar	
37. 28-Match phoneme & symbol	yes	no	similar	
8. 29-Match phoneme & symbol	no	no	dissimilar	
30-Match phoneme & symbol	no	no	similar	

TASK 5: MATCHING SOUNDS WITH LETTERS: CONSONANTS & LOWER CASE LETTERS (8) Learning Objective: When presented with a phoneme sound, the student will select the corresponding lower case letter from a set of response choices displayed on the screen. An associated word will or will not be displayed. Auditory cues will or will not be available. Response choices will be phonetically-similar or dissimilar. In this task, phoneme sounds will be limited to the most common sound-symbol associations for the 21 consonant letters of the English alphabet and three common digraphs: sh, ch, th

39. GAME DESIGN: TASK 5

Activity Module 3

Copyright 1999 Cognitive Concepts, Inc.

B59

Begin round with Alphaphonetics song, displaying each letter as its corresponding sound is spoken in the song. Then, gray out those letters that will not be used in the round of play. Present a sound and user has to click on corresponding letter, one of the "active" letters. When auditory cues available, user is able to roll-over active letters to hear sound.

SCORING CRITERION: TASK 5 = 4/2

AUDIO SCRIPT: TASK 5

IN5A>> "Let's practice the consonant sounds with lower case letters"

IN5B>>"Which letter says..... (same as Task 4 above)

IN5C>> "as in"

Special Cases for phoneme only presentation: (same as Task 4 above)

Phoneme: [similar], [dissimilar] SET 1 (Same as Task 4 above)

Task (5) 40. 31-Match phoneme & symbol	Aud. Cue yes	Assoc. Word yes	<u>Choices</u> dissimilar	# Trials	Cuml. Score
41. 32-Match phoneme & symbol	yes	yes	similar		
42. 33-Match phoneme & symbol	no	yes	dissimilar		
34-Match phoneme & symbol	no	yes	similar		
43. 35-Match phoneme & symbol	yes	no	dissimilar		
44. 36-Match phoneme & symbol	yes	no	similar		
45. 37-Match phoneme & symbol	no	no	dissimilar		
38-Match phoneme & symbol	no	no	similar		

TASK 6: SELECTING LETTERS ON KEYBOARD TO MATCH PHONEME SOUNDS (9) <u>Learning Objective</u>: When presented with a phoneme sound, the student will type the corresponding letter on the keyboard. The grapheme will or will not be displayed on screen to facilitate keyboard response. In this task, phoneme sounds will be limited to the most common sound-symbol associations for the 26 letters of the English alphabet and four common digraphs: th, ch, sh, wh

46. GAME DESIGN: TASK 6

· 技术具有引力性:发生 (Big Shiring Also covered to a value 1 of the city in a finish

Copyright 1999 Cognitive Concepts, Inc.

B60

^{**} Upon incorrect response (if associated word icon is displayed): Highlight letter, play audio 'b' followed by highlight of displayed word icon and play audio 'bell'

^{**} Upon incorrect response (if associated word icon is not displayed): Highlight letter, play audio 'b'

a. Activity Module 4

User is instructed to type the letter or letters that represent the sound they hear. Display grapheme = display grapheme in puff of smoke. Display grapheme second puff of smoke in upon keyboard entry.

```
Special Cases for phoneme only presentation:
  /k/ accept "c" or "k"
  dz/ if response = g, IN6D "Yes, sometimes letter g says dz/ but usually letter g says /g/. Which
  letter usually says /dz/?
  /s/ if response = c, IN6DE"Yes, sometimes letter c says /s/ but usually letter c says /c/.
  IN6DFWhich letter usually says /s/?
  /m, n/v, thv/f, th/ interchangable??
  AUDIO SCRIPT: TASK 6
 INTRO>>"The Letter Express is ready to roll!"
 IN6A>>"Use the keyboard to type the letter or letters of the sound you here."
 DEMO>>"Watch, I'll show you....."
PROMPT>>"Now it's your turn."
IN6C>>"Type the letter or letters that says /ae/"
 "Type the letter that says "/e/"
"Type the letter that says /b/"
f''Type the letter that says /k/''
f "Type the letter that says d"
*Type the letter that says cap/e/
"Type the letter that says /i/"
"Type the letter that says /f/"
"Type the letter that says /g/"
Type the letter that says /h/"
"Type the letter that says cap/i/"
Type the letter that says /ai/"
 "Type the letter that says /dz/"
 "Type the letter that says /k/"
 "Type the letter that says /1/"
 "Type the letter that says /m/"
 "Type the letter that says /n/"
 "Type the letter that says /a/"
 "Type the letter that says /o/"
 "Type the letter that says /p/"
 "Type the letters that say /kw/"
 "Type the letter that says /r/"
 "Type the letter that says /s/"
 "Type the letter that says /t/"
 "Type the letter that says /^/"
```

"Type the letter that says /u/"

"Type the letter that says /v/"
"Type the letter that says /ks/"
"Type the letter that says /j/"
"Type the letter that says /j/"
"Type the letter that says /z/"
"Type the letters that say /sh/"
"Type the letters that say /ch/"
"Type the letters that say /th/"
"Type the letters that say /th/"

SCORING CRITERION: TASK 6 = 4/2

<u>Task (6)</u>	Graphemes Displayed	# Trials	Cuml. Score
39-Type letter for long vowel phoneme	upper case		<u>Janua Beore</u>
40-Type letter for long vowel phoneme	lower case		
41-Type letter for long vowel phoneme	none		
42-Type letter for short vowel phoneme	upper case		
43-Type letter for short vowel phoneme	lower case		
44-Type letter for short vowel phoneme	none		
45-Type letter(s) for consonant phoneme	upper case		
46-Type letter(s) for consonant phoneme	e lower case		
47-Type letter(s) for consonant phoneme	e none		

TASK 7: MATCHING PHONEME SOUNDS, SOUNDS WITH LETTERS & LETTERS WITH SOUNDS: LONG VOWELS (9)

<u>Learning Objective</u>: When presented with a 2x4, 3x4 or 3x6 matrix the student will recall and match pairs of long vowel phonemes and will recall and match long vowel phonemes with upper case and lower case graphemes in a timed (3 minute) task.

AUDIO SCRIPT: TASK 7

INTRO>>"The Letter Express is ready to roll!"

IN7A>>"Click on my puffs of smoke -- to find -- the matching long vowel sounds."

DEMO>>"Watch, I'll show you....."

PROMPT>> "Now it's your turn."

IN7B>> "How many sounds can you match before I have to go?"

IN7C>> "How many sounds can you match with upper case letters before I have to go?"

IN7D>> "How many sounds can you match with lower case letters before I have to go?"

KUDO>>"Good job! Now it's time for me to roll!"

^{**} Upon incorrect response: Display (& flash?) correct letter and play audio 'b'

** Upon incorrect response: no audio, no display of correct answer. It's important to delay any audio (sfx, etc.) for 1 full second (maybe 1.5 seconds if that doesn't seem to make the game drag) after either an incorrect or correct response so as not to immediately wipe-out the auditory image held in short term memory

GAME DESIGN: TASK 7

Engine comes on screen, idles for 3 minutes (time may be adjusted based on field testing), blows puffs of smoke. Game scoring: Counter tracks number of matches: 1 point for match; -1 point if no match when match was previously displayed; If x number of points within 3 minutes, cool animation. Otherwise, trains simply rolls off screen. Performance Scoring: If match and one of pair had previously been displayed = correct; If no match and one of pair had previously been displayed = incorrect. Discard all others from score calculation.

b. Activity Module 1

Match phoneme sounds w/out letters displayed (graphemes = none)

Match phoneme sounds w/ upper case letters displayed (letter displayed on one puff of pair;

phoneme played on other puff of pair).

Match phoneme sounds w/ lower case letters displayed (letter displayed on one puff of pair;

phoneme played on other puff of pair).

Programming note: Use restrictions on array of sounds as used in Karloons and Calling All Engines.

For example, exclude m & n in same matrix.

SCORING CRITERION: TASK 7 = 80% within round of play.

* Task (7)	<u>Array Size</u>	<u>Graphemes</u> <u># Trials</u>	<u>Cuml. Score</u>
Task (7) 48-Recall & match long vowel sounds	8	none	%
49-Recall & match long vowel sounds	12	none	%
50-Recall & match long vowel sounds	18	none	%
51-Recall & match long vowel sound & symbol	. 8	upper case	%
52-Recall & match long vowel sound & symbol	12	upper case	%
53-Recall & match long vowel sound & symbol	18	upper case	%
54-Recall & match long vowel sound & symbol	8	lower case	%
54-Recall & match long vowel sound & symbol	12	lower case	%
55-Recall & match long vowel sound & symbol	18	lower case	%
56-Recall & match long vowel sound & symbol	10	lower case	/0

TASK 8: MATCHING PHONEME SOUNDS, SOUNDS WITH LETTERS & LETTERS WITH SOUNDS: SHORT VOWELS (9)

<u>Learning Objective</u>: When presented with a 2x4, 3x4 or 3x6 matrix of phonetically-similar phonemes, the student will recall and match pairs of long vowel phonemes and will recall and match short vowel phonemes with upper case and lower case graphemes in a timed (3 minute) task.

AUDIO SCRIPT: TASK 8

INTRO>>"The Letter Express is ready to roll!"

IN8A>>"Click on my puffs of smoke -- to find -- the matching short vowel sounds."

Copyright 1999 Cognitive Concepts, Inc.

DEMO>>"Watch, I'll show you....."

PROMPT>>"Now it's your turn."

IN8B>> "How many sounds can you match before I have to go?"

IN8C>> "How many sounds can you match with upper case letters before I have to go?"

IN8D>> "How many sounds can you match with lower case letters before I have to go?"

KUDO>>"Good job! Now it's time for me to roll!"

** Upon incorrect response: no audio, no display of correct answer. It's important to delay any audio (sfx, next stim, etc.) for 1 full second (maybe 1.5 seconds if that doesn't seem to make the game drag) after either an incorrect or correct response so as not to immediately wipe-out the auditory image held in short term memory

GAME DESIGN: TASK 8

Engine comes on screen, idles for 3 minutes (time may be adjusted based on field testing), blows puffs of smoke. For each correct response, coal drops from chute. Game scoring: Counter tracks number of matches: 1 point for match; -1 point if no match when match was previously displayed; If x number of points within 3 minutes, cool animation. Otherwise, trains simply rolls off screen.

Performance Scoring: If match and one of pair had previously been displayed = correct; If no match and one of pair had previously been displayed = incorrect. Discard all others from score calculation.

Match phoneme sounds w/out letters displayed (graphemes = none)

Match phoneme sounds w/ upper case letters displayed (letter displayed on one puff of pair; phoneme played on other puff of pair).

Match phoneme sounds w/ lower case letters displayed (letter displayed on one puff of pair;

Programming note: Use restrictions on array of sounds as used in Karloons and Calling All Engines. For example, exclude m & n in same matrix. SCORING CRITERION: TASK 8 = 80% within round of play.

Task (8) 57-Recall & match short vowel sounds 58-Recall & match short vowel sounds 59-Recall & match short vowel sounds	Array Size 8 12	Graphemes # Trials none none	Cuml. Score % %
60-Recall & match short vowel sound & symbols %	18 ol 8	none upper case	%
61-Recall & match short vowel sound & symbo %	ol 12	upper case	
62-Recall & match short vowel sound & symbo %	ol 18	upper case	
63-Recall & match short vowel sound & symbols %	ol 8	lower case	
64-Recall & match short vowel sound & symbols %	ol 12	lower case	

65-Recall & match short vowel sound & symbol

18

lower case

TASK 9: MATCHING PHONEME SOUNDS, SOUNDS WITH LETTERS & LETTERS WITH SOUNDS: CONSONANTS (9)

<u>Learning Objective</u>: When presented with a 2x4, 3x4 or 3x6 matrix of phonetically-similar phonemes, the student will recall and match pairs of consonant phonemes and will recall and match consonant phonemes with upper case and lower case graphemes in a timed (3 minute) task.

AUDIO SCRIPT: TASK 9

INTRO>>"The Letter Express is ready to roll!"

IN9A>>"Click on my puffs of smoke -- to find -- the matching consonant sounds."

DEMO>>"Watch, I'll show you...."

PROMPT>>"Now it's your turn."

IN9B>> "How many sounds can you match before I have to go?"

IN9C>> "How many sounds can you match with upper case letters before I have to go?"

IN9D>> "How many sounds can you match with lower case letters before I have to go?"

KUDO>> "Good job! Now it's time for me to roll!"

*** Upon incorrect response: no audio, no display of correct answer. It's important to delay any audio (sfx, etc.) for 1 full second (maybe 1.5 seconds if that doesn't seem to make the game drag) after either an incorrect or correct response so as not to immediately wipe-out the auditory image held in short term memory

GAME DESIGN: TASK 9

Engine comes on screen, idles for 3 minutes (time may be adjusted based on field testing), blows puffs of smoke. For each correct response, coal drops from chute. Game scoring: Counter tracks number of matches: 1 point for match; -1 point if no match when match was previously displayed; If a number of points within 3 minutes, cool animation. Otherwise, trains simply rolls off screen.

Performance Scoring: If match and one of pair had previously been displayed = correct; If no match and one of pair had previously been displayed = incorrect. Discard all others from score calculation.

d. Activity Module 1

Match phoneme sounds w/out letters displayed (graphemes = none)

Match phoneme sounds w/ upper case letters displayed (letter displayed on one puff of pair; phoneme played on other puff of pair).

Match phoneme sounds w/ lower case letters displayed (letter displayed on one puff of pair; phoneme played on other puff of pair).

Programming note: Use restrictions on array of sounds as used in Karloons and Calling All Engines. For example, exclude m & n in same matrix.

9/12/99 Exclusions: f-th, m-n, c-k, s-z, s-c, j-g

SCORING CRITERION: TASK 9 = 80% within round of play.

<u>Task</u> (9)

Array Size Graphemes # Trials

Cuml. Score

Copyright 1999 Cognitive Concepts, Inc.

B65

66-Recall & match consonant sounds	8	none	%
67-Recall & match consonant sounds	12	none	%
68-Recall & match consonant sounds	18	none	%
69-Recall & match consonant sound & symbol	8	upper case	%
70-Recall & match consonant sound & symbol	12	upper case	%
71-Recall & match consonant sound & symbol	18	upper case	%
72-Recall & match consonant sound & symbol	8	lower case	%
73-Recall & match consonant sound & symbol	12	lower case	%
74-Recall & match consonant sound & symbol	18	lower case	%

47. TASK 10: IDENTIFYING BEGINNING CONSONANT SOUNDS (13)

<u>Learning Objective</u>: The student will identify the beginning consonant phoneme of a real or nonsense CVC or CVCe word. The student will select a response from a set of three phonetically similar or phonetically dissimilar response choices or by typing a letter on the keyboard. The student will manipulate phonemes and letters to spell new CVC and CVCe words.

```
AUDIO SCRIPT: TASK 10

INTRO>>"The Letter Express is ready to roll!"

IN10A>>"Which puff of smoke -- has the sound you hear -- at the beginning of....."

IN10B>>"Click on the first letter in...."

IN10C>>Use the keyboard to type -- the first letter in...."

IN10D>>"Use the keyboard to change ...(IN10D) to ....."

DEMO>> "Watch, I'll show you....."

PROMPT>> "Now it's your turn

*** Upon incorrect response: Display (and flash?) correct letter and play audio of target letter 'c'
```

followed by all segments 'c-a-t' followed by full word "cat". Highlight each letter as its sound plays.

** Upon incorrect response (manipulate, level 86): Highlight and play audio for each segment of original word 'c-ae-t', play full word "cat", followed by highlight and audio for each segment in new word 'b-a-t', play full word 'bat'

GAME DESIGN: TASK 10

Activity Module 5: User is instructed to select from one of three choices (phonemes only, phoneme & grapheme, graphemes only) or to type a response on the keyboard. Display picture of word, allow rollover with slowed audio on playback.

SCORING CRITERION: TASK 10 =4/2

Phoneme: [similar], [dissimilar] SET 2 Similar = differs by voicing OR place ONLY

Dissimilar = differs by manner, may also differ by voicing and/or place

Exception: for affricates, similar = differs by voicing only, or manner only, but manner of foils is limited to stop, fricative; dissimilar = differs by manner, other than stop, fricative

Copyright 1999 Cognitive Concepts, Inc.

e paragrafia i si distanti di ba**ringi di**

```
b: [p,d,g], [z,v,l,r,j,w,m,n]
p: [b,t,k], [s,f,sh,ch,th,l,r,j,w,m,n]
t: [d,p,k], [s,f,sh,ch,th,l,r,j,w,m,n]
d: [t,b,g], [z,v,l,r,j,w,m,n]
k: [g,p,t], [s,f,sh,ch,th,l,r,j,w,m,n]
g: [k,d,b], [z,v,l,r,j,w,m,n]
```

s: [z,f,sh,th], [p,t,k,l,r,j,w,m,n] z: [s,v], [b,d,g,l,r,j,w,m,n] f: [v,s,sh,th], [p,t,k,l,r,j,w,m,n] v: [f,z], [b,d,g,l,r,j,w,m,n] sh: [s,f,th], [p,t,k,l,r,j,w,m,n] th: [s,f,sh], [p,t,k,l,r,j,w,m,n] h: [f,s,sh,th] [p,t,k,l,r,j,w,m,n]

ch: [dz,sh,t], [l,r,j,w,m,n] dz: [ch,d], [l,r,j,w,m,n]

l: [r,j,w], [b,d,g,z,v,dz,m,n] r: [l,j,w], [b,d,g,z,v,dz,m,n] j: [l,r,w], [b,d,g,z,v,dz,m,n] w: [l,r,j], [b,d,g,z,v,dz,m,n]

m: [n], [b,d,g,z,v,dz,l,r,j,w]
[n: [m], b,d,g,z,v,dz,l,r,j,w]

į. s.

Task 10 48. 75-Identify initial phoneme Real	Word Type phone	Response Choices mes dissim	<u>Foils</u> <u># Trials</u> ilar %	Cuml. Score
76-Identify initial phoneme 77-Identify initial phoneme 78-Identify initial phoneme 79-Identify initial phoneme %	Real Nonsense Real Real	phonemes phonemes phonemes & graph phonemes & graph		% % %
80-Identify initial phoneme %	Nonsense	phonemes & graph	emes similar	
81-Identify initial phoneme 82-Identify initial phoneme 83-Identify initial phoneme 84-Identify initial phoneme 85-Identify initial phoneme 86-Manipulate initial phoneme	Real Real Nonsense Real Nonsense real nonsense	graphemes graphemes graphemes keyboard keyboard keyboard keyboard	dissimilar similar similar n/a n/a n/a n/a n/a	% % % % % %

Copyright 1999 Cognitive Concepts, Inc.

" 上注:"我早年我们 相信我们的智慧和的相对人的职法和的主教人的现象人的现象人的现象人类的"我们",我们的自己的自由的现象和现象和现象的现象。

TASK 11: IDENTIFYING ENDING CONSONANT SOUNDS (13)

<u>Learning Objective</u>: The student will identify the final consonant phoneme of a real or nonsense frequency CVC word. The student will select a response from a set of three phonetically similar or phonetically dissimilar response choices or by typing a letter on the keyboard. The student will manipulate phonemes and letters to spell new CVC words.

AUDIO SCRIPT: TASK 11

INTRO>>"The Letter Express is ready to roll!"

IN11A>>"Which puff of smoke -- has the sound you hear -- at the end of....."

IN11B>>"Click on the last letter in...."

IN11BB>>"Click on the last letter in...."

IN11C>>"Use the keyboard to type -- the last letter in..."

IN11D"Use the keyboard to change ... (IN11E)to"

DEMO>> "Watch, I'll show you....."

_PROMPT>>"Now it's your turn

* Upon incorrect response: Display (and flash?) correct letter and play audio of target letter 't' followed by all segments 'c-a-t' followed by full word "cat". Highlight each letter as its sound plays.

** Upon incorrect response (manipulate, level 98): Highlight and play audio for each segment of foriginal word 'c-ae-t', play full word "cat", followed by highlight and audio for each segment in new word 'c-ae-p', play full word 'cap'

GAME DESIGN: TASK 11

Activity Module 5: User is instructed to select from one of three choices (phonemes only, phoneme & grapheme, graphemes only) or to type a response on the keyboard. Display picture of word, allow rollover with slowed audio on playback.

SCORING CRITERION: TASK 11 =4/2

Phoneme: [similar], [dissimilar] SET 2 (Same as Task 10 above)

. <u>Task 11</u> 49. 87-Identify final phoneme	Word Type Real	Response Choices phonemes	<u>Foils</u> dissimilar	# Trials %	<u>Cuml</u>	. Score
88-Identify final phoneme	Real	phonemes	similar		%	
89-Identify final phoneme	Nonsense	phonemes	similar		%	
90-Identify final phoneme	Real	phonemes & graph	emes dissin	nilar	%	
91-Identify final phoneme	Real	phonemes & graph	emes simila	ır		%
92-Identify final phoneme	Nonsense	phonemes & graph	emes simila	ır		%
93-Identify final phoneme	Real	graphemes	dissimilar	%		
94-Identify final phoneme	Real	graphemes	similar		%	
95-Identify final phoneme	Nonsense	graphemes	similar		%	
Consmisht 1000 Cosmitive Co	maomta Tuo	D (0				

Copyright 1999 Cognitive Concepts, Inc.

B68

ration of the control of the control

99-Manipulate final phoneme nonsense	keyboard	n/a	%
98-Manipulate final phoneme real	keyboard	n/a	%
97-Identify final phoneme Nonsense	keyboard	n/a	%
96-Identify final phoneme Real	keyboard	n/a	%

TASK 12: IDENTIFYING VOWELS IN CVCe WORDS (10)

<u>Learning Objective</u>: The student will identify the vowel phoneme of a real or nonsense frequency CVCe word. The student will select a response from a set of three response choices or by typing a letter on the keyboard. The student will manipulate vowel phonemes and letters to spell new CVCe words.

AUDIO SCRIPT: TASK 12

INTRO>>"The Letter Express is ready to roll!"

IN12A>>"Which puff of smoke -- has the long vowel sound you hear -- in the middle of....."

"IN12B>>"Click on the vowel in the word....."

IN12C>>"Use the keyboard -- to type the long vowel sound you hear -- in the word..."

"IN12D>>"Use the keyboard to change ... (IN12E)to"

DEMO>>"Watch, I'll show you....."

PROMPT>>"Now it's your turn.

Upon incorrect response: Display (and flash?) correct letter and play audio of target letter 'a' followed by all segments 'c-a-ne' followed by full word "cane". Highlight each letter as its sound plays.

Upon incorrect response (manipulate, level 107): Highlight and play audio for each segment of original word 'c-a-ne', play full word "cane", followed by highlight and audio for each segment in new word 'c-o-ne', play full word 'cone'

GAME DESIGN: TASK 12

Activity Module 5: User is instructed to select from one of three choices (phonemes only, phoneme & grapheme, graphemes only) or to type a response on the keyboard. Display picture of word, allow rollover with slowed audio on playback.

SCORING CRITERION: TASK 12 =4/2

<u>Task(12)</u>	Word Type	Response Choices	# Trials	S Cuml. Score
50. 99-Identify vowel in CVCe word	Real	phonemes	%	
100-Identify vowel in CVCe word	Nonsense	phonemes	%	
101-Identify vowel in CVCe word	Real	phonemes & graph	emes '	%
102-Identify vowel in CVCe word	Nonsense	phonemes & graph	emes (%
103-Identify vowel in CVCe word	Real	graphemes	%	
104-Identify vowel in CVCe word	Nonsense	graphemes	%	

108-Manipulatevowel in CVCe word	nonsense	keyboard	0/0	
107-Manipulate vowel in CVCe word	real	keyboar	d	%
106-Identify vowel in CVCe word	Nonsense	keyboard	%	
105-Identify vowel in CVCe word	Real	keyboard	%	

TASK 13: IDENTIFYING VOWELS IN CVC WORDS (10)

<u>Learning Objective</u>: The student will identify the vowel phoneme of a real or nonsense frequency CVC word. The student will select a response from a set of three response choices or by typing a letter on the keyboard. The student will manipulate vowel phonemes and letters to spell new CVC words.

AUDIO SCRIPT: TASK 13

INTRO>>"The Letter Express is ready to roll!"

IN13A>>"Which puff of smoke -- has the short vowel sound you hear -- in the middle of....."

IN13B>>"Click on the vowel in the word....."

**IN13C>>"Use the keyboard -- to type the short vowel sound you hear -- in the word..."

N13D>>"Use the keyboard to change ... (IN13E)to"

DEMO>>"Watch, I'll show you...."

PROMPT>>"Now it's your turn.

Upon incorrect response (identify): Display (and flash?) correct letter and play audio of target letter ae' followed by all segments 'c-ae-t' followed by full word "cat". Highlight each letter as its sound plays.

*** Upon incorrect response (manipulate, level 116): Highlight and play audio for each segment of foriginal word 'c-ae-t', play full word "cat", followed by highlight and audio for each segment in new word 'c-o-t', play full word 'cot'

GAME DESIGN: TASK 13

Activity Module 5: User is instructed to select from one of three choices (phonemes only, phoneme & grapheme, graphemes only) or to type a response on the keyboard. Display picture of word, allow rollover with slowed audio on playback.

SCORING CRITERION: TASK 13 =4/2

Task(13) 51. 108-Identify vowel in CVC word	Word Type Real	Response Choices # Tri	als %	Cuml. Score
109-Identify vowel in CVC word 110-Identify vowel in CVC word 111-Identify vowel in CVC word 112-Identify vowel in CVC word 113-Identify vowel in CVC word 114-Identify vowel in CVC word	Nonsense Real Nonsense Real Nonsense Real	phonemes phonemes & graphemes phonemes & graphemes graphemes graphemes keyboard	% % %	% %

115-Identify vowel in CVC word	Nonsense	keyboard	%	
116-Manipulate vowel in CVC word	real	keyboard		%
117-Manipulate vowel in CVC word	nonsense	keyboard	%	

Word Lists for Tasks 10-12 (Former Task 12 has been deleted. Former Task 13 is now Task 12) 19/12/99 Revisions in bold.

Revised 9/22/99 Additions in bold.

Task 10: Some words removed from list. No new words added.

Fask 11: Some words removed from list. New words added for sh, ch, th.

52. Task 12: This task has been deleted from game

Formerly Task 13, now Task 12: Some words deleted. Words re-arranged for added levels of similar and dissimilar sounds. Some new nonsense words added.

ASK 10: List of Real Words (all taken from Slurp & Burp EXCEPT FOR new words marked with >>)
Words in bold taken from Karloon's R&S 1, 9/12/99

/b/

bug,b,^,g bun,b,^,n bat,b,ae,t bus,b,^,s bath,b,ae,th big,b,cap(I),g beg,b,cap(e),g bed,b,cap(e),d bit,b,cap(I),t

/k/ cat,k,ae,t can,k,ae,n cash,k,ae,sh cap,k,ae,p cop,k,a,p

/d/
dot,d,a,t
dip,d,cap(I),p
dish,d,cap(I),sh
did,d,cap(I),d
dig,d,cap(I),g
dash,d,ae,sh
dog,d,),g

/f/
fin,f,cap(I),n
fan,f,ae,n
face,f,e,s
fish,f,cap(I),sh
fat,f,ae,t
fun,f,^,n

gun,g,^,n gum,g,^,m gate,g,e,t_e gas,g,ae,s get,g,cap(e),t gag,g,ae,g

/h/
him,h,cap(I),m
hat,hae,t
hot,h,a,t
hug,h,^,g
hop,h,a,p
hen,h,cap(e),n
had,h,ae,d
ham,h,ae,m
hog,h,),g

/dz/ jet,dz,cap(e),t jab,dz,ae,b jot,dz,a,t job,dz,a,b jug,dz,^,g jog,dz,),g jam,dz,ae,m jut,dz,^,t

/k/ kid,k,cap(I),d kit,k,cap(I),t

```
kin,k,cap(I),n
/1/
lip,11,cap(I),p
leg,11,cap(e),g
lap,11,ae,p
lad,11,ae,d
lap,11,ae,p
109,11,),3
lid,11,cap(I),d
/m/
mop,m,a,p
math,m,ae,th
map,m,ae,p
mug,m,^,g
mad,m,ae,d
mob,m,a,b
mug,m,^,g
men,m,cap(e),n
mat,m,ae,t
/n/
nod,n,a,d
net,n,cap(e),t
nut,n,^,t
hab,n,ae,b
hod,n,a,d
hun,n,^,n
not,n,a,t
nip,n,cap(I),p
/p/
pot,p,a,t
pig,p,cap(I),g
pen,p,cap(e),n
peg,p,cap(e),g
put,p,cap(u),t
pub,p,^,b
path,p,ae,th
pit,p,cap(I),t
pop,p,a,p
/r/
ram,r,ae,m
red,r1,cap(e),d
rug,r1,^,g
rat,r1,ae,t
rag,r1,ae,g
rib,r1,cap(I),b
```

rod,r1,a,d rob,r1,a,b /s/ sun,s,^,n sip,s,cap(I),p sub,s,^,b sat,s,ae,t sag,s,ae,g sob,s,a,b sod,s,a,d sit,s,cap(I),t /t/ ten,t,cap(e),n top,t,a,p tub,t,^,b top,t,a,p tin,t,cap(I),n tan,t,ae,n 1,1 /v/ van,v,ae,n vet,v,cap(e)t vat,v,ae,t vim,v,cap(I),m vin,v,cap(I),n /w/ web,w,cap(e),b wig,w,cap(I),g wet,w,cap(e),t wag,w,ae,g win,w,cap(I),n wish, w, cap(I), sh wed,w,cap(e),d /j/ yes,j,cap(e),s yen,j,cap(e),n yap,j,ae,p yin,j,cap(I),n yet,j,cap(e),t /z/ zag,z,ae,g zig,z,cap(I),g zip,z,cap(I),p zit,z,cap(I),t

```
zen,z,cap(e),n
zap,z,ae,p
/sh/
shot,sh,a,t
ship,sh,cap(I),p
shut,sh,^,t
shin,sh,cap(I),n
shag,sh,ae,g
/ch/
chip,ch,cap(I),p
chop,ch,a,p
chat,ch,ae,t
chum,ch,^,m
chap,ch,ae,p
chin,ch,cap(I),n
chug,ch,^,g
/th/
thin,th,cap(I),n
thud,th,^,d
thug,th,^,g
i.ii
į.a
Added 9/12/99
Real Words for last level of task 10-- changing first letter or letters in word:
bat, cat, fat, hat, mat, rat, sat, vat, chat
bug, hug, jug, mug, rug, chug, thug
bun, fun, gun, nun, sun
bath, math, path
mod, rod, sod
hug, chug, mug, rug, thug
bed, wed, red
bit, kit, pit, sit, zit
beg, peg, leg
can, tan, fan, van
cash, dash
cap, lap, map, yap, zap, chap
cop, hop, mop, pop, top, chop
dot, hot, jot, not, pot, shot
dip, lip, nip, sip, zip, ship, chip
dish, fish, wish
did, kid, lid
fin, kin, win, shin, chin, thin
pub, sub, tub
gum, chum
```

Copyright 1999 Cognitive Concepts, Inc.

him, vim

job, mob, rob, sob

```
get, jet, net, vet, wet, yet
gag, rag, sag, wag, zag, shag
hen, men, pen, ten, yen, zen
had, lad, mad
jam, ham, ram
jut, nut, shut
hog, log, dog
jab, nab
TASK 10: List of Nonsense Words (all taken from Slurp & Burp)
New words added in bold 9/12/99
/b/
bab,b,ae,b
bup,b,^,p
/d/
dup,d,^,p
dob,d,a,b
13
/f/
fet,f,cap(e)t
fim,f,cap(I),m
fud,f,^,d
i di
/g/
gud,g,^,d
į, <u>"</u>
/h/
hab,h,ae,b
hup,h,^,p
/dz/
jup,dz,^,p
/k/
kep,k,cap(e),p
ket,k,cap(e),t
/1/
lep,l,cap(e),p
/m/
mag,m,ae,g
mit,m,cap(I),t
/n/
nim,n,cap(I),m
```

nud,n,^,d

```
/p/
 pim,p,cap(I),m
 /r/
 rab,r1,ae,b
 rup,r1,^,p
 /s/
 sab,s,ae,b
 sup,s,^,p
 tup,t,^,p
yud,v,^,d
vit,v,cap(I),t
į, dž
/w/
wud,w,^,d
ļ.Ā
/j/
yud,j,^,d
$it,j,cap(I),t
/z/
zup,z,^,p
zim,z,cap(I),m
zud,z,^,d
/sh/
shup,sh,^,p
shim,sh,cap(I),m
shud,sh,^,d
/ch/
chup,ch,^,p
chet,ch,cap(e),t
chod,ch,a,d
chag,ch,ae,g
```

chen,ch,cap(e),n

/th/
thag,th,ae,g
thup,th,^,p
thod,th,a,d

Added 9/12/99 NonsenseWords for last level of task -- changing first letter or letters in word: bab, hab, sab, rab bup, dup, hup, jup, rup, zup, shup, chup, thup fet, ket fim, nim, pim, zim, shim fud, gud, nud, vud, wud, jud, zud, shud ket, fet, chet mag, thag, chag mit, vit, yit į, ž į, dž 1.25 £; ļ. Ā l.a

TASK 11: List of VC Real Words (all taken from Slurp & Burp) Words in bold added 9/12/99

/b/

cub,k,^,b

tub,t,^,b

sub,s,^,b

hob,h,a,b

bob,b,a,b

rob,r,a,b

mob,m,a,b

sob,s,a,b

cob,c,a,b

lob,l,a,b

job,j,a,b

rub,r,^,b

tub,t,^,b

cub,c,^,b

sub,s,^,b

hub,h,^,b

dub,d,^,b

nub,n,^,b

pab,p,^,b

cab,c,ae,b

lab,l,ae,b

tab,t,ae,b

dab,d,ae,b

jab, j, ae, b

gab,g,ae,b

fab,f,ae,b

nab,n,ae,b

15

/dI

dad,d,ae,d

sad,s,ae,d

mad,m,ae,d

had,h,ae,d

sad,s,ae,d

mad,m,ae,d

lad,l,ae,d

pad,p,ae,d

fad,f,ae,d

dad,d,ae,d

god,g,a,d rod,r1,a,d cod,k,a,d

pod,p,a,d sod,s,a,d nod,n,a,d red,r1,cap(e),d bed,b,cap(e),d led,11,cap(e),d fed,f,cap(e),d wed,w,cap(e),d shed, sh, cap(e), d did,d,cap(I),d rid,r,cap(I),d hid,h,cap(I),d kid,k,cap(I),d lid,11,cap(I),d bid,b,cap(I),d mid,d,cap(I),d

/g/

hag,b,ae,g

rag,r1,ae,g

tag,t,ae,g

jug,dz,^,g

bug,b,^,g

hug,h,^,g

mug,m,^,g

rug,r1,^,g

tug,t,^,g

chug,ch,^,g

thug,th,^,g

bag,b,ae,g

rag,r1,ae,g

tag,t,ae,g

wag,w,ae,g

sag,s,ae,g

nag,n,ae,g

zag,z,ae,g

shag,sh,ae,g

lag,l1,ae,g

hag,h,ae,g

gag,g,ae,g

pig,p,cap(I),g

big,b,cap(I),g

dig,d,cap(I),g

fig,f,cap(I),g

wig,w,cap(I),g

rig,r,cap(I),g

gig,g,cap(I),g

jig,j,cap(I),g

E PRESENTA DE SEA CONTENION DE PROPERTO DE LA CONTENIO DE CONTENIO

dog, log, fog, hog, bog, jog, cog dug, rug, jug, chug, thug, tug, hug, mug, lug, pug leg, peg, beg, keg

/m/
gum, sum, chum, hum, run, bum, mum
him, vim, dim, rim
dam, ham, jam, ram, yam, cam, sham

/n/
bun, gun, sun, run, nun, fun, pun
pen, hen, men, ten, den, then
can, man, ran, pan, fan, tan, than, van, ban
win, tin, pin, gin, fin, bin, sin, din, kin, thin, shin, chin

/p/ cap,k,ae,p map,m,ae,p lap,11,ae,p cop, hop, mop, pop, top, bop, chop, shop lip, hip, sip, rip, dip, zip, nip, tip ship, chip map, cap, tap, lap, gap, sap, nap, yap, chap, rap 1,7 ģ. 2 /**t**/ mat, m, ae, t hat,h,ae,t cat.k.ae.t bat, cat, fat, hat, rat, pat, sat, mat, that, chat, vat, tat pot, cot, dot, hot, lot, rot, shot, not, got, jot, tot get, set, let, yet, met, wet, jet, net, pet, bet bit, hit, sit, fit, lit, kit, pit, wit but, cut, hut, nut, gut, rut, tut, jut, shut

/sh/ (all new words taken from Juggling Letters)
fish, dish, wish, mish
hush, mush, rush, lush, gush
cash, dash, sash, hash, mash, lash, rash, gash, bash

/ch/
such, much, rich

/th/
bath, math, hath, path, lath, with

53. Task 11

Copyright 1999 Cognitive Concepts, Inc.

B81

```
Added 9/12/99
Real words for last level of task -- changing last letter in word:
hob, hop, hot
rob, rod, rot
cob, cot, cob, cop
pod, pot, pop
sod, sod
lob, lot
job, jot
top, tot
god, got
shot, shop
had, ham, hat, hath
sad, sag, sap, sat, sash
lad, lab, lag, lap, lash, lath
pad, pan, pat, path
fad, fan, fat
bad, bag, bat, bash, bath
cab, can, cap, cat, cam, cash
mad, man, map, mat, mash, math
dad, dab, dam, dash
tab, tag, tan, tap, tat
gab, gap
nab, nap
rag, ran, rat, ram, rap, rash
van, vat
chap, chat
1.2
bed, beg, bet
led, leg, let
wed, wet
peg, pen, pet
men, met
did, dig, din, dip, dim, dish
rid, rip, rig, rim
hid, him, hip, hit
kid, kin
lid, lip, lit
bid, big, bit, bin
pin, pit, pig
fig, fit, fin, fish
wig, win, wit, wish, with
kid, kit, kin
tin, tip
sin, sip, sit
 ship, shin
 chip, chin
```

THE TRANSPORT OF STREET STATE OF STREET AND THE

```
rub, rug, rum, run, rut, rush tub, tug, tut cub, cut sub, sum, sun, such hub, hug, hum, hut dub, dug nub, nut, nun pub, pug, pun jug, jut chug, chum mug, mum, mush, much gum, gun, gut, gush bum, but, bun
```

```
FASK 11: List of CVC Nonsense Words (all taken from Slurp & Burp)
9/12/99 words in bold added
/b/
wub,v,^,b
zub,z,^,b
mab,m,ae,b
zab,z,ae,b
wab,w,ae,b
gub,g,^,b
leb,l1,cap(e),b
/d/
vad, v, ae, d
nad,n,ae,d
wad,w,ae,d
ped,p,cap(e),d
sed,s,cap(e),d
yud,j,^,d
vid,v,cap(i),d
fod,f,a,d
/g/
lig,l1,cap(i),g
sig,s,cap(i),g
pag,p,ae,g
cag,k,ae,g
fug,f,^,g
wug,w,^,g
sug,s,^,g
```

TO STATE OF THE PROPERTY OF TH

```
zug,z,^,g
mog,m,a,g
/m/
jum,dz,^,m
lum,11,^,m
vam,v,ae,m
nam,n,ae,m
pem,p,cap(e),m
jom,dz,a,m
/n/
lun,11,^,n
lan,11,ae,n
han,h,ae,n
fen,f,cap(e),n
len,11,cap(e),n
lin,11,cap(i),n
min,m,cap(i),n
hun,h,^,n
sen,s,cap(e),n
zon,z,a,n
/p/
wap,w,ae,p
bap,b,ae,p
fap,f,ae,p
vip,v,cap(i),p
mip,m,cap(i),p
fop,f,a,p
jop,dz,a,p
yup,j,^,p
gup,g,^,p
jup,dz,^,p
vup,v,^,p
hup,h,^,p
dup,d,^,p
tep,t,cap(e),p
/t/
zat,z,ae,t
wat,w,ae,t
yat,j,ae,t
set,s,cap(e),t
```

Copyright 1999 Cognitive Concepts, Inc.

```
tet,t,cap(e),t
zot,z,a,t
mot,m,a,t
sut,s,^,t
wut,w,^,t
fet,f,cap(e),t
new words added 9/22/99
/sh/
kish, lish, sish, nish
dush, nush, wush, wush, dush
tash, vash, zash, fash,
/ch/
mich, vuch, nuch, huch, luch
/th/
dath, nath, fath, wath, cath, nith
į, Až
ľħ
Task 11 Nonsense Word list for changing last letter in word:
vub, vup, vuch
wug, wut, wush
jum, jup
lum, lun, luch
zug, zub
đup, dush
yup, yud
gup, gub
hup, hun, huch
sut, sug
zat, zab, zash
wat, wap, wad, wath
vad, vam, vash
nad, nam, nath
ped, pem
sed, sen, set
fen, fet
len, leb
```

Client – Attorney Privilege tet, tep lig, lin, lish min, mip, mich vip, vid fop, fod jop, jom zot, zon mot, mog DELETE THIS TASK FROM GAME:

TASK 12: List of CVCe Real Words (all taken from Slurp & Burp)

ride,r1,ai,d e side,s,ai,d e hide,h,ai,d e line, 11, ai, n e pine,p,ai,n e vine,v,ai,n_e rice,r1,ai,s e dice,d,ai,s e mice, m, ai, s e tile,t,ai,12 e pile,p,ai,l2 e file,f,ai,l2 e time,t,ai,m e dime,d,ai,m e lime,11,ai,m e tire,t,ai,r2 e wire,w,ai,r2 e fire,f,ai,r2 e

wave,w e,v e cave,k,e,v e shave, sh, e, v e cake,k,e,k e rake,r1,e,k e lake, 11, e, k e hose,h,o,z e rose,r1,o,z e

```
nose,n,o,z e
hole,h,o,l2 e
pole,p,o,12 e
mole, m, o, 12 e
TASK 12: List of CVCe Nonsense Words (all taken from Slurp & Burp)
lide,11,ai,d e
nide,n,ai,d_e
zide,z,ai,d e
sine,s,ai,n e
bine,b,ai,n e
sive,s,ai,v_e
pive,p,ai,v e
zive,z,ai,v e
tice,t,ai,s e
fice,f,ai,s e
bice, b, ai, s e
kile,k,ai,l2 e
sile,s,ai,12 e
fime,f,ai,m e
zime,z,ai,m e
jime,dz,ai,m e
hime,h,ai,m e
bire,b,ai,r2 e
jire,dz,ai,r2 e
pire,p,ai,r2 e
rike,r1,ai,k e
vike,v,ai,k e
dite,d,ai,t e
mite,m,ai,t e
rite,r1,ai,t e
vite, v, ai, t e
fave,f,e,v e
lave,11,e,v e
dake,d,e,k e
faze,f,e,z e
waze,w,e,z e
jaze,dz,e,z e
laze,l,e,z e
baze,b,e,z e
dape,d,e,p e
lape,11,e,p e
zape,z,e,p e
```

vate, v, e, t e

```
bate,b,e,t_e
wose,w,o,z e
vose,v,o,z_e
bose,b,o,z_e
kose,k,o,z e
fole,f,o,l2 e
dole,d,o,l2_e
tope,t,o,p e
yope,j,o,p_e
zope,z,o,p_e
lope,11,0,p_e
dobe,d,o,b e
tobe,t,o,b_e
fobe,f,o,b e
hobe,h,o,b_e
pobe,p,o,b_e
```

derign grows arms armed region in sugar region grows grows grows armed the state of the state st

```
FORMERLY TASK 13 (NOW TASK 12): List of CVC Real Words
Short vowel 'a' /ae/
bat, cat, hat, cab, lab, jab, pad, cap, map, tap, rag, hag, dam, ham, pan, fan, tan, tap,
chap, pat, tat, had, sad, mad, lad, fad, bad, dad, jab, had, bag, wag, ram, man, ban, map, cap,
nap, chap, rap, lag, lap, zap, tab, rat,
Short vowel 'e' /cap(e)/
net, red, pet, let, get, jet, led, fed, bed, beg, hem, men, pen, ten, leg, wet
Short vowel 'i' /cap(I)/
bit, hit, rid, hip, tip, chip, ship, pit, lit, hid, lid, did, hid, big, rig, wig, dim, him, rim, tin, bin,
tip, nip, chip, rip, lip, hip, zip, wit, dig
Short vowel 'o' /a/
cot, hot, not, rob, sob, cob, lob, job, hob, rod, pod, cop, hop, mop, top, chop, shop, pot, lot, shot, got, jot, tot,
sod, mod, job, mop, cop, hop, rot,
13
Short vowel 'u' /^/
but, cut, hut, nut, rub, sub, cub, hub, shut, gut, tut, mud, bud, dud, rug, hug, hum, rum, bun, tub, dug,
rut
cap,k,ae,p
map,m,ae,p
lap,11,ae,p
dad,d,ae,d
sad, s, ae, d
mad,m,ae,d
mat,m,ae,t
hat,h,ae,t
cat,k,ae,t
can,k,ae,n
fan,f,ae,n
pan,p,ae,n
ham,h,ae,m
jam,dz,ae,m
yam,j,ae,m
bag,b,ae,g
rag,r1,ae,g
tag,t,ae,g
pen,p,cap(e),n
ten,t,cap(e),n
```

men,m,cap(e),n

```
red,r1,cap(e),d
 shed, sh, cap(e), d
 bed,b,cap(e),d
 wet, w, cap(e), t
 net,n,cap(e),t
jet,dz,cap(e),t
chin,ch,cap(i),n
pin,p,cap(i),n
fin,f,cap(i),n
wig,w,cap(i),g
pig,p,cap(i),g
dig,d,cap(i),g
lip,11,cap(i),p
ship,sh,cap(i),p
zip,z,cap(i),p
pot,p,a,t
cot,k,a,t
hot,h,a,t
mop,m,a,p
top,t,a,p
cop,k,a,p
14
hut,n,^,t
hut,h,^,t
cut,k,^,t
sun,s,^,n
gun,g,^,n
bun,b,^,n
cub,k,^,b
tub,t,^,b
sub,s,^,b
bug,b,^,g
rug,r1,^,g
hug,h,^,g
gum,g,^,m
cup,k,^,p
WORD LIST FOR LAST LEVELS OF TASK: CHANGING VOWELS
bat, bit, but
cut, cat, cot
hut, hot, hit, hat
not, nut, net
rob, rub
```

Copyright 1999 Cognitive Concepts, Inc.

B90

10 NB 60 C 4 B C **20 NB 1 PB**

sob, sub cob, cab, cub lob, lab job, jab hob, hub rod, red, rid pod, pad cop, cap hop, hip mop, map top, tap, tip chop, chap, chip shop, ship pot, pit, pat, pet lot, let, lit shot, shut got, get, gut jot, jet, jut tot, tat, tut had, hid sad, sod mad, mod, mud lid, lad, led fad, fed bad, bed, bud đạd, did, dud jab, job had, hid bag, big, beg rag, rug, rig wag, wig hag, hug dam, dim ham, hum, him, hem ram, rum, rim man, men pan, pen fan, fin tan, ten, tin ban, bin, bun map, mop cap, cop tap, tip, top nap, nip chap, chip rap, rip leg, lag lip, lap hip, hop zip, zap wit, wet

```
tub, tab
dug, dig
rot, rat, rut
FORMERLY TASK 13, now Task 12: List of CVC Nonsense Words (all taken from Slurp & Burp)
New words added in bold 9/22/99
Short vowel 'a' /ae/
wap, bap, fap, vad, nad, zat, wat, yat, han, vam, nam, pag, cag, mab, zab, wab,
Short vowel 'e' /cap(e)/
fen, len, ped, sed, tet, fet, det, ket, het, ved, deg, nem, sen
Short vowel 'i' /cap(I)/
lin, lig, sig, vip, mip, nid, vit, fip, kip, wip, tig, sig, tig,
54. Short vowel 'o' /a/
zet, mot, fop, jop, fod, zop, fot, fod, jod, rop, wop, wob, tob
١, إ
Short vowel 'u' /^/
sut, wut, lun, dun, vub, zub, fug, wug, jum, lum, yup, gup, vup
į.£
ļ.ä
WORD LIST FOR LAST LEVELS OF TASK: CHANGING VOWELS
wap,w,ae,p
bap,b,ae,p
fap,f,ae,p
vad, v, ae, d
nad,n,ae,d
zat,z,ae,t
wat, w, ae, t
yat, j, ae, t
han,h,ae,n
vam, v, ae, m
nam,n,ae,m
pag,p,ae,g
cag,k,ae,g
mab, m, ae, b
zab,z,ae,b
wab,w,ae,b
fen,f,cap(e),n
fet,f,cap(e),t
```

Copyright 1999 Cognitive Concepts, Inc.

det,d,cap(e),t

ket,k,cap(e),t het,h,cap(e),t ved,v,cap(e),d deg,d,cap(e),g nem,n,cap(e),m sen,s,cap(e),n len, l1, cap(e), n ped,p,cap(e),d sed,s,cap(e),d tet,t,cap(e),t lin,11,cap(i),n lig,11,cap(i),g sig,s,cap(i),g nid,n,cap(I),d vit,v,cap(I),t fip,f,cap(I),pkip,k,cap(I),p wip,w,cap(I),p tig,t,cap(I),g sig,s,cap(I),g fig,t,cap(I),g vip,v,cap(i),p mip,m,cap(i),p zot,z,a,t mot,m,a,t fop,f,a,p jop,dz,a,p fod,f,a,d zop,z,a,p fot,f,a,t jod,dz,a,d rop,r1,a,p wop,w,a,p wob,w,a,b tob,t,a,b sut,s,^,t wut,w,^,t lun,11,^,n dun,d,^,n vub,v,^,b zub,z,^,b fug,f,^,g wug,w,^,g jum,dz,^,m

lum,11,^,m

resignature de la compania de la co

Client – Attorney Privilege

yup,j,^,p gup,g,^,p jup,dz,^,p vup,v,^,p

that the first that the by the state of the state that the state that the state that the state of the state o

- i. Karloons
- 55. Revised 1/31/99
- 56. Revised 7/29/99

Revised 8/18/99 incorporated new game design ideas from team meeting; removed Activity #4 (JMW)

- 57. Revised 8/24/99 added words & instructions (LHD)
- 58. Revised 8/30/99 re-ordered sequence of tasks, revised instructions (JMW)
- 59. Revised 9/6/99 added word lists; inserted new tasks and reduced number total number of tasks
- 60. from 26 to 18 (JMW)

Revised 9/17/99 Updated specs following development team meeting: revised description of Activity Modules; Removed 6 levels from Task 8; Shortened text for column heading in Tasks 8, 13, 14, 15, 16, 17, 18; Changed column heading from "wpm" to "response interval" and changed duration of response intervals in Tasks with Activity Module1; implemented /c/ for /k/ when /k/ phoneme is spelled with letter 'c'; decision made to hold instructions/demo of task until prototype developed and beta testing indicates need; added notes and script for incorrect responses in all modules; changed criteria of module1 from 4/2 to 80%; changed criteria of module 3 from 4/2 to 3/2; addressed issue of handling no responses in modules 5 & 6 (JMW)

Revised 10-21-99 More detailed description to Sorting and Darts & Balloons Activities; Strike-out some words from word list in Task 1; Separated Task 1 into two identical tasks, but each drawing from different word lists. Separated (former) Task 2 into two identical tasks, but with each drawing from different word lists. Strike-out some words from word lists (check all word lists for strike-outs); Separated (former) Task 3 into two identical tasks, but with each drawing from different word lists. Modified instructions in Task 7 & Task 8; Re-organized and added words to (former) Task 9; Added semantic instructions to (former) Task 9; Deleted and added some new words in (former) Task 10; Modified instructions in (former) Task 12; Removed (former) Task 13

9/21 added instruction labels (Tc)

9/24 J-C added Jan's revisions

9/26 J-C reorganized & renamed module numbers

10/6 J-C edited instructions

Copyright 1999 Cognitive Concepts Inc.

<u>Player</u>: (Player Name)

Game:

<u>Primary Skills:</u> Auditory Attention, Vigilance, Discrimination, Short Term Memory; Phonological Segmentation, Phonological Identification, Rhyming, Phonological Sequencing; Morphological Segmentation and Identification; Letter Recognition; Sound-Symbol Correspondence; Decoding; Sight Recognition; Visual Orthographic Memory; Reading Fluency; Semantic Word Classification.

Activity Module1: Sorting Task. Karloon pulls word card out of his pants. Blank card for auditory only presentations. Card with printed word for auditory + visual and visual only presentations. Holds up card with word written on it. User clicks on Karloon's right shoe if word belongs in group on right of screen, clicks on left shoe if word belongs in group on left of screen. FLASH SHOES WHEN REFERRING TO EACH IN INSTRUCTIONS. Scoring criteria = 80% correct within round of play to advance. A score of less than 50% results in decrease of level of play. If correct, place printed word card in correct group, play word, and receive happy clown face. If incorrect, (user clicks on wrong shoe or does not respond within response interval) place printed word card in correct group, play word, FLASH FRAME AROUND CHART WHEN PLACING WORD ON CORRECT CHART AFTER INCORRECT RESPONSE . and receive sad clown face. At end of round, read all words on the left chart to reinforce learning of target pattern. HIGHLIGHT WORD/CARD AS EACH WORD IS READ Distribution of words: minimum of 5 target words (5 non-target words) and maximum of 8 target words (2 non-target words) within round of play. Randomly select a target sound for each round of play, sample without replacement.

Activity Module 2: Darts & Balloons. User instructed to click when they hear/see target word. FLASH DART WHEN REFERRING TO IT IN INSTRUCTIONS. Then scan 3x3 matrix of balloons. User clicks to fire dart. If correct, dart hits target and balloon bursts. If incorrect, dart misses target. Show correct response / flash target word on card Karloon is holding. DO NOT FLASH WORD, SIMPLY DISPLAY. If no response within response interval, drop dart and show correct response / flash target word on card. 4/2 scoring.

Activity Module 3: Matrix Maze. Present 4x4 matrix of boxes. Give directions. User clicks on top left box to begin maze. Present word for first box. Highlight 2 adjacent boxes / gray out other boxes. User rolls-over highlighted boxes to hear word. Clicks to select response. If correct, continue on. If incorrect click, end this maze and start another. Each maze = 1 trial in round of ten trials. If user gets all the way through maze, they get a ball for Karloon to juggle at end of round. If incorrect, (user clicks on wrong square or does not complete maze in time allowed) no ball. Pile of ten balls next to

Copyright 1999 Cognitive Concepts Inc.

Karloon at beginning of round, If incorrect response or user doesn't complete maze, ball from top of pile rolls-off screen. If they do complete maze, ball placed in Karloon's hand to be juggled at end of round. Target words are hard coded into maze. Foil words vary. Criteria: 3/2. If auditory presentation level, play audio on roll-over. At all levels, play audio on selection of response.

TASK 1: SORTING WORDS BY INITIAL CONSONANT SOUND: SINGLE CONSONANTS (9)

<u>Learning Objective</u>: The student will sort words based on initial consonant sound and single consonant letter when a series of words is presented at a rate of 30 wpm, 45 wpm and 60 wpm. Words will be presented in auditory only, auditory + visual, or visual only format. A visual cue will or will not be provided to facilitate performance with visual presentations.

Criteria: 80% correct within round of play to advance; drop level of play if less than 50% Activity Module1

HELLO>>"Hi boys & girls.

START>> Let's find all the words that start with ...

PUT>>... and put them over here on the left.

OTHER>>All the other words will go over here on the right.

LEFT>>Click on my left shoe to put the words on the left side.....

RIGHT>>Click on my right shoe to put the words on the right side.

GO>> Get ready, set.....Go!"

On correct response: Place printed word on chart. Say word. Receive Happy clown face. On incorrect response: Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond within time interval: GOT"I got this one" PLAY"You have to be quick to play this game! Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond more than 2x in a row: SLEEP"Hey, are you sleeping'? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds to continue play, place printed word on CORRECT chart. Say word. Receive sad clown face. AWAKE"Stay awake now." Continue round of play.

At end of round: **BEGIN**"Let's read all the words that begin with /p/." Highlight and play all words on left chart.

Task (1):PresentationVisual CueResponse Interval#TrialsScore1-Sort Beg. Consonantsauditoryn/a2 seconds

2-Sort Beg. Consonants	auditory	n/a	1 second
3-Sort Beg. Consonants	auditory	n/a	0.5 seconds
4-Sort Beg. Consonants	auditory + visual	yes	2 seconds
5-Sort Beg. Consonants	auditory + visual	yes	1 second
6-Sort Beg. Consonants	auditory + visual	yes	0.5 seconds
7-Sort Beg. Consonants	visual	no	2 seconds
8-Sort Beg. Consonants	visual	no	1 second
9-Sort Beg. Consonants	visual	no	0.5 seconds

Word List:

/b/ back, bug, bike, bun, bat, bus, bath, bell, bass, big, bed, bit, bake, bite

/c/ cat, cube, cake, cave, cone, cape, can, cash, call, cap, cop, cat, can, came, cob

/d/ dice, dot, dime, dock, dip, date, dish, dab, dine, dame, dub, did, dig, ding, dash

/f/ fin, fan, face, fine, fade, fox, fall, fish, fat, fig, fad, fade, fell, fake, fun

/g/ gal, gun, gum, gate, gas, gap, gash, gape, gill, gull, gush, get, gag, game, gale, gong

/h/ hall, him, home, hide, hat, hive, hot, hug, hop, hen, hill, hem, had, hog, hope

/dz/joke, jack, jet, jig, jab, jade, jot, job, jug, jade, June, jog, jam, Jane, jut

/k/ kid, kite, kick, kiss, kit, kin, kill, Kate, Ken

/1/ lake, lime, lip, lock, line, lap, lobe, late, lame, lad, lap, lob, log, lane, lid

/m/ mop, map, mug, maze, mate, mine, make, mote, mad, mid, mob, mug, men, mat, mole

/n/ net, note, nut, nab, nope, null, nod, nun, not, nip, nod, Ned, nose, name, Nile

/p/ pot, pig, pen, pipe, pot, pane, put, pile, pill, pike, pane, pun, pub, pit, pop

/r/ rock, rake, robe, rose, red, rope, rug, rate, rat, rag, rib, rod, rob, ring, rut

/s/ sun, sock, sat, sip, same, sub, side, sane, same, sat, sag, sob, sit, Sam, site

/t/ ten, top, take, time, tack, tub, top, tape, tame, time, tone, tap, tin, tad, tan

/v/ van, vine, vet, vote, vane, vile, vat, vim, vin, vice

/w/ web, well, wig, wet, wag, win, wish, wed, wake, wire, wade, wall, will

/j/ yes, yen, yap, yoke, yoke, yang, yep, yin, yet, yell, yin

/z/ zag, zig, zone, zip, zit, zen, zap

Foils: from any line list other than line list containing target word.

TASK 2: SORTING WORDS BY INITIAL CONSONANT SOUND: CONSONANT DIGRAPHS (9)

<u>Learning Objective</u>: The student will sort words based on initial consonant sound and consonant digraphs when a series of words is presented at a rate of 30 wpm, 45 wpm

Copyright 1999 Cognitive Concepts Inc.

and 60 wpm. Words will be presented in auditory only, auditory + visual, or visual only format. A visual cue will or will not be provided to facilitate performance with visual presentations.

Criteria: 80% correct within round of play to advance; drop level of play if less than 50% Activity Module1

HELLO>>"Hi boys & girls.

START>> Let's find all the words that start with ...

PUT>>... and put them over here on the left.

OTHER>>All the other words will go over here on the right.

LEFT>>Click on my left shoe to put the words on the left side.....

RIGHT>>Click on my right shoe to put the words on the right side.

GO>> Get ready, set.....Go!"

On correct response: Place printed word on chart. Say word. Receive Happy clown face. On incorrect response: Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond within time interval: GOT"I got this one" PLAY"You have to be quick to play this game! Place printed word on CORRECT chart. Say word. Receive sad elown face.

On failure to respond more than 2x in a row: SLEEP"Hey, are you sleeping'? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds to continue play, place printed word on CORRECT chart. Say word. Receive sad clown face. AWAKE"Stay awake now." Continue round of play.

At end of round: **BEGIN**"Let's read all the words that begin with /p/." Highlight and play all words on left chart.

Task (2): #Trials Score	Presentation	Visual Cue	Response Interval
1-Sort Beg. Consonants	auditory	n/a	2 seconds
2-Sort Beg. Consonants	auditory	n/a	1 second
3-Sort Beg. Consonants	auditory	n/a	0.5 seconds
4-Sort Beg. Consonants	auditory + visual	yes	2 seconds
5-Sort Beg. Consonants	auditory + visual	yes	1 second
6-Sort Beg. Consonants	auditory + visual	yes	0.5 seconds
7-Sort Beg. Consonants	visual	no	2 seconds

B-99

effectionale contradict of the following decrease

8-Sort Beg. Consonants visual no 1 second

9-Sort Beg. Consonants visual no 0.5 seconds

Word List:

/sh/ shot, ship, shut, shake, shade, shine, shack, shell, shin, shape, shag /ch/ chip, chop, chat, chum, chap, chin, chore, chick, check, chill, chug /th/ thin, thud, thick, thug, thumb, thank, thing, think, thong Foils: from any line list other than line list containing target word.

(FORMER TASK 2)

TASK 3: SORTING WORDS BY WORD ENDING: SHORT VOWEL RIMES ENDING IN SINGLE CONSONANTS (9)

<u>Learning Objective</u>: The student will sort words based on word rime when a series of words is presented at a rate of 30 wpm, 45 wpm and 60 wpm. Words will be presented in auditory only, auditory + visual, or visual only format. A visual cue will or will not be provided to facilitate performance with visual presentations.

Criteria: 80% correct within round of play to advance; drop level of play if less than 50% Activity Module1

HELLO>>"Hi boys & girls.

START>> Let's find all the words that start end with ...

PUT>>... and put them over here on the left.

OTHER>>All the other words will go over here on the right.

LEFT>>Click on my left shoe to put the words on the left side.....

RIGHT>>Click on my right shoe to put the words on the right side.

GO>> Get ready, set....Go!"

On correct response: Place printed word on chart. Say word. Receive Happy clown face. On incorrect response: Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond within time interval: GOT"I got this one" PLAY"You have to be quick to play this game!" Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond more than 2x in a row: SLEEP"Hey, are you sleeping'? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds to continue play, place printed word on CORRECT chart. Say word. Receive sad clown face. AWAKE "Stay awake now." Continue round of play.

At end of round: END "Let's read all the words that end with /aep/." Highlight and play all words on left chart.

等學學科 外 租赁税利 的复数对抗极利的 网络科林的过程 计接收 机相极的 计多用的概念 化多元二十分 化化分析和移植物的 机阻抗极胀器 经联系 化

Task (3):	Presentation	Visual Cue	Response Interval
# <u>Trials</u> <u>Score</u> 1-Sort short vowel rimes	auditory	n/a	2 seconds
2-Sort short vowel rimes	auditory	n/a	1 second
3-Sort short vowel rimes	auditory	n/a	0.5 seconds
4-Sort short vowel rimes	auditory + visual	yes	2 seconds
5-Sort short vowel rimes	auditory + visual	yes	1 second
6-Sort short vowel rimes	auditory + visual	yes	0.5 seconds
7-Sort short vowel rimes	visual	no	2 seconds
8-Sort short vowel rimes	visual	no	1 second
9-Sort short vowel rimes	visual	no	0.5 seconds

Word List:

```
/aet/ at, bat, cat, fat, hat, rat, pat, sat, mat, that, chat, vat, tat
/at/ pot, cot, dot, hot, lot, rot, shot, not, got, jot, tot
/^g/ jug, bug, dug, hug, mug, rug, tug, chug, thug
/ap/ op, cop, hop, mop, pop, top, bop, chop, shop
/aeg/ bag, rag, tag, wag, sag, nag, zag, shag, lag, hag, gag
/cap(I)g/ pig, big, dig, fig, wig, rig, gig, jig
/cap(I)p/ lip, hip, sip, rip, dip, zip, nip, tip ship, chip
/aed/ ad, had, sad, mad, lad, pad, fad, bad, dad, Thad
/aep/ map, cap, tap, lap, gap, sap, nap, yap, chap, rap
/cap(e)t/ get, set, let, yet, met, wet, jet, net, pet, bet
/cap(e)d/ ed, red, bed, led, fed, Ned, Ted, wed, shed
/cap(I)d/ id, did, rid, hid, kid, lid, bid, mid
/cap(I)t/ it, bit, hit, sit, fit, lit, kit, pit, wit
/ab/ hob, bob, rob, mob, sob, cob, lob, job, <del>fob,</del> hob
/ad/ god, rod, cod, pod, sod, nod
/ag/ dog, log, fog, hog, bog, jog, cog- CHECK FOR DIALECT ISSUE
/^b/ rub, tub, cub, sub, hub, <del>dub, nub</del>, <del>pub</del>
/^t/ but, cut, hut, nut, gut, rut, tut, jut, shut
/aeb/ cab, lab, tab, dab, jab, gab, fab, nab
/^g/ dug, rug, jug, chug, thug, tug, hug, mug, lug, pug
/cap(e)g/ leg, peg, beg, keg, Meg, reg
```

Copyright 1999 Cognitive Concepts Inc. B401

```
/^n/ un, bun, gun, sun, run, nun, fun, pun,
/^m/ gum, sum, chum, hum, run, bum, mum
/cap(e)n/ en, pen, hen, men, ten, Ben, den, yen, then, Ken
/aem/ am, Sam, dam, ham, jam, ram, yam, cam, sham
/aen/ an, can, man, ran, Dan, pan, Jan, fan, tan, than, van, ban
/cap(I)m/ im, him, vim, Tim, dim, Kim, rim
/cap(I)n/ in, win, tin, pin, gin, fin, bin, sin, din, kin, thin, shin, chin
/ar/ car, far, bar, jar, tar, par, char, mar,
```

Foils: from any line list other than line list containing target word.

TASK 4: SORTING WORDS BY WORD ENDING: SHORT VOWEL RIMES ENDING IN CONSONANT DIGRAPHS (9)

<u>Learning Objective</u>: The student will sort words based on word rime when a series of words is presented at a rate of 30 wpm, 45 wpm and 60 wpm. Words will be presented in auditory only, auditory + visual, or visual only format. A visual cue will or will not be provided to facilitate performance with visual presentations.

Criteria: 80% correct within round of play to advance; drop level of play if less than 50% Activity Module1

HELLO>>"Hi boys & girls.

START>> Let's find all the words that start end with ...

PUT>>... and put them over here on the left.

OTHER>>All the other words will go over here on the right.

LEFT>>Click on my left shoe to put the words on the left side.....

RIGHT>>Click on my right shoe to put the words on the right side.

GO>> Get ready, set.....Go!"

On correct response: Place printed word on chart. Say word. Receive Happy clown face. On incorrect response: Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond within time interval: GOT"I got this one" PLAY"You have to be quick to play this game!" Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond more than 2x in a row: SLEEP"Hey, are you sleeping'? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds to continue play, place printed word on CORRECT chart. Say word. Receive sad clown face. AWAKE "Stay awake now." Continue round of play.

At end of round: END "Let's read all the words that end with /aep/." Highlight and play all words on left chart.

Copyright 1999 Cognitive Concepts Inc. B402

機(P.M. (B.) 開刊開刊(39.4)(以 4.5)(4.4)(4.4)(4.4)(4.4)

<u>Task (4)</u> : #Trials Score	Presentation	<u>Visual Cue</u>	Response Interval
1-Sort short vowel rimes	auditory	n/a	2 seconds
2-Sort short vowel rimes	auditory	n/a	1 second
3-Sort short vowel rimes	auditory	n/a	0.5 seconds
4-Sort short vowel rimes	auditory + visual	yes	2 seconds
5-Sort short vowel rimes	auditory + visual	yes	1 second
6-Sort short vowel rimes	auditory + visual	yes	0.5 seconds
7-Sort short vowel rimes	visual	no	2 seconds
8-Sort short vowel rimes	visual	no	1 second
9-Sort short vowel rimes	visual	no	0.5 seconds

New words added 9/24/99

Word List:

/aeth/ bath, math, hath, wrath, path, lath /cap(I)sh/ fish, dish, wish mish, kish, gish /^sh/ hush, mush, rush, lush, wush, gush

/^sh/ hush, mush, rush, lush, wush, gush

/^ch/-such, much, vuch, nuch, huch, luch

/aesh/ ash, cash, dash, sash, hash, mash, lash, rash, gash, bash

Foils: from any line list other than line list containing target word.

(FORMER TASK 3)

TASK 5: SORTING WORDS BY FINAL CONSONANT SOUND: SINGLE CONSONANTS (9)

<u>Learning Objective</u>: The student will sort words based on final consonant sound and single consonant letter when a series of words is presented at a rate of 30 wpm, 45 wpm and 60 wpm. Words will be presented in auditory only, auditory + visual, or visual only format. A visual cue will or will not be provided to facilitate performance with visual presentations.

Criteria: 80% correct within round of play to advance; drop level of play if less than 50% Activity Module1

HELLO>>"Hi boys & girls.

START>> Let's find all the words that start end with ...

PUT>>... and put them over here on the left.

OTHER>>All the other words will go over here on the right.

LEFT>>Click on my left shoe to put the words on the left side.....

RIGHT>>Click on my right shoe to put the words on the right side.

GO>> Get ready, set.....Go!"

On correct response: Place printed word on chart. Say word. Receive Happy clown face. On incorrect response: Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond within time interval: GOT "I got this one" PLAY "You have to be quick to play this game!" Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond more than 2x in a row: SLEEP "Hey, are you sleeping'? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds to continue play, place printed word on CORRECT chart. Say word. Receive sad-clown face. AWAKE "Stay awake now." Continue round of play.

At end of round: END "Let's read all the words that end with /p/." Highlight and play all words on left chart.

<u>Task (5)</u> : #Trials Score	Presentation	Visual Cue	Response Interval
1-Sort End. Consonants	auditory	n/a	2 seconds
2-Sort End. Consonants	auditory	n/a	1 second
3-Sort End. Consonants	auditory	n/a	0.5 seconds
4-Sort End. Consonants	auditory + visual	yes	2 seconds
5-Sort End. Consonants	auditory + visual	yes	1 second
6-Sort End. Consonants	auditory + visual	yes	0.5 seconds
7-Sort End. Consonants	visual	no	2 seconds
8-Sort End. Consonants	visual	no	1 second

平台集件 生材 电线电影电影物解析 化物学良价系统 用的生物 机聚生物 电路梯度 经发票 医上颌上的 经自动和股份的 经保险的 化原金化

9-Sort End. Consonants visual

no 0.5 seconds

```
Word List:
```

```
/b/ cab, cob, rib, fib, rub, tub, dab, sub, lab, nab, dub, pub
/d/ cod, mad, mud, red, bed, led, lad, shed, nod, sad, fed, bid
/f/ none
/g/ bag, nag, tag, big, pig, tug, rug, shag, chug, thug, wig, leg
/h/ none
/dz/ none
/k/ none
/m/ sum, hum, gum, rim, dim, ham, jam, ram, sham, chum, lam, dam, hem
/n/ ten, hen, pen, pan, can, man, tin, chin, shin, thin, men, yin, fun, bun
/p/ cap, tap, hip, ship, chip, cup, dip, pep, lip, lap, gap, bop
/r/ fir, her, sir, her, per, car, bar, par, jar, far
/t/ hot, pat, mat, cot, nut, net, pet, rot, rat, bit
/v/ none; /w/ none; /y/ none
```

Foils: from any line list other than line list containing target word.

TASK 6: SORTING WORDS BY FINAL CONSONANT SOUND: CONSONANT DIGRAPHS (9)

<u>Learning Objective</u>: The student will sort words based on final consonant sound and consonant digraphs when a series of words is presented at a rate of 30 wpm, 45 wpm and 60 wpm. Words will be presented in auditory only, auditory + visual, or visual only format. A visual cue will or will not be provided to facilitate performance with visual presentations.

Criteria: 80% correct within round of play to advance; drop level of play if less than 50% Activity Module1

HELLO>>"Hi boys & girls.

START>> Let's find all the words that start end with ...

PUT>>... and put them over here on the left.

OTHER>>All the other words will go over here on the right.

LEFT>>Click on my left shoe to put the words on the left side.....

RIGHT>>Click on my right shoe to put the words on the right side.

GO>> Get ready, set....Go!"

With any month at each of the control of the contro

On correct response: Place printed word on chart. Say word. Receive Happy clown face. On incorrect response: Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond within time interval: GOT "I got this one" PLAY "You have to be quick to play this game!" Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond more than 2x in a row: SLEEP "Hey, are you sleeping'? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds to continue play, place printed word on CORRECT chart. Say word. Receive sad clown face. AWAKE "Stay awake now." Continue round of play.

At end of round: END "Let's read all the words that end with /p/." Highlight and play all words on left chart.

<u>Task (6)</u> :	Presentation	Visual Cue	Response Interval
# <u>Trials</u> <u>Score</u> 1-Sort End. Consonants	auditory	n/a	2 seconds
2-Sort End. Consonants	auditory	n/a	1 second
3-Sort End. Consonants	auditory	n/a	0.5 seconds
4-Sort End. Consonants	auditory + visual	yes	2 seconds
5-Sort End. Consonants	auditory + visual	yes	1 second
6-Sort End. Consonants	auditory + visual	yes	0.5 seconds
7-Sort End. Consonants	visual	no	2 seconds
8-Sort End. Consonants	visual	no	1 second
9-Sort End. Consonants	visual	no	0.5 seconds

Word List:

/sh/ wish, dish, fish, mush, hush, rush, push, lush, lash, dash, hash, rash /ch/ much, such, rich, which

/th/ bath, math, both, with, lath, Beth, Seth, moth, path, hath Foils: from any line list other than line list containing target word.

(FORMER TASK 4)

TASK 7: SORTING WORDS BY SEMANTIC CATEGORY: COLORS, NUMBERS, SHAPES (27)

Copyright 1999 Cognitive Concepts Inc.

<u>Learning Objective</u>: The student will sort words into categories of colors, numbers, shapes when a series of words is presented at a rate of 30 wpm, 45 wpm and 60 wpm. Words will be presented in auditory only, auditory + visual, or visual only format. A visual cue will or will not be provided to facilitate performance.

Criteria: 80% correct within round of play to advance; drop level of play if less than 50% Activity Module1

HELLO>>"Hi boys & girls.

START>> Let's find all the COLOR words that start with ...

PUT>>... and put them over here on the left.

OTHER>>All the other words will go over here on the right.

LEFT>>Click on my left shoe to put the words on the left side....

RIGHT>>Click on my right shoe to put the words on the right side.

GO>> Get ready, set.....Go!"

On correct response: Place printed word on chart. Say word. Receive Happy clown face. On incorrect response: Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond within time interval: GOT "I got this one" PLAY "You have to be quick to play this game!" Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond more than 2x in a row: SLEEP "Hey, are you sleeping'? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds to continue play, place printed word on CORRECT chart. Say word. Receive sad clown face. AWAKE "Stay awake now." Continue round of play.

At end of round: **IN4A** "Let's read all the color words." Highlight and play all words on left chart.

HELLO>>"Hi boys & girls.

IN4B>>Let's find all the words that are numbers and put them over here on the left.

OTHER>>All the other words will go over here on the right.

LEFT>> Click on my left shoe to put the words on the left side.....

RIGHT>>Click on my right shoe to put the words on the right side.

GO>>Get ready, set.....Go!"

On correct response: Place printed word on chart. Say word. Receive Happy clown face. On incorrect response: Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond within time interval: GOT>>"I got this one" PLAY>>"You have to be quick to play this game!" Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond more than 2x in a row: SLEEP>>"Hey, are you sleeping'? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end

Copyright 1999 Cognitive Concepts Inc. B407

round of play. If user responds to continue play, place printed word on CORRECT chart. Say word. Receive sad clown face. AWAKE>>"Stay awake now." Continue round of play.

At end of round: **IN4B1>>** "Let's read all the number words." Highlight and play all words on left chart.

HELLO>>"Hi boys & girls.

IN4C>>Let's find all the words that are shapes and put them over here on the left.

OTHER>> All the other words will go over here on the right.

LEFT>> Click on my left shoe to put the words on the left side.....

RIGHT>>Click on my right shoe to put the words on the right side.

GO>>Get ready, set.....Go!"

On correct response: Place printed word on chart. Say word. Receive Happy clown face. On incorrect response: Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond more than 2x in a row: SLEEP>>"Hey, are you sleeping'? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds to continue play, place printed word on CORRECT chart. Say word. Receive sad clown face. AWAKE>>"Stay awake now." Continue round of play.

On failure to respond within time interval: GOT>>"I got this one" PLAY>>"You have to be quick to play this game!" Place printed word on CORRECT chart. Say word. Receive sad clown-face.

At end of round: **IN4C1>>** "Let's read all the shape words." Highlight and play all words on left chart.

<u>Task (7)</u> : #Trials Score	<u>Presentation</u>	<u>Visual Cue</u>	Response Interval
1- Sort Color words	auditory	n/a	2 seconds
2-Sort Color words		n/a	1 second
3-Sort Color words		n/a	0.5 seconds
4- Sort Color words	auditory + visual	yes	2 seconds
5-Sort Color words		yes	1 second
6-Sort Color words		yes	0.5 seconds
7-Sort Color words	visual	no	2 seconds
8-Sort Color words		no	1 second
9-Sort Color words		no	0.5 seconds

randa karan 18 milian 18 milian

10-Sort Number words	auditory	n/a	2 seco	nds
11-Sort Number words	auditory	n/a	1 seco	ond
12-Sort Number words	auditory	n/a	0.5 se	conds
13- Sort Number words	auditory + visual	yes	2 seco	onds
14-Sort Number words	auditory + visual	yes	1 seco	ond
15-Sort Numbers words	auditory + visual	yes	0.5 se	conds
16-Sort Number words	visual	no	2 seco	onds
17-Sort Number words	visual	no	1 seco	ond
18-Sort Number words	visual	no	0.5 seconds	
19- Sort Shape words	auditory		n/a	2 seconds
20-Sort Shape words	auditory		n/a	1 second
21-Sort Shape words	auditory		n/a	0.5 seconds
22- Sort Shape words	auditory + visual		yes	2 seconds
23-Sort Shape words	auditory + visual		yes	1 second
24-Sort Shape words	auditory + visual		yes	0.5 seconds
25-Sort Shape words	visual		no	2 seconds
26-Sort Shape words	visual		no	1 second
27-Sort Shape words	visual		no	0.5 seconds

Word List & Cues:

Copyright 1999 Cognitive Concepts Inc. B409

^{**}Colors (display in corresponding color): green, yellow, red, black, brown, white, blue, purple, orange, pink

^{**}Numbers (display corresponding digit): zero, one, two, three, four, five, six, seven, eight, nine, ten ,eleven, twelve

^{**}Shapes (display corresponding shape): square, circle, rectangle, triangle, oval, star, moon, arrow, heart, diamond

(FORMER TASK 5)

TASK 8: SORTING WORDS BY SEMANTIC CATEGORY: ANIMALS, OBJECTS & PEOPLE (27)

<u>Learning Objective</u>: The student will sort words into categories of animals, objects and people when a series of words is presented at a rate of 30 wpm, 45 wpm and 60 wpm. Words will be presented in auditory only, auditory + visual, or visual only format. A visual cue will or will not be provided to facilitate performance.

Criteria: 80% correct within round of play to advance; drop level of play if less than 50% Activity Module1

HELLO>>"Hi boys & girls.

START>> Let's find all the words that are animals start with ...

PUT>>... and put them over here on the left.

OTHER>>All the other words will go over here on the right.

LEFT>>Click on my left shoe to put the words on the left side.....

RIGHT>>Click on my right shoe to put the words on the right side.

GO>> Get ready, set.....Go!"

On correct response: Place printed word on chart. Say word. Receive Happy clown face. On incorrect response: Place printed word on CORRECT chart. Say word. Receive sad elown face.

On failure to respond within time interval:GOT>> "I got this one" PLAY>> "You have to be quick to play this game!" Place printed word on CORRECT chart. Say word.

Receive sad clown face.

On failure to respond more than 2x in a row: SLEEP>> "Hey, are you sleeping'? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds to continue play, place printed word on CORRECT chart. Say word. Receive sad clown face. AWAKE>> "Stay awake now." Continue round of play.

At end of round: IN5A "Let's read all the animal words." Highlight and play all words on left chart.

HELLO>>"Hi boys & girls.

IN5B>> Let's find all the words that are objects and put them over here on the left.

OTHER>> All the other words will go over here on the right.

LEFT>>Click on my left shoe to put the words on the left side...

RIGHT>>Click on my right shoe to put the words on the right side.

GO>>Get ready, set.....Go!"

On correct response: Place printed word on chart. Say word. Receive Happy clown face. On incorrect response: Place printed word on CORRECT chart. Say word. Receive sad clown face.

. 我们的自己们的抽样的 1990年度的美国的特别 1 别形在小型的现在分词 1991年 利用电子和通信的电影的电影的电影的电影的电影的

On failure to respond within time interval:GOT>> "I got this one"PLAY>>"You have to be quick to play this game!" Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond more than 2x in a row: SLEEP>>"Hey, are you sleeping'? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds to continue play, place printed word on CORRECT chart. Say word. Receive sad clown face. AWAKE>>"Stay awake now." Continue round of play.

At end of round: **IN5B1** "Let's read all the object words." Highlight and play all words on left chart.

HELLO>>"Hi boys & girls.

IN5C>>Let's find all the words that are people and put them over here on the left.

OTHER>> All the other words will go over here on the right.

LEFT>>Click on my left shoe to put the words on the left side....

RIGHT>>Click on my right shoe to put the words on the right side.

GO>>Get ready, set.....Go!"

On correct response: Place printed word on chart. Say word. Receive Happy clown face. On incorrect response: Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond within time interval: GOT>>"I got this one" PLAY>>"You have to be quick to play this game!" Place printed word on CORRECT chart. Say word. Receive sad clown face.

On failure to respond more than 2x in a row: SLEEP>>"Hey, are you sleeping'? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds to continue play, place printed word on CORRECT chart. Say word. Receive sad clown face. AWAKE>>"Stay awake now." Continue round of play.

At end of round: **IN5C1** "Let's read all the people words." Highlight and play all words on left chart.

<u>Task (8)</u> :	Presentation	Visual Cue	Respo	onse Interval
# <u>Trials</u> <u>Score</u> 1- Sort Animal words	auditory		n/a	2 seconds
2-Sort Animal words	auditory		n/a	1 second
3-Sort Animal words	auditory		n/a	0.5 second
4- Sort Animal words	auditory + v	isual	yes	2 seconds

- 1117 - 151 - 171 - 181 - 181 - 181 - 181 - 181 - 181 - 181 - 181 - 181 - 181 - 181 - 181 - 181 - 181 - 181 -

5-Sort Animal wor	ds	auditory + visual		yes	1 second	
6-Sort Animal wor	-Sort Animal words		auditory + visual		0.5 se	econd
7-Sort Animal wor	ds	visua	al	no	2 sec	onds
8-Sort Animal wor	ds	visua	al	no	1 sec	ond
9-Sort Animal wor	ds	visua	al	no	0.5 se	econds
10- Sort Object wor	ds	audi	tory	n/a	2 seco	onds
11-Sort Object word	ds	audi	tory	n/a	1 seco	onds
12-Sort Object work	ds	audit	tory	n/a	0.5 se	conds
13- Sort Object wor	rds	audit	tory + visual	yes	2 seco	onds
14-Sort Object word	ds	audit	tory + visual	yes	1 seco	ond
15-Sort Object word	ds	audit	tory + visual	yes	0.5 se	conds
16-Sort Object word	is	visua	1	no	2 seco	onds
17-Sort Object word	ds	visua	1	no	1 seco	ond
18-Sort Object word	is	visua	.1	no	0.5 se	conds
19-Sort People	words		auditory		n/a	2 seconds
20-Sort People	words		auditory		n/a	1 second
21-Sort People	words		auditory		n/a	0.5 seconds
22- Sort People wor	ds	audit	ory + visual	yes	2 seco	onds
23-Sort People	words		auditory + visual		yes	1 second
24-Sort People	words		auditory + visual		yes	0.5 seconds
25-Sort People	words		visual		no	2 seconds

Copyright 1999 Cognitive Concepts Inc. B412

26-Sort People words visual no 1 second
27-Sort People words visual no 0.5 second

Word List & Cues:

- **Animals (display corresponding graphic): dog, cat, cow, horse, pig, rabbit, bird, fish, sheep, goat, chicken, zebra, monkey, bear, mouse, snake, giraffe, lion, tiger, duck, elephant, dinosaur, squirrel
- **Objects (display corresponding graphic): book, chair, desk, bed, table, house, tree, cake, flower, father, ball, shoe, shirt, door, window, car, truck, bus, cookie, wagon, doll, train, dress, hat, cup, plate, plane, boat, school, house, store, grass, tree, sun, moon, star, cloud, rain, water, rock, hill, crayon, letter, radio, pen, pencil, scissors, chair, desk **People (display corresponding graphic): man, woman, boy, girl, teacher-M, doctor-F, children, mother, nurse-F, baby, grandma, grandpa, police-F, farmer-M, waiter-F, cashier-M, librarian-F, lifeguard-F, mailman-M, fireman-M, cook-M

A CONTRACT SERVICE AND A CONTRACT OF THE PROPERTY OF THE PROPE

(FORMER TASK 6)

TASK 9: SIGHT WORD RECOGNITION & READING FLUENCY: HIGH FREQUENCY SIGHT WORDS (15)

<u>Learning Objective</u>: Following visual+auditory, visual-only or auditory-only visual-only presentation of a target word, the student will identify the same word in a series of words auditorily or visually presented at a rate of 30 wpm, 45 wpm and 60 wpm. The visual display of the target word will or will not remain on screen to facilitate performance.

Criteria: 4/2

Activity Module 2

Visual + auditory presentation of target word with Auditory Series:

HELLO>>"Hi boys & girls.

TWS>>This word says ... 'the'.

HEAR>>Use your mouse to click on the dart when you hear this word.

GO>> Get ready, set.....Go!"

On correct response: Shoot dart & burst balloon. Display graphic in response box.

Repeat and flash the word.

On incorrect response: Shoot dart but miss balloon. Display graphic in response box. Repeat and flash the word.

On failure to respond within time interval: MISS "We missed that one." Repeat and flash word. Display graphic in response box.

On failure to respond more than 2x in a row: HELLO?>> "Hello? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds to continue play, place printed word on CORRECT chart. Say word. Receive sad clown face. ATTN>> "Pay attention now." Continue round of play.

Visual + auditory presentation of target word with Visual Series:

HELLO>>"Hi boys & girls.

TWS>>This word says 'the'.

SAME>> Click on the dart when you see the same word on one of the balloons.

GO>>Get ready, set....Go!"

On correct response: Shoot dart & burst balloon. Display graphic in response box. Repeat and flash the word.

On incorrect response: Shoot dart but miss balloon. Display graphic in response box. Repeat and flash the word.

On failure to respond within time interval: MISS>> "We missed that one." Repeat and flash word. Display graphic in response box.

On failure to respond more than 2x in a row: HELLO?>>"Hello? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of

Copyright 1999 Cognitive Concepts Inc. B414

play. If user responds to continue play, place printed word on CORRECT chart. Say word. Receive sad clown face. ATTN>>"Pay attention now." Continue round of play.

Visual presentation of target word with Visual Series:

HELLO>>"Hi boys & girls. (Show target word).

TARGET>> Click on the dart when you see this word on one of the balloons.

GO>> Get ready, set.....Go!"

On correct response: Shoot dart & burst balloon. Display graphic in response box. Repeat and flash the word.

On incorrect response: Shoot dart but miss balloon. Display graphic in response box. Repeat and flash the word.

On failure to respond within time interval: MISS>> "We missed that one." Repeat and flash word. Display graphic in response box.

On failure to respond more than 2x in a row: Receive sad clown face.

HELLO?>>"Hello? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds, **ATTN>>** "Pay attention now." Continue round of play. Else, discard data for all 3 NRs and end round of play.

Auditory presentation of target word with Visual Series:

HELLO>>"Hi boys & girls.

SEE>> Click on the dart when you see the word 'new'

BALLOON>>... on one of the balloons.

GO>>Get ready, set.....Go!"

On correct response: Shoot dart & burst balloon. Display graphic in response box. Repeat and flash the word.

On incorrect response: Shoot dart but miss balloon. Display graphic in response box. Repeat and flash the word

On failure to respond within time interval: MISS>> "We missed that one." Repeat and flash word. Display graphic in response box.

On failure to respond more than 2x in a row: Receive sad clown face.

HELLO?>>"Hello? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds, **ATTN>>**"Pay attention now." Continue round of play. Else, discard data for all 3 NRs and end round of play.

Word List:

. THE ENGLISH AND THE SECTION OF THE CONTRACT OF THE PROPERTY OF THE PROPERTY

a	cold	grow	may	said	too
about	come	had	me	saw	try
after	could	has	much	say	two
again	cut	have	must	see	under
all	did	he	my	seven	up

Copyright 1999 Cognitive Concepts Inc. B415

always	do	help	myself	shall	upon
am	does	her	never	she	us
an	done	here	new	show	use
and	don't	him	no	sing	very
any	down	his	not	sit	walk
are	draw	hold	now	six	want
around	drink	hot	of	sleep	warm
as	eat	how	off	small	was
ask	eight	hurt	old	so	wash
at	every	I	on	some	we
ate	fall	if	once	soon	well
away	far	in	one	start	went
be	fast	into	only	stop	were
because	find	is	open	take	what
been	first	it	or	tell	when
before	five	its	our	ten	where
best	fly	jump	out	thank	which
better	for	just	over	that	white
big	found	keep	own	the	who
black	four	kind	pick	their	why
blue	from	know	play	them	wilĺ
both	full	laugh	please	then	wish
bring	funny	let	pretty	there	with
brown	gave	light	pull	these	work
but	get	like	put	they	would
buy	give	little	ran	think	write
by	go	live	read	this	yellow
call	goes	long	red	those	yes
came	going	look	ride ·	three	you
can	good	made	right	to	your*
carry	got	make	round	today	-
clean	green	many	run	together	

	<u>Present</u>	<u>Hold</u>	Prese	<u>nt</u>
<u>Task (9)</u> :	<u>Target</u>	<u>Target</u>	Series	Rate
# <u>Trials</u> <u>Score</u>				
1-Recognize word	visual + auditory	yes	auditory	60 wpm
2-Recognize word	visual + auditory	yes	auditory	45 wpm

Copyright 1999 Cognitive Concepts Inc. B416

TO THE REPORT OF ASTANDAMENT STORE THE PROPERTY OF A PROPERTY OF THE ASTANDAMENT OF THE PROPERTY OF THE PROPER

3-Recognize word	visual + auditory	yes	auditory	30 wpm
4-Recognize word	visual + auditory	yes	visual	60 wpm
5-Recognize word	visual + auditory	yes	visual	45 wpm
6-Recognize word	visual + auditory	yes	visual	30 wpm
7-Recognize word	visual + auditory	no	visual	60 wpm
8-Recognize word	visual + auditory	no	visual	45 wpm
9-Recognize word	visual + auditory	no	visual	30 wpm
10-Recognize word	visual	no	visual	60 wpm
11-Recognize word		no	visual	45 wpm
12-Recognize word		no	visual	30 wpm
13-Recognize word	auditory	n/a	visual	60 wpm
14-Recognize word		n/a	visual	45 wpm
15-Recognize word		n/a	visual	30 wpm

(FORMER TASK 7)

TASK 10: MATCHING ENDING CONSONANT SOUNDS WITH BEGINNING CONSONANT SOUNDS: SINGLE CONSONANTS & CONSONANT DIGRAPHS (12) Learning Objective: Following presentation of a target word, the student will select a word that begins with a sound that matches the final sound of the target word by selecting from two auditory-only, auditory + visual or visual-only response choices. When visual response choices are available, visual cues will or will not be provided to facilitate response. The task will be untimed or timed with 20 seconds or 10 seconds allowed for response in the timed task.

Criteria: 3/2

61. Activity Module 3

Instruction:

- 17 FIFE (#: St StSM) # (Social Est alike alice) | come :

IN7A>> "Listen to the first word. Then find a second word - that begins with the same sound you heard - at the end of the first word."

IN7A2>> In this game, you're going to match the ending letter of one word with the beginning letter of the next word.

IN7A3>> "Start over here!"

Untimed: **UT>>**"Take all the time you need"

Timed: **TIMED10>>**" "You have 10 seconds on the clock. **TIMED20>>**" "You have 20 seconds on the clock

TRY2 "Try to find all the words before the time runs out."

Copyright 1999 Cognitive Concepts Inc.

B417

On correct response: display karloon's hat inside box. In last box of maze, display hat with flower.

On correct response: OH>>"oh-oh!" or OPS >>"oops"..... TRY>>Let's try another one."

On completion of maze: Play all target words in maze.

On failure complete maze within time interval: TU>> "Time's up. Let's try another one."

WORD LIST (CHECK WITH MATTHEW RE: HOW TO CODE FOR ENDING SOUND AND BEGINNING SOUND)

```
/b/ bug, bun, bat, bus, bath, big, bed, bit
/b/ cab, cob, rib, fib, rub, tub, dab, sub, lab, nab, dub, pub
/c/ cat, can, cap, cop, cat, can, cob
/c/FINAL = NONE
/d/ dot, dip, dish, dab, dub, did, dig, dash
/d/ cod, mad, mud, red, bed, led, lad, shed, nod, sad, fed, bid
/f/ fin, fan, fish, fat, fig, fad, fun
/g/ gal, gun, gum, gas, gap, gash, gush, get, gag,
/g/ bag, nag, tag, big, pig, tug, rug, shag, chug, thug, wig, leg
/h/ him, hat, hot, hug, hop, hen, hem, had, hog
/dz/ jet, jig, jab, jot, job, jug, jog, jam, jut
/k/ kid, kit, kin, Ken
/1/ lip, lap, lad, lap, lob, log, lid
/1/ pal, gal
/m/ mop, map, mug, mad, mid, mob, mug, men, mat
/m/ sum, hum, gum, rim, dim, ham, jam, ram, sham, chum, lam, dam
/n/ net, nut, nab, nod, nun, not, nip, nod, Ned
/n/ ten, hen, pen, pan, can, man, tin, chin, shin, thin, men, yin
/p/ pot, pig, pen, pot, put, pun, pub, pit, pop
/p/ cap, tap, hip, ship, chip, cup, dip, pep, lip, lap, gap, bop
/r/ red, rug, rat, rag, rib, rod, rob, rut
/r/ fir, her, sir, her, per, car, bar, par, jar, far
```

"大臣",是我我们们,我们们就是我的问题的,但是我们的人们的人们的人们的人们,但是这个人的人的人们,我们们的现在分词是这种的人的人

```
/s/ sun, sock, sat, sip, same, sub, side, sane, same, sat, sag, sob, sit, Sam, site /s/ gas, bus

/t/ ten, top, tub, top, tap, tin, tad, tan
/t/ hot, pat, mat, cot, nut, net, pet, rot, rat, bit

/v/ van, vet, vat, vim, vin

/w/ web, wig, wet, wag, win, wish, wed

/j/ yes, yen, yap, yep, yin, yet, yin

/z/ zag, zig, zone, zip, zit, zen, zap
/z/ FINAL = NONE

/sh/ shot, ship, shut, shin, shag
/sh/ wish, dish, fish, mush, hush, rush, push, lush, lash, dash, hash, rash
/ch/ chip, chop, chat, chum, chap, chin, chug
/ch/ much, such, rich, which

/th/ thin, thud, thug
/th/ bath, math, both, with, lath, Beth, Seth, moth, path, hath
```

<u>Task (10)</u> :	A-Play	V-Display	<u>Visual Cue</u>	Time Allowed
# <u>Trials</u>	<u>Score</u>			
1-Match Cons.	yes	no	n/a	unlimited
%				
2-Match Cons.	yes	no	n/a	20 seconds
%	•		•	
3-Match Cons.	yes	no	n/a	10 seconds
%	J		,	10 00001100
4-Match Cons.	yes	yes	yes	unlimited
%	<i>y</i> c 5	y C0	y C3	diminied
5-Match Cons.	yes	yes	yes	20 seconds
%	J	<i>y</i>	<i>y</i> 30	20 00001005
6-Match Cons.	yes	yes	yes	10 seconds
%	<i>y</i> •	<i>)</i>	<i>y</i> ===	10 Seconds

7-Match Cons. %	no	yes	yes	unlimited
8-Match Cons. %	no	yes	yes	20 seconds
9-Match Cons. %	no	yes	yes	10 seconds
10-Match Cons.	no	yes	no	unlimited
11-Match Cons.	no	yes	no	20 seconds
12-Match Cons.	no	yes	no	10 seconds

(FORMER TASK 8)

TASK 11: MATCHING SHORT VOWEL SOUNDS (12)

<u>Learning Objective</u>: Following presentation of a target word, the student will select a word containing the same short vowel sound from two auditory-only, auditory + visual or visual-only response choices. When visual response choices are available, visual cues will or will not be provided to facilitate response. The task will be un-timed or timed with 20 seconds or 10 seconds allowed for response in the timed task.

Activity Module 3

Instruction: **IN8A>>**"Let's see if you can find all the words that have the short vowel sound...."

Untimed: UT>>"Take all the time you need"

Timed: **TIMED10>>**" "You have 10 seconds on the clock. **TIMED20>**>" "You have 20 seconds on the clock

TRY2 "Try to find all the words before the time runs out."

On correct response: display karloon's hat inside box. In last box of maze, display hat with flower.

On correct response: OH>> "oh-oh!" OPS>> "oops"

On completion of maze: Play all target words in maze.

On failure complete maze within time interval: TU>>_"Time's up. Let's try another one."

Word List

Editi W Kalanakinin zerbehi banka duri Lasem

/ae/ cat, hat, map, bat, man, fan, can, van, cash, chat, vat, gag, shag, rag, nap, chap, yap, mash, dash

/E/ web, pen, red, bed, vet, ten, peg, led, yen, hen, men, fed, led, wed, shed

B₁₂₀

Copyright 1999 Cognitive Concepts Inc.

/I/ fin, pig, lip, wig, bib, pin, ship, chin, chip, zip, chip, yin, lid, kid, rid, vim, him, rim, wish, dish

/a/ pot, mop, dot, top, pot, shop, rot, cot, shot, lot, sob, rob, bob, cod, rod, sod, nod, job

/^/ jug, sun, bug, bun, mug, bus, gum, rug, nut, mush, such, cub, dub, rub, hush, mush, rush

Foils: from any line list ABOVE other than line list containing target word.

	V-Display	Visual Cue	Time Allowed
<u>Score</u> yes	no	n/a	unlimited
yes	no	n/a	20 seconds
yes	no	n/a	10 seconds
yes	yes	yes	unlimited
yes	yes	yes	20 seconds
neme yes	yes	yes	10 seconds
no	yes	yes	unlimited
no	yes	yes	20 seconds
no	yes	yes	10 seconds
no	yes	no	unlimited
no	yes	no	20 seconds
no	yes	no	10 seconds
	yes yes yes yes neme yes no no no no	Score yes no yes no yes yes yes yes yes no yes	yes no n/a yes no n/a yes no n/a yes yes yes yes yes yes no no yes no no no yes no no

Copyright 1999 Cognitive Concepts Inc.

(FORMER TASK 9)

TASK 12: MATCHING WORD-FINAL MORPHEMES (12)

<u>Learning Objective</u>: Following presentation of a target word, the student will select a word containing the same word-final morpheme from two auditory-only, auditory + visual or visual-only response choices. When visual response choices are available, visual cues will or will not be provided to facilitate response. The task will be untimed or timed with 20 seconds or 10 seconds allowed for response in the timed task.

Activity Module 3

10-20-99

ADD INTRO TO SEMANTICS:

Begin round with instructions.

HELLO>> "Hi boys & girls.

WORDS>> "Let's talk about the ends of words.

TELLS>> " The end of a word tells you something about what the word means."

IN11A>> For example, ... "cat"

IN11A1>> means ... "one cat" (SHOW PICTURE OF CAT)---

IN11A2>>"catS"

IN11A3>> "means more than onecat" (SHOW PICTURE OF CATS)

IN11B>>For example, "dish"

IN11B1>>means "one dish" (SHOW PICTURE OFDISH) ---

IN11B2>>"dishES"

IN11B3>>means "more than one dish" (SHOW PICTURE OF DISHES)

HELLO>> "Hi boys & girls.

WORDS>> Let's talk about the ends of words.

TELLS>> The end of a word tells you something about what the word means." For example,

IN12A >>"CookS ...means SOMETHING IS HAPPENING right now....

IN12A1>> Alex cookS right now." (show graphic)

IN12A2 >> "CookING means SOMETHING IS HAPPENING right now....

IN12A3>>Alex is cookING right now." (show graphic)

IN12A4>> "CookED means something that ALREADY happened in the past and is finished....

Copyright 1999 Cognitive Concepts Inc. B422

A TERRETAR A THE REPORT OF A THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF A STATE OF THE PROPERTY OF THE PR

IN12A5>> Alex cookED soup yesterday." (show graphic)

Instruction: IN9A >>"Let's see if you can find all the words that end with..."

Untimed: **UT>>** "Take all the time you need"

Timed: **TIMED10>>**" "You have 10 seconds on the clock. **TIMED20>>**" "You have 20 seconds on the clock

TRY2 "Try to find all the words before the time runs out."

On correct response: display karloon's hat inside box. In last box of maze, display hat with flower.

On correct response: OH>> "oh-oh!" or OPS>>"oops"..... TRY>> Let's try another one."

On completion of maze: Play all target words in maze.

On failure complete maze within time interval: TU>> "Time's up. Let's try another one."

JMW: cONTROL for foils?

Word List:

(new words in bold)

(a) NEW WORDS IN BOLD CAPS 10-21-99

Plural 's' /s/: cats, mats, pots, cups, pups, lips, caps, maps,

Verb 's' /s/: hits, rips, pats, sips, dips, dips, sits,

Plural 's' /z/: cabs, tubs, subs, lads, beds, bags, hams, chins, cars, jars, BIBS

Verb 's' /z/: rubs, bids, HUGS, DIGS, TUGS, RUNS, BEGS

Plural 'es' /ez/: dishes, wishes, lashes, fishes, bushes, dashes,

Verb 'es' /ez/: washes, rushes, mashes, hushes, rashes, pushes, riches

'ed' /t/ wished, rushed, dashed, washed, fished, mashed, pushed

'ing' /ing/ washing, hiding, rushing, wishing, pushing, dashing, fishing, mashing

Copyright 1999 Cognitive Concepts Inc. B423

FOR THE PROPERTY OF THE SECOND THE RESERVE AND A SHEAR PROPERTY OF THE SECOND PROPERTY OF T

<u>Task (12)</u> : #Trials	<u>A-Play</u> Score	e	<u>V-Displa</u>	<u>y</u> <u>Visua</u>	<u>l Cue</u>	Time Allowed
1-ID morpheme	yes	no	n/	'a	unlim	iited
2-ID morpheme %	yes	no	n/	'a	20 sec	conds
3-ID morpheme %	yes	no	n/	'a	10 sec	conds
4-ID morpheme %	yes	yes	ye	s	unlim	iited
5-ID morpheme %	yes	yes	ye	s	20 sec	onds
6-ID morpheme %	yes	yes	ye	s	10 sec	onds
7-ID morpheme %	no	yes	ye	s	unlim	ited
8-ID morpheme %	no	yes	ye	s	20 sec	onds
9-ID morpheme %	no	yes	ye	S	10 sec	onds
10-ID morpheme %	no	yes	no		unlim	ited
11-ID morpheme %	no	yes	no		20 sec	onds
12-ID morpheme %	no	yes	no		10 sec	onds

(FORMER TASK 10)

TASK 13: WORD RECOGNITION, DECODING & READING FLUENCY: NONSENSE WORDS CONTAINING SHORT VOWELS, CONSONANTS AND CONSONANT DIGRAPHS (15)

<u>Learning Objective</u>: Following visual+auditory, visual-only or auditory-only visual-only presentation of a target word, the student will identify the same word in a series of

words auditorily or visually presented at a rate of 30 wpm, 45 wpm and 60 wpm. The visual display of the target word will or will not remain on screen to facilitate performance.

Criteria: 4/2

Activity Module 2

Visual + auditory presentation of target word with Auditory Series:

HELLO>>"Hi boys & girls.

TWS>>This word says ... 'the'. 'maf'

HEAR>>Click on the mouse when you hear this word.

GO>> Get ready, set.....Go!"

On correct response: Shoot dart & burst balloon. Display graphic in response box. Repeat and flash the word.

On incorrect response: Shoot dart but miss balloon. Display graphic in response box. Repeat and flash the word.

On failure to respond within time interval: MISS>> "We missed that one." OR WOOPS>> "Woops, missed it." Repeat and flash word. Display graphic in response box.

On failure to respond more than 2x in a row: Display graphic for wrong response in response box. **HELLO?>>** "Hello? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds, **ATTN>>** "Pay attention now." Continue round of play. Else, discard data for all 3 NRs and end round of play.

Visual + auditory presentation of target word with Visual Series:

HELLO>>"Hi boys & girls. \setminus

TWS>>This word says 'maf'.

SAME>> Click on the mouse when you see the same word on one of the balloons.

GO>> Get ready, set.....Go!"

On correct response: Shoot dart & burst balloon. Display graphic in response box. Repeat and flash the word.

On incorrect response: Shoot dart but miss balloon. Display graphic in response box. Repeat and flash the word.

On failure to WOOPS>> "Woops, missed it."

Repeat and flash word. Display graphic in response box.

On failure to respond more than 2x in a row: Display graphic for wrong response in response box. **HELLO>>**"Hello? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds, **ATTN>>** "Pay attention now." Continue round of play. Else, discard data for all 3 NRs and end round of play.

" | E | E | E | E | H. Ed en a place de control de dont l'ance d'eneme e

Visual presentation of target word with Visual Series:

HELLO>>"Hi boys & girls. (Show target word).

TARGET>> Click on the mouse when you see this word on one of the balloons.

GO>> Get ready, set.....Go!"

On correct response: Shoot dart & burst balloon. Display graphic in response box. Repeat and flash the word.

On incorrect response: Shoot dart but miss balloon. Display graphic in response box. Repeat and flash the word.

On failure to respond within time interval: MISS>> "We missed that one." WOOPS>> "Woops, missed it." Repeat and flash word. Display graphic in response box.

On failure to respond more than 2x in a row: Display graphic for wrong response in response box. HELLO?>> "Hello? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds, ATTN>"Pay attention now." Continue round of play. Else, discard data for all 3 NRs and end round of play.

Auditory presentation of target word with Visual Series:

HELLO>>"Hi boys & girls.

SEE>> Click on the mouse when you see the word 'maf'

BALLOON>>on one of the balloons.

GO>>Get ready, set....Go!"

On correct response: Shoot dart & burst balloon. Display graphic in response box. Repeat and flash the word.

On incorrect response: Shoot dart but miss balloon. Display graphic in response box. Repeat and flash the word

On failure to respond within time interval: MISS>>"We missed that one." WOOPS>>
"Woops, missed it." Repeat and flash word. Display graphic in response box.
On failure to respond more than 2x in a row: Display graphic for wrong response in response box.HELLO?>> "Hello? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds,ATTN>> "Pay attention now." Continue round of play. Else, discard data for all 3 NRs and end round of play.

Words added 10-20-99

63. WORD LIST

wat, zat, yat, ADD: nat ot, zot, chot ADD: vot ug, gug, shug chun, mun, yun ADD: kun

CONTRACTOR OF SEASON CONTRACTOR AND A MARKET COMMENTS OF SEASON CONTRACTOR AND A SEASON CONTRACTOR AND

op, vop, kop-ADD: dop en, shen, chen ADD: nen ag, vag, kag ig, shig, lig ip, mip, vip kad, nad, rad fam, cham, nam ADD: zam zan, yan, han ap, kap, bap eg, neg, teg et, fet, zet hed, ched, ded ADD thed tid, wid, nid yim, sim, pim lin, rin, zin dit, yit, rit ob, nob, wob od, wod, lod og, zog, shog ub, kub, mub ADD wub ut, mut, chut ADD thut ar, sar, dar ab, mab, sab um, fum, wum ug, wug, nug ath, nath, fath ish, pish, nish ush, nush, wush uch, nuch, vuch kash, zash, thash ADD tash tash, yash, thash

<u>Task (13)</u> :	Present	<u>Hold</u>	Prese	<u>nt</u>
# <u>Trials</u> Score	Target	<u>Target</u>	Series	<u>Rate</u>
1-Recognize word		yes	auditory	60 wpm
2-Recognize word		yes	auditory	45 wpm
3-Recognize word		yes	auditory	30 wpm
4-Recognize word	visual + auditory	yes	visual	60 wpm
5-Recognize word	visual + auditory	yes	visual	45 wpm
6-Recognize word	visual + auditory	yes	visual	30 wpm

Copyright 1999 Cognitive Concepts Inc.

7-Recognize word	visual + auditory	no	visual	60 wpm
8-Recognize word		no	visual	45 wpm
9-Recognize word		no	visual	30 wpm
10-Recognize word	visual	no	visual	60 wpm
11-Recognize word		no	visual	45 wpm
12-Recognize word		no	visual	30 wpm
13-Decode word	auditory	n/a	visual	60 wpm
14-Decode word	auditory	n/a	visual	45 wpm
15-Decode word	auditory	n/a	visual	30 wpm

(FORMER TASK 11)

TASK 14: WORD RECOGNITION, DECODING & READING FLUENCY: WORDS CONTAINING WORD-FINAL PLURALITY MORPHEMES (21)

<u>Learning Objective</u>: Following visual+auditory, visual-only or auditory-only visual-only presentation of a target word, the student will identify the same word in a series of words auditorily or visually presented at a rate of 30 wpm, 45 wpm and 60 wpm. The visual display of the target word will or will not remain on screen and will or will not include a visual cue to facilitate performance.

Activity Module 2

Criteria: 4/2

Begin round with instructions.

HELLO>> "Hi boys & girls.

WORDS>> "Let's talk about the ends of words.

TELLS>> " The end of a word tells you something about what the word means."

B₁₂₈

IN11A>> For example,"cat"

IN11A1>> means ... "one cat" (SHOW PICTURE OF CAT)---

IN11A2>>"catS"

IN11A3>> "means more than onecat" (SHOW PICTURE OF CATS)

IN11B>>For example, "dish"

IN11B1>>means "one dish" (SHOW PICTURE OFDISH) ---

IN11B2>>"dishES"

IN11B3>>means "more than one dish" (SHOW PICTURE OF DISHES)

Visual + auditory presentation of target word with Auditory Series:

TWE>>"This word ends with ...

S>>...s'

AS>>...and says.... "cats".

IN11C>> Click when you hear this word.

Copyright 1999 Cognitive Concepts Inc.

GO>> Get ready, set....Go!"

On correct response: Shoot dart & burst balloon. Display graphic in response box. Repeat and flash the word.

On incorrect response: Shoot dart but miss balloon. Display graphic in response box. Repeat and flash the word.

On failure to respond within time interval: MISS>> "We missed that one." WOOPS>> "Woops, missed it." Repeat and flash word. Display graphic in response box. On failure to respond more than 2x in a row: Display graphic for wrong response in response box. HELLO?>> "Hello? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds, ATTN>> "Pay attention now." Continue round of play. Else, discard data for all 3 NRs and end round of play.

Visual + auditory presentation of target word with Visual Series:

TWE>>"This words ends with

S>>...'s'

AS>>and says cats".

SAME>> Click when you see the same word on one of the balloons.

GO>>Get ready, set....Go!"

On correct response: Shoot dart & burst balloon. Display graphic in response box. Repeat and flash the word.

On incorrect response: Shoot dart but miss balloon. Display graphic in response box. Repeat and flash the word.

On failure to respond within time interval: MISS>>"We missed that one." WOOPS>> "Woops, missed it." Repeat and flash word. Display graphic in response box.

On failure to respond more than 2x in a row: Display graphic for wrong response in response box. **HELLO?>>**"Hello? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds, **ATTN>>** "Pay attention now." Continue round of play. Else, discard data for all 3 NRs and end round of play.

Visual presentation of target word with Visual Series:

(Show target word). **IN11D>>**Click on the mouse when you see this word that ends with ...'s'

BALLOON>> on one of the balloons.

GO>> Get ready, set.....Go!"

THE PROPERTY OF THE PROPERTY WINDS AND PROPERTY OF A STORE AND A STORE OF THE PROPERTY OF THE

On correct response: Shoot dart & burst balloon. Display graphic in response box. Repeat and flash the word.

On incorrect response: Shoot dart but miss balloon. Display graphic in response box. Repeat and flash the word.

On failure to respond within time interval: MISS>"We missed that one." WOOPS>> "Woops, missed it." Repeat and flash word. Display graphic in response box.

On failure to respond more than 2x in a row: Display graphic for wrong response in response box. **HELLO?>>** "Hello? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds, **ATTN>>** "Pay attention now." Continue round of play. Else, discard data for all 3 NRs and end round of play.

Auditory presentation of target word with Visual Series:

IN11E>> "Click on the mouse when you see the word ... 'cats'

BALLOON>>... on one of the balloons.

Get ready, set.....Go!"

On correct response: Shoot dart & burst balloon. Display graphic in response box. Repeat and flash the word.

On incorrect response: Shoot dart but miss balloon. Display graphic in response box. Repeat and flash the word

On failure to respond within time interval:MISS>> "We missed that one." WOOPS>> "Woops, missed it." Repeat and flash word. Display graphic in response box. On failure to respond more than 2x in a row: Display graphic for wrong response in response box. HELLO?>> "Hello? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds, ATTN>> "Pay attention now." Continue round of play. Else, discard data for all 3 NRs and end round of play.

Stimuli:

/s/

cat, cats

dog, dogs

mat, mats

pot, pots

pup, pups

lip, lips

(a) bug, bugs

log, logs

kid, kids

产生产产品的复数 机橡胶 医性内膜切除性脑膜 机多次的 化转换性 电电阻转换 化加加电池 电线线线 计分类 计自由 化红色性细胞 电电路 化加速性脓疱 化化亚基

lid, lids mug, mugs cop, cops ball, balls wall, walls map, maps gun, guns

dish, dishes

bush, bushes lash, lashes dash, dashes sash, sashes wish, wishes

	<u>Present</u>	<u>Hold</u>	Prese	ent
<u>Task (14)</u> : <u>Score</u>	<u>Target</u>	<u>TargetSeries</u>		rials
1-Recognize morpheme wpm	visual + auditory	yes	auditory	60
2-Recognize morpheme wpm	visual + auditory	yes	auditory	45
3-Recognize morpheme wpm	visual + auditory	yes	auditory	30
4-Recognize morpheme wpm	visual + auditory	yes	visual	60
5-Recognize morpheme wpm	visual + auditory	yes	visual	45
6-Recognize morpheme wpm	visual + auditory	yes	visual	30
7-Recognize morpheme wpm	visual + auditory	no	visual	60
8-Recognize morpheme wpm	visual + auditory	no	visual	45
9-Recognize morpheme wpm	visual + auditory	no	visual	30

B431

- 1 To Still Hill Mandales watching to constitute as the example and a second

10-Recognize morpheme cue 60 wpm	visual w/ cue		yes		visual w/
11-Recognize morpheme cue 45 wpm	visual w/ cue		yes		visual w/
12-Recognize morpheme cue 30 wpm	visual w/ cue		yes		visual w/
13-Recognize morpheme cue 60 wpm	visual w/ cue		no		visual w/
14-Recognize morpheme cue 45 wpm	visual w/ cue		no		visual w/
15-Recognize morpheme cue 30 wpm	visual w/ cue		no		visual w/
16-Recognize morpheme wpm	visual	no		visual	60
17-Recognize morpheme wpm	visual	no		visual	45
	visual	no		visual	30
19-Decode morpheme 60 wpm	auditory		n/a		visual
20-Decode morpheme 45 wpm	auditory		n/a		visual
21-Decode morpheme 30 wpm	auditory		n/a		visual

(FORMER TASK 12)

TASK 15: WORD RECOGNITION, DECODING & READING FLUENCY: WORDS CONTAINING WORD-FINAL VERB TENSE MORPHEMES (21)

<u>Learning Objective</u>: Following visual+auditory, visual-only or auditory-only visual-only presentation of a target word, the student will identify the same word in a series of words auditorily or visually presented at a rate of 30 wpm, 45 wpm and 60 wpm. The visual display of the target word will or will not remain on screen and will or will not include a visual cue to facilitate performance.

Criteria: 4/2

Activity Module 2

Begin round with instructions.

HELLO>> "Hi boys & girls.

WORDS>> Let's talk about the ends of words.

TELLS>> The end of a word tells you something about what the word means." For example,

IN12A >>"CookS ...means SOMETHING IS HAPPENING right now....

IN12A1>> Alex cookS right now." (show graphic)

IN12A2 >> "CookING means SOMETHING IS HAPPENING right now....

IN12A3>>Alex is cookING right now." (show graphic)

IN12A4>> "CookED means something that ALREADY happened in the past and is finished....

IN12A5>> Alex cookED soup yesterday." (show graphic)

Visual + auditory presentation of target word with Auditory Series:

ING>> "This word ends with 'ing'

AS>> and says "sitting".

ARCHARD ON ANALOMOUS CONTRACTOR CONTINUES AND A COMPANY OF

IN12B>>Click when you hear this word.

GO>>Get, set... ready....Go!"

On correct response: Shoot dart & burst balloon. Display graphic in response box. Repeat and flash the word.

On incorrect response: Shoot dart but miss balloon. Display graphic in response box. Repeat and flash the word.

On failure to respond within time interval: MISS>>"We missed that one." WOOPS>>
"Woops, missed it." Repeat and flash word. Display graphic in response box.

On failure to respond more than 2x in a row: Display graphic for wrong response in response box. HELLO?>>"Hello? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds, ATTN>> "Pay attention now." Continue round of play. Else, discard data for all 3 NRs and end round of play.

Visual + auditory presentation of target word with Visual Series:

ED>> This word ends with 'ed'

AS>> and says "ripped".

SAME>> Click when you see the same word on one of the balloons.

GO>>Get ready, set....Go!"

On correct response: Shoot dart & burst balloon. Display graphic in response box. Repeat and flash the word.

On incorrect response: Shoot dart but miss balloon. Display graphic in response box. Repeat and flash the word.

On failure to respond within time interval: MISS>> "We missed that one." WOOPS>> "Woops, missed it." Repeat and flash word. Display graphic in response box. On failure to respond more than 2x in a row: Display graphic for wrong response in response box. HELLO?>> "Hello? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds, ATTN>> "Pay attention now." Continue round of play. Else, discard data for all 3 NRs and end round of play.

Visual presentation of target word with Visual Series: (Show target word).

IN2C>> Click on the mouse when you see this word that ends with 'ed'

BALLOON>>on one of the balloons.

GO>>Get ready, set.....Go!"

On correct response: Shoot dart & burst balloon. Display graphic in response box. Repeat and flash the word.

On incorrect response: Shoot dart but miss balloon. Display graphic in response box. Repeat and flash the word.

On failure to respond within time interval: MISS>>"We missed that one." WOOPS>> "Woops, missed it." Repeat and flash word. Display graphic in response box.

On failure to respond more than 2x in a row: Display graphic for wrong response in response box. HELLO?>> "Hello? Click on me if you want to keep playing." If no

response from user, discard all 3 NRs and end round of play. If user responds, **ATTN>>**"Pay attention now." Continue round of play. Else, discard data for all 3 NRs and end round of play.

Auditory presentation of target word with Visual Series:

SEE>> Click when you see the word "sits"

BALLOON>> on one of the balloons.

GO>>Get ready, set....Go!"

On correct response: Shoot dart & burst balloon. Display graphic in response box. Repeat and flash the word.

On incorrect response: Shoot dart but miss balloon. Display graphic in response box. Repeat and flash the word

On failure to respond within time interval: MISS>>"We missed that one." WOOPS>>
"Woops, missed it." Repeat and flash word. Display graphic in response box.

On failure to respond more than 2x in a row: Display graphic for wrong response in response box. HELLO?>>"Hello? Click on me if you want to keep playing." If no response from user, discard all 3 NRs and end round of play. If user responds,

ATTN>>"Pay attention now." Continue round of play. Else, discard data for all 3 NRs and end round of play.

Stimuli:

rip, rips

hop, hops mop, mops

(b) tap, taps

64. pat, pats

hug, hugs

tag, tags

fit, fits

rob, robs

nap, naps

run, runs

rub, rubs

beg, begs

dip, dips

hum, hums

65. Push, pushing, pushed, pushes

Copyright 1999 Cognitive Concepts Inc.

Fish, fishing, fished, fishes Wash, washing, washed, washes Mash, mashing, mashed, mashes 66. Dash, dashing, dashed, dashes

Rush, rushing, rushes, rushes Gush, gushing, gushes, gushed Wish, wishing, wishes, wished

	Present	<u>Hold</u>	Prese	<u>nt</u>
<u>Task (15)</u> :	<u>Target</u>	<u>Target</u>	<u>Series</u>	<u>Rate</u>
# <u>Trials Score</u> 1-Recognize morpheme	visual + auditory	yes	auditory	60
wpm 2-Recognize morpheme	visual + auditory	yes	auditory	45
wpm 3-Recognize morpheme wpm	visual + auditory	yes	auditory	30
4-Recognize morpheme	visual + auditory	yes	visual	60
wpm 5-Recognize morpheme	visual + auditory	yes	visual	45
wpm 6-Recognize morpheme wpm	visual + auditory	yes	visual	30
7-Recognize morpheme	visual + auditory	no	visual	60
wpm 8-Recognize morpheme	visual + auditory	no	visual	45
wpm 9-Recognize morpheme wpm	visual + auditory	no	visual	30
10-Recognize morpheme cue 60 wpm	visual w/ cue	yes	visu	al w/
11-Recognize morpheme	visual w/ cue	yes	visu	al w/
cue 45 wpm 12-Recognize morpheme cue 30 wpm	visual w/ cue	yes	visu	al w/
13-Recognize morpheme cue 60 wpm	visual w/ cue	no	visu	al w/

14-Recognize morpheme cue 45 wpm	visual w/ cue	no	visual w/
15-Recognize morpheme cue 30 wpm	visual w/ cue	no	visual w/
16-Recognize morpheme wpm	visual	no	visual 60
17-Recognize morpheme wpm	visual	no	visual 45
•	visual	no	visual 30
19-Decode morpheme 60 wpm	auditory	n/a	visual
20-Decode morpheme 45 wpm	auditory	n/a	visual
21-Decode morpheme 30 wpm	auditory	n/a	visual

B437